

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
2 November 2006 (02.11.2006)

PCT

(10) International Publication Number
WO 2006/116127 A2

(51) International Patent Classification:
C12Q 1/68 (2006.01)

(74) Agents: CASIMIR, David et al.; Medlen & Carroll, 101
Howard Street, Suite 350, San Francisco, CA 94105 (US).

(21) International Application Number:
PCT/US2006/015160

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(22) International Filing Date: 21 April 2006 (21.04.2006)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/674,118 21 April 2005 (21.04.2005) US
60/705,631 3 August 2005 (03.08.2005) US
60/732,539 1 November 2005 (01.11.2005) US
60/773,124 13 February 2006 (13.02.2006) US

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): ISIS
PHARMACEUTICALS, INC. [US/US]; 1896 Ruther-
ford Rd., Carlsbad, California 92008 (US).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): SAMPATH, Ran-
garajan [US/US]; 12223 Mannix Road, San Diego, Cal-
ifornia 92129 (US). HALL, Thomas, A. [US/US]; 5239
Wohlford St., Oceanside, California 92056 (US). ESHOO,
Mark, W. [US/US]; 615 Glenmont Dr., Solana Beach, Cal-
ifornia 92075 (US).

Published:

— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COMPOSITIONS FOR USE IN IDENTIFICATION OF BACTERIA

(57) Abstract: The present invention provides compositions, kits and methods for rapid identification and quantification of bacteria by molecular mass and base composition analysis.



WO 2006/116127 A2

COMPOSITIONS FOR USE IN IDENTIFICATION OF BACTERIA

STATEMENT OF GOVERNMENT SUPPORT

[01] This invention was made with United States Government support under CDC contract RO1 CI000099-01. The United States Government has certain rights in the invention.

FIELD OF THE INVENTION

[02] The present invention provides compositions, kits and methods for rapid identification and quantification of bacteria by molecular mass and base composition analysis.

BACKGROUND OF THE INVENTION

[03] A problem in determining the cause of a natural infectious outbreak or a bioterrorist attack is the sheer variety of organisms that can cause human disease. There are over 1400 organisms infectious to humans; many of these have the potential to emerge suddenly in a natural epidemic or to be used in a malicious attack by bioterrorists (Taylor et al. Philos. Trans. R. Soc. London B. Biol. Sci., 2001, 356, 983-989). This number does not include numerous strain variants, bioengineered versions, or pathogens that infect plants or animals.

[04] Much of the new technology being developed for detection of biological weapons incorporates a polymerase chain reaction (PCR) step based upon the use of highly specific primers and probes designed to selectively detect certain pathogenic organisms. Although this approach is appropriate for the most obvious bioterrorist organisms, like smallpox and anthrax, experience has shown that it is very difficult to predict which of hundreds of possible pathogenic organisms might be employed in a terrorist attack. Likewise, naturally emerging human disease that has caused devastating consequence in public health has come from unexpected families of bacteria, viruses, fungi, or protozoa. Plants and animals also have their natural burden of infectious disease agents and there are equally important biosafety and security concerns for agriculture.

[05] A major conundrum in public health protection, biodefense, and agricultural safety and security is that these disciplines need to be able to rapidly identify and characterize infectious agents, while there is no existing technology with the breadth of function to meet this need. Currently used methods for identification of bacteria rely upon culturing the bacterium to effect isolation from other

organisms and to obtain sufficient quantities of nucleic acid followed by sequencing of the nucleic acid, both processes which are time and labor intensive.

[06] Mass spectrometry provides detailed information about the molecules being analyzed, including high mass accuracy. It is also a process that can be easily automated. DNA chips with specific probes can only determine the presence or absence of specifically anticipated organisms. Because there are hundreds of thousands of species of benign bacteria, some very similar in sequence to threat organisms, even arrays with 10,000 probes lack the breadth needed to identify a particular organism.

[07] The present invention provides oligonucleotide primers and compositions and kits containing the oligonucleotide primers, which define bacterial bioagent identifying amplicons and, upon amplification, produce corresponding amplification products whose molecular masses provide the means to identify bacteria, for example, at and below the species taxonomic level.

SUMMARY OF THE INVENTION

[08] The present invention provides compositions, kits and methods for rapid identification and quantification of bacteria by molecular mass and base composition analysis.

[09] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 456.

[10] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1261.

[11] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 456 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1261.

[12] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 288.

[13] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1269.

[14] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 288 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1269.

[15] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 698.

[16] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1420.

[17] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 698 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1420.

[18] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 217.

[19] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1167

[20] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 217 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1167.

[21] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 399.

[22] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1041.

[23] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 399 and an

oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1041.

[24] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 430.

[25] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1321.

[26] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 430 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1321.

[27] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 174.

[28] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 853.

[29] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 174 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 853.

[30] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 172.

[31] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1360.

[32] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 172 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1360.

[33] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 456 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1261.

[34] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 456 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1261 and further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 288:1269, 698:1420, 217:1167, 399:1041, 430:1321, 174:853, and 172:1360.

[35] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 681.

[36] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1022.

[37] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 681 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1022.

[38] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 315.

[39] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1379.

[40] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 315 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1379.

[41] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 346.

[42] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 955.

[43] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 346 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 955.

[44] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 504.

[45] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1409.

[46] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 504 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1409.

[47] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 323.

[48] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1068.

[49] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 323 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1068.

[50] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 479.

[51] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 938.

[52] Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 479 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 938.

[53] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 681 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1022.

[54] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 681 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1022 and further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 315:1379, 346:955, 504:1409, 323:1068, 479:938.

[55] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 583.

[56] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 923.

[57] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 583 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 923.

[58] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 454.

[59] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1418.

[60] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 454 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1418.

[61] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 250.

[62] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 902.

[63] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 250 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 902.

[64] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 384.

[65] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 878.

[66] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 384 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 878.

[67] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 694.

[68] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1215.

[69] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 694 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1215.

[70] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 194.

[71] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1173.

[72] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 194 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1173.

[73] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 375.

[74] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 890.

[75] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 375 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 890.

[76] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 656.

[77] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1224.

[78] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID

NO: 656 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1224.

[79] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 618.

[80] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1157.

[81] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 618 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1157.

[82] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 302.

[83] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 852.

[84] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 302 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 852.

[85] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 199.

[86] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 889.

[87] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 199 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 889.

[88] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 596.

[89] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1169.

[90] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 596 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1169.

[91] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 150.

[92] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1242.

[93] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 150 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1242.

[94] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 166.

[95] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1069.

[96] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 166 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1069.

[97] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 166.

[98] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1168.

[99] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 166 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1168.

[100] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 583 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 923 and further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 454:1418, 250:902, 384:878, 694:1215, 194:1173, 375:890, 656:1224, 618:1157, 302:852, 199:889, 596:1169, 150:1242, 166:1069 and 166:1168.

[101] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 437.

[102] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1137.

[103] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 437 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1137.

[104] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 530.

[105] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 891.

[106] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID

NO: 530 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 891.

[107] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 474.

[108] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 869.

[109] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 474 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 869.

[110] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 268.

[111] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1284.

[112] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 268 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1284.

[113] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 418.

[114] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1301.

[115] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 418 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1301.

- [116] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 318.
- [117] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1300.
- [118] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 318 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1300.
- [119] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 440.
- [120] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1076.
- [121] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 440 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1076.
- [122] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 219.
- [123] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1013.
- [124] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 219 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1013.
- [125] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 437 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence

identity with SEQ ID NO: 1137 and further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 530:891, 474:869, 268:1284, 418:1301, 318:1300, 440:1076 and 219:1013.

[126] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 325.

[127] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1163.

[128] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 325 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1163.

[129] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 278.

[130] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1039.

[131] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 278 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1039.

[132] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 465.

[133] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1037.

[134] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID

NO: 465 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1037.

[135] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 148.

[136] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1172.

[137] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 148 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1172.

[138] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 190.

[139] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1254.

[140] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 190 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1254.

[141] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 266.

[142] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1094.

[143] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 266 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1094.

[144] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 508.

[145] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1297.

[146] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 508 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1297.

[147] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 259.

[148] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1060.

[149] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 259 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1060.

[150] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 325 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1163 and further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 278:1039; 465:1037, 148:1172, 190:1254, 266:1094, 508:1297 and 259:1060.

[151] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 376.

[152] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1265.

[153] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 376 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1265.

[154] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 267.

[155] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1341.

[156] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 267 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1341.

[157] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 705.

[158] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1056.

[159] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 705 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1056.

[160] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 710.

[161] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1259.

[162] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID

NO: 710 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1259.

[163] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 374.

[164] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1111.

[165] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 374 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1111.

[166] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 545.

[167] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 978.

[168] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 545 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 978.

[169] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 249.

[170] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1095.

[171] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 249 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1095.

- [172] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 195.
- [173] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1376.
- [174] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 195 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1376.
- [175] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 311.
- [176] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1014.
- [177] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 311 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1014.
- [178] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 365.
- [179] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1052.
- [180] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 365 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1052.
- [181] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 527.

[182] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1071.

[183] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 527 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1071.

[184] One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 490.

[185] Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1182.

[186] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 490 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1182.

[187] Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 376 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1265 and further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 267:1341, 705:1056, 710:1259, 374:1111, 545:978, 249:1095, 195:1376, 311:1014, 365:1052, 527:1071 and 490:1182.

[188] In some embodiments, either or both of the primers of a primer pair composition contain at least one modified nucleobase such as 5-propynyluracil or 5-propynylcytosine for example.

[189] In some embodiments, either or both of the primers of the primer pair comprises at least one universal nucleobase such as inosine for example.

[190] In some embodiments, either or both of the primers of the primer pair comprises at least one non-templated T residue on the 5'-end.

[191] In some embodiments, either or both of the primers of the primer pair comprises at least one non-template tag.

[192] In some embodiments, either or both of the primers of the primer pair comprises at least one molecular mass modifying tag.

[193] In some embodiments, the present invention provides primers and compositions comprising pairs of primers, and kits containing the same, and methods for use in identification of bacteria. The primers are designed to produce amplification products of DNA encoding genes that have conserved and variable regions across different subgroups and genotypes of bacteria.

[194] Some embodiments are kits that contain one or more of the primer pair compositions. In some embodiments, each member of the one or more primer pairs of the kit is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from any of the primer pairs listed in Table 2.

[195] Some embodiments of the kits contain at least one calibration polynucleotide for use in quantitation of bacteria in a given sample, and also for use as a positive control for amplification.

[196] Some embodiments of the kits contain at least one anion exchange functional group linked to a magnetic bead.

[197] In some embodiments, the present invention also provides methods for identification of bacteria. Nucleic acid from the bacterium is amplified using the primers described above to obtain an amplification product. The molecular mass of the amplification product is measured. Optionally, the base composition of the amplification product is determined from the molecular mass. The molecular mass or base composition is compared with a plurality of molecular masses or base compositions of known analogous bacterial identifying amplicons, wherein a match between the molecular mass or base composition and a member of the plurality of molecular masses or base compositions identifies the bacterium. In some embodiments, the molecular mass is measured by mass spectrometry in a modality such as electrospray ionization (ESI) time of flight (TOF) mass spectrometry or ESI Fourier transform ion cyclotron resonance (FTICR) mass spectrometry, for example. Other mass spectrometry techniques can also be used to measure the molecular mass of bacterial bioagent identifying amplicons.

[198] In some embodiments, the present invention is also directed to a method for determining the presence or absence of a bacterium in a sample. Nucleic acid from the sample is amplified using the composition described above to obtain an amplification product. The molecular mass of the amplification product is determined. Optionally, the base composition of the amplification product is determined from the molecular mass. The molecular mass or base composition of the amplification product is compared with the known molecular masses or base compositions of one or more known analogous bacterial bioagent identifying amplicons, wherein a match between the molecular mass or base composition of the amplification product and the molecular mass or base composition of one or more known bacterial bioagent identifying amplicons indicates the presence of the bacterium in the sample. In some embodiments, the molecular mass is measured by mass spectrometry.

[199] In some embodiments, the present invention also provides methods for determination of the quantity of an unknown bacterium in a sample. The sample is contacted with the composition described above and a known quantity of a calibration polynucleotide comprising a calibration sequence. Nucleic acid from the unknown bacterium in the sample is concurrently amplified with the composition described above and nucleic acid from the calibration polynucleotide in the sample is concurrently amplified with the composition described above to obtain a first amplification product comprising a bacterial bioagent identifying amplicon and a second amplification product comprising a calibration amplicon. The molecular masses and abundances for the bacterial bioagent identifying amplicon and the calibration amplicon are determined. The bacterial bioagent identifying amplicon is distinguished from the calibration amplicon based on molecular mass and comparison of bacterial bioagent identifying amplicon abundance and calibration amplicon abundance indicates the quantity of bacterium in the sample. In some embodiments, the base composition of the bacterial bioagent identifying amplicon is determined.

[200] In some embodiments, the present invention provides methods for detecting or quantifying bacteria by combining a nucleic acid amplification process with a mass determination process. In some embodiments, such methods identify or otherwise analyze the bacterium by comparing mass information from an amplification product with a calibration or control product. Such methods can be carried out in a highly multiplexed and/or parallel manner allowing for the analysis of as many as 300 samples per 24 hours on a single mass measurement platform. The accuracy of the mass determination methods in some embodiments of the present invention permits allows for the ability to discriminate between different bacteria such as, for example, various genotypes and drug resistant strains of *Staphylococcus aureus*.

BRIEF DESCRIPTION OF THE DRAWINGS

[201] The foregoing summary of the invention, as well as the following detailed description of the invention, is better understood when read in conjunction with the accompanying drawings which are included by way of example and not by way of limitation.

[202] **Figure 1:** process diagram illustrating a representative primer pair selection process.

[203] **Figure 2:** process diagram illustrating an embodiment of the calibration method.

[204] **Figure 3:** common pathogenic bacteria and primer pair coverage. The primer pair number in the upper right hand corner of each polygon indicates that the primer pair can produce a bioagent identifying amplicon for all species within that polygon.

[205] **Figure 4:** a representative 3D diagram of base composition (axes A, G and C) of bioagent identifying amplicons obtained with primer pair number 14 (a precursor of primer pair number 348 which targets 16S rRNA). The diagram indicates that the experimentally determined base compositions of the clinical samples (labeled NHRC samples) closely match the base compositions expected for *Streptococcus pyogenes* and are distinct from the expected base compositions of other organisms.

[206] **Figure 5:** a representative mass spectrum of amplification products indicating the presence of bioagent identifying amplicons of *Streptococcus pyogenes*, *Neisseria meningitidis*, and *Haemophilus influenzae* obtained from amplification of nucleic acid from a clinical sample with primer pair number 349 which targets 23S rRNA. Experimentally determined molecular masses and base compositions for the sense strand of each amplification product are shown.

[207] **Figure 6:** a representative mass spectrum of amplification products representing a bioagent identifying amplicon of *Streptococcus pyogenes*, and a calibration amplicon obtained from amplification of nucleic acid from a clinical sample with primer pair number 356 which targets rplB. The experimentally determined molecular mass and base composition for the sense strand of the *Streptococcus pyogenes* amplification product is shown.

[208] **Figure 7:** a representative mass spectrum of an amplified nucleic acid mixture which contained the Ames strain of *Bacillus anthracis*, a known quantity of combination calibration polynucleotide (SEQ ID NO: 1464), and primer pair number 350 which targets the capC gene on

the virulence plasmid pX02 of *Bacillus anthracis*. Calibration amplicons produced in the amplification reaction are visible in the mass spectrum as indicated and abundance data (peak height) are used to calculate the quantity of the Ames strain of *Bacillus anthracis*.

DEFINITIONS

[209] As used herein, the term "abundance" refers to an amount. The amount may be described in terms of concentration which are common in molecular biology such as "copy number," "pfu or plate-forming unit" which are well known to those with ordinary skill. Concentration may be relative to a known standard or may be absolute.

[210] As used herein, the term "amplifiable nucleic acid" is used in reference to nucleic acids that may be amplified by any amplification method. It is contemplated that "amplifiable nucleic acid" also comprises "sample template."

[211] As used herein the term "amplification" refers to a special case of nucleic acid replication involving template specificity. It is to be contrasted with non-specific template replication (i.e., replication that is template-dependent but not dependent on a specific template). Template specificity is here distinguished from fidelity of replication (i.e., synthesis of the proper polynucleotide sequence) and nucleotide (ribo- or deoxyribo-) specificity. Template specificity is frequently described in terms of "target" specificity. Target sequences are "targets" in the sense that they are sought to be sorted out from other nucleic acid. Amplification techniques have been designed primarily for this sorting out. Template specificity is achieved in most amplification techniques by the choice of enzyme. Amplification enzymes are enzymes that, under conditions they are used, will process only specific sequences of nucleic acid in a heterogeneous mixture of nucleic acid. For example, in the case of Q β replicase, MDV-1 RNA is the specific template for the replicase (D.L. Kacian et al., Proc. Natl. Acad. Sci. USA 69:3038 [1972]). Other nucleic acid will not be replicated by this amplification enzyme. Similarly, in the case of T7 RNA polymerase, this amplification enzyme has a stringent specificity for its own promoters (Chamberlin et al., Nature 228:227 [1970]). In the case of T4 DNA ligase, the enzyme will not ligate the two oligonucleotides or polynucleotides, where there is a mismatch between the oligonucleotide or polynucleotide substrate and the template at the ligation junction (D.Y. Wu and R. B. Wallace, Genomics 4:560 [1989]). Finally, Taq and Pfu polymerases, by virtue of their ability to function at high temperature, are found to display high specificity for the sequences bounded and thus defined by the primers; the high temperature results in thermodynamic conditions that favor primer hybridization with the target sequences and not hybridization with non-target sequences (H.A. Erlich (ed.), PCR Technology, Stockton Press [1989]).

[212] As used herein, the term "amplification reagents" refers to those reagents (deoxyribonucleotide triphosphates, buffer, etc.), needed for amplification, excluding primers, nucleic acid template, and the amplification enzyme. Typically, amplification reagents along with other reaction components are placed and contained in a reaction vessel (test tube, microwell, etc.).

[213] As used herein, the term "analogous" when used in context of comparison of bioagent identifying amplicons indicates that the bioagent identifying amplicons being compared are produced with the same pair of primers. For example, bioagent identifying amplicon "A" and bioagent identifying amplicon "B", produced with the same pair of primers are analogous with respect to each other. Bioagent identifying amplicon "C", produced with a different pair of primers is not analogous to either bioagent identifying amplicon "A" or bioagent identifying amplicon "B".

[214] As used herein, the term "anion exchange functional group" refers to a positively charged functional group capable of binding an anion through an electrostatic interaction. The most well known anion exchange functional groups are the amines, including primary, secondary, tertiary and quaternary amines.

[215] The term "bacteria" or "bacterium" refers to any member of the groups of eubacteria and archaeobacteria.

[216] As used herein, a "base composition" is the exact number of each nucleobase (for example, A, T, C and G) in a segment of nucleic acid. For example, amplification of nucleic acid of *Staphylococcus aureus* strain carrying the lukS-PV gene with primer pair number 2095 (SEQ ID NOs: 456:1261) produces an amplification product 117 nucleobases in length from nucleic acid of the lukS-PV gene that has a base composition of A35 G17 C19 T46 (by convention - with reference to the sense strand of the amplification product). Because the molecular masses of each of the four natural nucleotides and chemical modifications thereof are known (if applicable), a measured molecular mass can be deconvoluted to a list of possible base compositions. Identification of a base composition of a sense strand which is complementary to the corresponding antisense strand in terms of base composition provides a confirmation of the true base composition of an unknown amplification product. For example, the base composition of the antisense strand of the 139 nucleobase amplification product described above is A46 G19 C17 T35.

[217] As used herein, a "base composition probability cloud" is a representation of the diversity in base composition resulting from a variation in sequence that occurs among different isolates of a given

species. The "base composition probability cloud" represents the base composition constraints for each species and is typically visualized using a pseudo four-dimensional plot.

[218] In the context of this invention, a "bioagent" is any organism, cell, or virus, living or dead, or a nucleic acid derived from such an organism, cell or virus. Examples of bioagents include, but are not limited, to cells, (including but not limited to human clinical samples, bacterial cells and other pathogens), viruses, fungi, protists, parasites, and pathogenicity markers (including but not limited to: pathogenicity islands, antibiotic resistance genes, virulence factors, toxin genes and other bioregulating compounds). Samples may be alive or dead or in a vegetative state (for example, vegetative bacteria or spores) and may be encapsulated or bioengineered. In the context of this invention, a "pathogen" is a bioagent which causes a disease or disorder.

[219] As used herein, a "bioagent division" is defined as group of bioagents above the species level and includes but is not limited to, orders, families, classes, clades, genera or other such groupings of bioagents above the species level.

[220] As used herein, the term "bioagent identifying amplicon" refers to a polynucleotide that is amplified from a bioagent in an amplification reaction and which 1) provides sufficient variability to distinguish among bioagents from whose nucleic acid the bioagent identifying amplicon is produced and 2) whose molecular mass is amenable to a rapid and convenient molecular mass determination modality such as mass spectrometry, for example.

[221] As used herein, the term "biological product" refers to any product originating from an organism. Biological products are often products of processes of biotechnology. Examples of biological products include, but are not limited to: cultured cell lines, cellular components, antibodies, proteins and other cell-derived biomolecules, growth media, growth harvest fluids, natural products and bio-pharmaceutical products.

[222] The terms "biowarfare agent" and "bioweapon" are synonymous and refer to a bacterium, virus, fungus or protozoan that could be deployed as a weapon to cause bodily harm to individuals. Military or terrorist groups may be implicated in deployment of biowarfare agents.

[223] In context of this invention, the term "broad range survey primer pair" refers to a primer pair designed to produce bioagent identifying amplicons across different broad groupings of bioagents. For example, the ribosomal RNA-targeted primer pairs are broad range survey primer pairs which have the capability of producing bacterial bioagent identifying amplicons for essentially all known bacteria. With

respect to broad range primer pairs employed for identification of bacteria, a broad range survey primer pair for bacteria such as 16S rRNA primer pair number 346 (SEQ ID NOs: 202:1110) for example, will produce an bacterial bioagent identifying amplicon for essentially all known bacteria.

[224] The term "calibration amplicon" refers to a nucleic acid segment representing an amplification product obtained by amplification of a calibration sequence with a pair of primers designed to produce a bioagent identifying amplicon.

[225] The term "calibration sequence" refers to a polynucleotide sequence to which a given pair of primers hybridizes for the purpose of producing an internal (i.e: included in the reaction) calibration standard amplification product for use in determining the quantity of a bioagent in a sample. The calibration sequence may be expressly added to an amplification reaction, or may already be present in the sample prior to analysis.

[226] The term "clade primer pair" refers to a primer pair designed to produce bioagent identifying amplicons for species belonging to a clade group. A clade primer pair may also be considered as a "speciating" primer pair which is useful for distinguishing among closely related species.

[227] The term "codon" refers to a set of three adjoined nucleotides (triplet) that codes for an amino acid or a termination signal.

[228] In context of this invention, the term "codon base composition analysis," refers to determination of the base composition of an individual codon by obtaining a bioagent identifying amplicon that includes the codon. The bioagent identifying amplicon will at least include regions of the target nucleic acid sequence to which the primers hybridize for generation of the bioagent identifying amplicon as well as the codon being analyzed, located between the two primer hybridization regions.

[229] As used herein, the terms "complementary" or "complementarity" are used in reference to polynucleotides (i.e., a sequence of nucleotides such as an oligonucleotide or a target nucleic acid) related by the base-pairing rules. For example, for the sequence "5'-A-G-T-3'," is complementary to the sequence "3'-T-C-A-5'." Complementarity may be "partial," in which only some of the nucleic acids' bases are matched according to the base pairing rules. Or, there may be "complete" or "total" complementarity between the nucleic acids. The degree of complementarity between nucleic acid strands has significant effects on the efficiency and strength of hybridization between nucleic acid strands. This is of particular importance in amplification reactions, as well as detection methods that depend upon binding between nucleic acids. Either term may also be used in reference to individual nucleotides, especially within the

context of polynucleotides. For example, a particular nucleotide within an oligonucleotide may be noted for its complementarity, or lack thereof, to a nucleotide within another nucleic acid strand, in contrast or comparison to the complementarity between the rest of the oligonucleotide and the nucleic acid strand.

[230] The term “complement of a nucleic acid sequence” as used herein refers to an oligonucleotide which, when aligned with the nucleic acid sequence such that the 5' end of one sequence is paired with the 3' end of the other, is in “antiparallel association.” Certain bases not commonly found in natural nucleic acids may be included in the nucleic acids of the present invention and include, for example, inosine and 7-deazaguanine. Complementarity need not be perfect; stable duplexes may contain mismatched base pairs or unmatched bases. Those skilled in the art of nucleic acid technology can determine duplex stability empirically considering a number of variables including, for example, the length of the oligonucleotide, base composition and sequence of the oligonucleotide, ionic strength and incidence of mismatched base pairs. Where a first oligonucleotide is complementary to a region of a target nucleic acid and a second oligonucleotide has complementary to the same region (or a portion of this region) a “region of overlap” exists along the target nucleic acid. The degree of overlap will vary depending upon the extent of the complementarity.

[231] In context of this invention, the term “division-wide primer pair” refers to a primer pair designed to produce bioagent identifying amplicons within sections of a broader spectrum of bioagents. For example, primer pair number 352 (SEQ ID NOs: 687:1411), a division-wide primer pair, is designed to produce bacterial bioagent identifying amplicons for members of the *Bacillus* group of bacteria which comprises, for example, members of the genera *Streptococci*, *Enterococci*, and *Staphylococci*. Other division-wide primer pairs may be used to produce bacterial bioagent identifying amplicons for other groups of bacterial bioagents.

[232] As used herein, the term “concurrently amplifying” used with respect to more than one amplification reaction refers to the act of simultaneously amplifying more than one nucleic acid in a single reaction mixture.

[233] As used herein, the term “drill-down primer pair” refers to a primer pair designed to produce bioagent identifying amplicons for identification of sub-species characteristics or confirmation of a species assignment. For example, primer pair number 2146 (SEQ ID NOs: 437:1137), a drill-down *Staphylococcus aureus* genotyping primer pair, is designed to produce *Staphylococcus aureus* genotyping amplicons. Other drill-down primer pairs may be used to produce bioagent identifying amplicons for *Staphylococcus aureus* and other bacterial species.

[234] The term "duplex" refers to the state of nucleic acids in which the base portions of the nucleotides on one strand are bound through hydrogen bonding the their complementary bases arrayed on a second strand. The condition of being in a duplex form reflects on the state of the bases of a nucleic acid. By virtue of base pairing, the strands of nucleic acid also generally assume the tertiary structure of a double helix, having a major and a minor groove. The assumption of the helical form is implicit in the act of becoming duplexed.

[235] As used herein, the term "etiology" refers to the causes or origins, of diseases or abnormal physiological conditions.

[236] The term "gene" refers to a DNA sequence that comprises control and coding sequences necessary for the production of an RNA having a non-coding function (e.g., a ribosomal or transfer RNA), a polypeptide or a precursor. The RNA or polypeptide can be encoded by a full length coding sequence or by any portion of the coding sequence so long as the desired activity or function is retained.

[237] The terms "homology," "homologous" and "sequence identity" refer to a degree of identity. There may be partial homology or complete homology. A partially homologous sequence is one that is less than 100% identical to another sequence. Determination of sequence identity is described in the following example: a primer 20 nucleobases in length which is otherwise identical to another 20 nucleobase primer but having two non-identical residues has 18 of 20 identical residues ($18/20 = 0.9$ or 90% sequence identity). In another example, a primer 15 nucleobases in length having all residues identical to a 15 nucleobase segment of a primer 20 nucleobases in length would have $15/20 = 0.75$ or 75% sequence identity with the 20 nucleobase primer. In context of the present invention, sequence identity is meant to be properly determined when the query sequence and the subject sequence are both described and aligned in the 5' to 3' direction. Sequence alignment algorithms such as BLAST, will return results in two different alignment orientations. In the Plus/Plus orientation, both the query sequence and the subject sequence are aligned in the 5' to 3' direction. On the other hand, in the Plus/Minus orientation, the query sequence is in the 5' to 3' direction while the subject sequence is in the 3' to 5' direction. It should be understood that with respect to the primers of the present invention, sequence identity is properly determined when the alignment is designated as Plus/Plus. Sequence identity may also encompass alternate or modified nucleobases that perform in a functionally similar manner to the regular nucleobases adenine, thymine, guanine and cytosine with respect to hybridization and primer extension in amplification reactions. In a non-limiting example, if the 5-propynyl pyrimidines propyne C and/or propyne T replace one or more C or T residues in one primer which is otherwise identical to another primer in sequence and length, the two primers will have 100% sequence identity with each other. In another non-limiting example, Inosine (I) may be used as a replacement for G or T and effectively

hybridize to C, A or U (uracil). Thus, if inosine replaces one or more C, A or U residues in one primer which is otherwise identical to another primer in sequence and length, the two primers will have 100% sequence identity with each other. Other such modified or universal bases may exist which would perform in a functionally similar manner for hybridization and amplification reactions and will be understood to fall within this definition of sequence identity.

[238] As used herein, "housekeeping gene" refers to a gene encoding a protein or RNA involved in basic functions required for survival and reproduction of a bioagent. Housekeeping genes include, but are not limited to genes encoding RNA or proteins involved in translation, replication, recombination and repair, transcription, nucleotide metabolism, amino acid metabolism, lipid metabolism, energy generation, uptake, secretion and the like.

[239] As used herein, the term "hybridization" is used in reference to the pairing of complementary nucleic acids. Hybridization and the strength of hybridization (i.e., the strength of the association between the nucleic acids) is influenced by such factors as the degree of complementarity between the nucleic acids, stringency of the conditions involved, and the T_m of the formed hybrid. "Hybridization" methods involve the annealing of one nucleic acid to another, complementary nucleic acid, i.e., a nucleic acid having a complementary nucleotide sequence. The ability of two polymers of nucleic acid containing complementary sequences to find each other and anneal through base pairing interaction is a well-recognized phenomenon. The initial observations of the "hybridization" process by Marmur and Lane, Proc. Natl. Acad. Sci. USA 46:453 (1960) and Doty et al., Proc. Natl. Acad. Sci. USA 46:461 (1960) have been followed by the refinement of this process into an essential tool of modern biology.

[240] The term "*in silico*" refers to processes taking place via computer calculations. For example, electronic PCR (ePCR) is a process analogous to ordinary PCR except that it is carried out using nucleic acid sequences and primer pair sequences stored on a computer formatted medium.

[241] As used herein, "intelligent primers" are primers that are designed to bind to highly conserved sequence regions of a bioagent identifying amplicon that flank an intervening variable region and, upon amplification, yield amplification products which ideally provide enough variability to distinguish individual bioagents, and which are amenable to molecular mass analysis. By the term "highly conserved," it is meant that the sequence regions exhibit between about 80-100%, or between about 90-100%, or between about 95-100% identity among all, or at least 70%, at least 80%, at least 90%, at least 95%, or at least 99% of species or strains.

[242] The "ligase chain reaction" (LCR; sometimes referred to as "Ligase Amplification Reaction" (LAR) described by Barany, *Proc. Natl. Acad. Sci.*, 88:189 (1991); Barany, *PCR Methods and Applic.*, 1:5 (1991); and Wu and Wallace, *Genomics* 4:560 (1989) has developed into a well-recognized alternative method for amplifying nucleic acids. In LCR, four oligonucleotides, two adjacent oligonucleotides which uniquely hybridize to one strand of target DNA, and a complementary set of adjacent oligonucleotides, that hybridize to the opposite strand are mixed and DNA ligase is added to the mixture. Provided that there is complete complementarity at the junction, ligase will covalently link each set of hybridized molecules. Importantly, in LCR, two probes are ligated together only when they base-pair with sequences in the target sample, without gaps or mismatches. Repeated cycles of denaturation, hybridization and ligation amplify a short segment of DNA. LCR has also been used in combination with PCR to achieve enhanced detection of single-base changes. However, because the four oligonucleotides used in this assay can pair to form two short ligatable fragments, there is the potential for the generation of target-independent background signal. The use of LCR for mutant screening is limited to the examination of specific nucleic acid positions.

[243] The term "locked nucleic acid" or "LNA" refers to a nucleic acid analogue containing one or more 2'-O, 4'-C-methylene- β -D-ribofuranosyl nucleotide monomers in an RNA mimicking sugar conformation. LNA oligonucleotides display unprecedented hybridization affinity toward complementary single-stranded RNA and complementary single- or double-stranded DNA. LNA oligonucleotides induce A-type (RNA-like) duplex conformations. The primers of the present invention may contain LNA modifications.

[244] As used herein, the term "mass-modifying tag" refers to any modification to a given nucleotide which results in an increase in mass relative to the analogous non-mass modified nucleotide. Mass-modifying tags can include heavy isotopes of one or more elements included in the nucleotide such as carbon-13 for example. Other possible modifications include addition of substituents such as iodine or bromine at the 5 position of the nucleobase for example.

[245] The term "mass spectrometry" refers to measurement of the mass of atoms or molecules. The molecules are first converted to ions, which are separated using electric or magnetic fields according to the ratio of their mass to electric charge. The measured masses are used to identify the molecules.

[246] The term "microorganism" as used herein means an organism too small to be observed with the unaided eye and includes, but is not limited to bacteria, virus, protozoans, fungi; and ciliates.

[247] The term "multi-drug resistant" or multiple-drug resistant" refers to a microorganism which is resistant to more than one of the antibiotics or antimicrobial agents used in the treatment of said microorganism.

[248] The term "multiplex PCR" refers to a PCR reaction where more than one primer set is included in the reaction pool allowing 2 or more different DNA targets to be amplified by PCR in a single reaction tube.

[249] The term "non-template tag" refers to a stretch of at least three guanine or cytosine nucleobases of a primer used to produce a bioagent identifying amplicon which are not complementary to the template. A non-template tag is incorporated into a primer for the purpose of increasing the primer-duplex stability of later cycles of amplification by incorporation of extra G-C pairs which each have one additional hydrogen bond relative to an A-T pair.

[250] The term "nucleic acid sequence" as used herein refers to the linear composition of the nucleic acid residues A, T, C or G or any modifications thereof, within an oligonucleotide, nucleotide or polynucleotide, and fragments or portions thereof, and to DNA or RNA of genomic or synthetic origin which may be single or double stranded, and represent the sense or antisense strand

[251] As used herein, the term "nucleobase" is synonymous with other terms in use in the art including "nucleotide," "deoxynucleotide," "nucleotide residue," "deoxynucleotide residue," "nucleotide triphosphate (NTP)," or deoxynucleotide triphosphate (dNTP).

[252] The term "nucleotide analog" as used herein refers to modified or non-naturally occurring nucleotides such as 5-propynyl pyrimidines (i.e., 5-propynyl-dTTP and 5-propynyl-dTCP), 7-deaza purines (i.e., 7-deaza-dATP and 7-deaza-dGTP). Nucleotide analogs include base analogs and comprise modified forms of deoxyribonucleotides as well as ribonucleotides.

[253] The term "oligonucleotide" as used herein is defined as a molecule comprising two or more deoxyribonucleotides or ribonucleotides, preferably at least 5 nucleotides, more preferably at least about 13 to 35 nucleotides. The exact size will depend on many factors, which in turn depend on the ultimate function or use of the oligonucleotide. The oligonucleotide may be generated in any manner, including chemical synthesis, DNA replication, reverse transcription, PCR, or a combination thereof. Because mononucleotides are reacted to make oligonucleotides in a manner such that the 5' phosphate of one mononucleotide pentose ring is attached to the 3' oxygen of its neighbor in one direction via a phosphodiester linkage, an end of an oligonucleotide is referred to as the "5'-end" if its 5' phosphate is not

linked to the 3' oxygen of a mononucleotide pentose ring and as the "3'-end" if its 3' oxygen is not linked to a 5' phosphate of a subsequent mononucleotide pentose ring. As used herein, a nucleic acid sequence, even if internal to a larger oligonucleotide, also may be said to have 5' and 3' ends. A first region along a nucleic acid strand is said to be upstream of another region if the 3' end of the first region is before the 5' end of the second region when moving along a strand of nucleic acid in a 5' to 3' direction. All oligonucleotide primers disclosed herein are understood to be presented in the 5' to 3' direction when reading left to right. When two different, non-overlapping oligonucleotides anneal to different regions of the same linear complementary nucleic acid sequence, and the 3' end of one oligonucleotide points towards the 5' end of the other, the former may be called the "upstream" oligonucleotide and the latter the "downstream" oligonucleotide. Similarly, when two overlapping oligonucleotides are hybridized to the same linear complementary nucleic acid sequence, with the first oligonucleotide positioned such that its 5' end is upstream of the 5' end of the second oligonucleotide, and the 3' end of the first oligonucleotide is upstream of the 3' end of the second oligonucleotide, the first oligonucleotide may be called the "upstream" oligonucleotide and the second oligonucleotide may be called the "downstream" oligonucleotide.

[254] In the context of this invention, a "pathogen" is a bioagent which causes a disease or disorder.

[255] As used herein, the terms "PCR product," "PCR fragment," and "amplification product" refer to the resultant mixture of compounds after two or more cycles of the PCR steps of denaturation, annealing and extension are complete. These terms encompass the case where there has been amplification of one or more segments of one or more target sequences.

[256] The term "peptide nucleic acid" ("PNA") as used herein refers to a molecule comprising bases or base analogs such as would be found in natural nucleic acid, but attached to a peptide backbone rather than the sugar-phosphate backbone typical of nucleic acids. The attachment of the bases to the peptide is such as to allow the bases to base pair with complementary bases of nucleic acid in a manner similar to that of an oligonucleotide. These small molecules, also designated anti gene agents, stop transcript elongation by binding to their complementary strand of nucleic acid (Nielsen, et al. *Anticancer Drug Des.* 8:53 63). The primers of the present invention may comprise PNAs.

[257] The term "polymerase" refers to an enzyme having the ability to synthesize a complementary strand of nucleic acid from a starting template nucleic acid strand and free dNTPs.

[258] As used herein, the term "polymerase chain reaction" ("PCR") refers to the method of K.B. Mullis U.S. Patent Nos. 4,683,195, 4,683,202, and 4,965,188, hereby incorporated by reference, that

describe a method for increasing the concentration of a segment of a target sequence in a mixture of genomic DNA without cloning or purification. This process for amplifying the target sequence consists of introducing a large excess of two oligonucleotide primers to the DNA mixture containing the desired target sequence, followed by a precise sequence of thermal cycling in the presence of a DNA polymerase. The two primers are complementary to their respective strands of the double stranded target sequence. To effect amplification, the mixture is denatured and the primers then annealed to their complementary sequences within the target molecule. Following annealing, the primers are extended with a polymerase so as to form a new pair of complementary strands. The steps of denaturation, primer annealing, and polymerase extension can be repeated many times (i.e., denaturation, annealing and extension constitute one "cycle"; there can be numerous "cycles") to obtain a high concentration of an amplified segment of the desired target sequence. The length of the amplified segment of the desired target sequence is determined by the relative positions of the primers with respect to each other, and therefore, this length is a controllable parameter. By virtue of the repeating aspect of the process, the method is referred to as the "polymerase chain reaction" (hereinafter "PCR"). Because the desired amplified segments of the target sequence become the predominant sequences (in terms of concentration) in the mixture, they are said to be "PCR amplified." With PCR, it is possible to amplify a single copy of a specific target sequence in genomic DNA to a level detectable by several different methodologies (e.g., hybridization with a labeled probe; incorporation of biotinylated primers followed by avidin-enzyme conjugate detection; incorporation of ³²P-labeled deoxynucleotide triphosphates, such as dCTP or dATP, into the amplified segment). In addition to genomic DNA, any oligonucleotide or polynucleotide sequence can be amplified with the appropriate set of primer molecules. In particular, the amplified segments created by the PCR process itself are, themselves, efficient templates for subsequent PCR amplifications.

[259] The term "polymerization means" or "polymerization agent" refers to any agent capable of facilitating the addition of nucleoside triphosphates to an oligonucleotide. Preferred polymerization means comprise DNA and RNA polymerases.

[260] As used herein, the terms "pair of primers," or "primer pair" are synonymous. A primer pair is used for amplification of a nucleic acid sequence. A pair of primers comprises a forward primer and a reverse primer. The forward primer hybridizes to a sense strand of a target gene sequence to be amplified and primes synthesis of an antisense strand (complementary to the sense strand) using the target sequence as a template. A reverse primer hybridizes to the antisense strand of a target gene sequence to be amplified and primes synthesis of a sense strand (complementary to the antisense strand) using the target sequence as a template.

[261] The primers are designed to bind to highly conserved sequence regions of a bioagent identifying amplicon that flank an intervening variable region and yield amplification products which ideally provide enough variability to distinguish each individual bioagent, and which are amenable to molecular mass analysis. In some embodiments, the highly conserved sequence regions exhibit between about 80-100%, or between about 90-100%, or between about 95-100% identity, or between about 99-100% identity. The molecular mass of a given amplification product provides a means of identifying the bioagent from which it was obtained, due to the variability of the variable region. Thus design of the primers requires selection of a variable region with appropriate variability to resolve the identity of a given bioagent. Bioagent identifying amplicons are ideally specific to the identity of the bioagent.

[262] Properties of the primers may include any number of properties related to structure including, but not limited to: nucleobase length which may be contiguous (linked together) or non-contiguous (for example, two or more contiguous segments which are joined by a linker or loop moiety), modified or universal nucleobases (used for specific purposes such as for example, increasing hybridization affinity, preventing non-templated adenylation and modifying molecular mass) percent complementarity to a given target sequences.

[263] Properties of the primers also include functional features including, but not limited to, orientation of hybridization (forward or reverse) relative to a nucleic acid template. The coding or sense strand is the strand to which the forward priming primer hybridizes (forward priming orientation) while the reverse priming primer hybridizes to the non-coding or antisense strand (reverse priming orientation). The functional properties of a given primer pair also include the generic template nucleic acid to which the primer pair hybridizes. For example, identification of bioagents can be accomplished at different levels using primers suited to resolution of each individual level of identification. Broad range survey primers are designed with the objective of identifying a bioagent as a member of a particular division (e.g., an order, family, genus or other such grouping of bioagents above the species level of bioagents). In some embodiments, broad range survey intelligent primers are capable of identification of bioagents at the species or sub-species level. Other primers may have the functionality of producing bioagent identifying amplicons for members of a given taxonomic genus, clade, species, sub-species or genotype (including genetic variants which may include presence of virulence genes or antibiotic resistance genes or mutations). Additional functional properties of primer pairs include the functionality of performing amplification either singly (single primer pair per amplification reaction vessel) or in a multiplex fashion (multiple primer pairs and multiple amplification reactions within a single reaction vessel).

[264] As used herein, the terms "purified" or "substantially purified" refer to molecules, either nucleic or amino acid sequences, that are removed from their natural environment, isolated or separated,

and are at least 60% free, preferably 75% free, and most preferably 90% free from other components with which they are naturally associated. An "isolated polynucleotide" or "isolated oligonucleotide" is therefore a substantially purified polynucleotide.

[265] The term "reverse transcriptase" refers to an enzyme having the ability to transcribe DNA from an RNA template. This enzymatic activity is known as reverse transcriptase activity. Reverse transcriptase activity is desirable in order to obtain DNA from RNA viruses which can then be amplified and analyzed by the methods of the present invention.

[266] The term "ribosomal RNA" or "rRNA" refers to the primary ribonucleic acid constituent of ribosomes. Ribosomes are the protein-manufacturing organelles of cells and exist in the cytoplasm. Ribosomal RNAs are transcribed from the DNA genes encoding them.

[267] The term "sample" in the present specification and claims is used in its broadest sense. On the one hand it is meant to include a specimen or culture (e.g., microbiological cultures). On the other hand, it is meant to include both biological and environmental samples. A sample may include a specimen of synthetic origin. Biological samples may be animal, including human, fluid, solid (e.g., stool) or tissue, as well as liquid and solid food and feed products and ingredients such as dairy items, vegetables, meat and meat by-products, and waste. Biological samples may be obtained from all of the various families of domestic animals, as well as feral or wild animals, including, but not limited to, such animals as ungulates, bear, fish, lagamorphs, rodents, etc. Environmental samples include environmental material such as surface matter, soil, water, air and industrial samples, as well as samples obtained from food and dairy processing instruments, apparatus, equipment, utensils, disposable and non-disposable items. These examples are not to be construed as limiting the sample types applicable to the present invention. The term "source of target nucleic acid" refers to any sample that contains nucleic acids (RNA or DNA). Particularly preferred sources of target nucleic acids are biological samples including, but not limited to blood, saliva, cerebral spinal fluid, pleural fluid, milk, lymph, sputum and semen.

[268] As used herein, the term "sample template" refers to nucleic acid originating from a sample that is analyzed for the presence of "target" (defined below). In contrast, "background template" is used in reference to nucleic acid other than sample template that may or may not be present in a sample. Background template is often a contaminant. It may be the result of carryover, or it may be due to the presence of nucleic acid contaminants sought to be purified away from the sample. For example, nucleic acids from organisms other than those to be detected may be present as background in a test sample.

[269] A "segment" is defined herein as a region of nucleic acid within a target sequence.

[270] The "self-sustained sequence replication reaction" (3SR) (Guatelli et al., Proc. Natl. Acad. Sci., 87:1874-1878 [1990], with an erratum at Proc. Natl. Acad. Sci., 87:7797 [1990]) is a transcription-based *in vitro* amplification system (Kwok et al., Proc. Natl. Acad. Sci., 86:1173-1177 [1989]) that can exponentially amplify RNA sequences at a uniform temperature. The amplified RNA can then be utilized for mutation detection (Fahy et al., PCR Meth. Appl., 1:25-33 [1991]). In this method, an oligonucleotide primer is used to add a phage RNA polymerase promoter to the 5' end of the sequence of interest. In a cocktail of enzymes and substrates that includes a second primer, reverse transcriptase, RNase H, RNA polymerase and ribo- and deoxyribonucleoside triphosphates, the target sequence undergoes repeated rounds of transcription, cDNA synthesis and second-strand synthesis to amplify the area of interest. The use of 3SR to detect mutations is kinetically limited to screening small segments of DNA (e.g., 200-300 base pairs).

[271] As used herein, the term "sequence alignment" refers to a listing of multiple DNA or amino acid sequences and aligns them to highlight their similarities. The listings can be made using bioinformatics computer programs.

[272] In context of this invention, the term "speciating primer pair" refers to a primer pair designed to produce a bioagent identifying amplicon with the diagnostic capability of identifying species members of a group of genera or a particular genus of bioagents. Primer pair number 2249 (SEQ ID NOs: 430:1321), for example, is a speciating primer pair used to distinguish *Staphylococcus aureus* from other species of the genus *Staphylococcus*.

[273] As used herein, a "sub-species characteristic" is a genetic characteristic that provides the means to distinguish two members of the same bioagent species. For example, one viral strain could be distinguished from another viral strain of the same species by possessing a genetic change (e.g., for example, a nucleotide deletion, addition or substitution) in one of the viral genes, such as the RNA-dependent RNA polymerase. Sub-species characteristics such as virulence genes and drug-resistance are responsible for the phenotypic differences among the different strains of bacteria.

[274] As used herein, the term "target" is used in a broad sense to indicate the gene or genomic region being amplified by the primers. Because the present invention provides a plurality of amplification products from any given primer pair (depending on the bioagent being analyzed), multiple amplification products from different specific nucleic acid sequences may be obtained. Thus, the term "target" is not used to refer to a single specific nucleic acid sequence. The "target" is sought to be sorted out from other nucleic acid sequences and contains a sequence that has at least partial complementarity with an

oligonucleotide primer. The target nucleic acid may comprise single- or double-stranded DNA or RNA. A "segment" is defined as a region of nucleic acid within the target sequence.

[275] The term "template" refers to a strand of nucleic acid on which a complementary copy is built from nucleoside triphosphates through the activity of a template-dependent nucleic acid polymerase. Within a duplex the template strand is, by convention, depicted and described as the "bottom" strand. Similarly, the non-template strand is often depicted and described as the "top" strand.

[276] As used herein, the term " T_m " is used in reference to the "melting temperature." The melting temperature is the temperature at which a population of double-stranded nucleic acid molecules becomes half dissociated into single strands. Several equations for calculating the T_m of nucleic acids are well known in the art. As indicated by standard references, a simple estimate of the T_m value may be calculated by the equation: $T_m = 81.5 + 0.41(\% \text{ G+C})$, when a nucleic acid is in aqueous solution at 1 M NaCl (see e.g., Anderson and Young, Quantitative Filter Hybridization, in Nucleic Acid Hybridization (1985). Other references (e.g., Allawi, H. T. & SantaLucia, J., Jr. Thermodynamics and NMR of internal G.T mismatches in DNA. Biochemistry 36, 10581-94 (1997) include more sophisticated computations which take structural and environmental, as well as sequence characteristics into account for the calculation of T_m .

[277] The term "triangulation genotyping analysis" refers to a method of genotyping a bioagent by measurement of molecular masses or base compositions of amplification products, corresponding to bioagent identifying amplicons, obtained by amplification of regions of more than one gene. In this sense, the term "triangulation" refers to a method of establishing the accuracy of information by comparing three or more types of independent points of view bearing on the same findings. Triangulation genotyping analysis carried out with a plurality of triangulation genotyping analysis primers yields a plurality of base compositions that then provide a pattern or "barcode" from which a species type can be assigned. The species type may represent a previously known sub-species or strain, or may be a previously unknown strain having a specific and previously unobserved base composition barcode indicating the existence of a previously unknown genotype.

[278] As used herein, the term "triangulation genotyping analysis primer pair" is a primer pair designed to produce bioagent identifying amplicons for determining species types in a triangulation genotyping analysis.

[279] The employment of more than one bioagent identifying amplicon for identification of a bioagent is herein referred to as "triangulation identification." Triangulation identification is pursued by

analyzing a plurality of bioagent identifying amplicons produced with different primer pairs. This process is used to reduce false negative and false positive signals, and enable reconstruction of the origin of hybrid or otherwise engineered bioagents. For example, identification of the three part toxin genes typical of *B. anthracis* (Bowen et al., J. Appl. Microbiol., 1999, 87, 270-278) in the absence of the expected signatures from the *B. anthracis* genome would suggest a genetic engineering event.

[280] In the context of this invention, the term "unknown bioagent" may mean either: (i) a bioagent whose existence is known (such as the well known bacterial species *Staphylococcus aureus* for example) but which is not known to be in a sample to be analyzed, or (ii) a bioagent whose existence is not known (for example, the SARS coronavirus was unknown prior to April 2003). For example, if the method for identification of coronaviruses disclosed in commonly owned U.S. Patent Serial No. 10/829,826 (incorporated herein by reference in its entirety) was to be employed prior to April 2003 to identify the SARS coronavirus in a clinical sample, both meanings of "unknown" bioagent are applicable since the SARS coronavirus was unknown to science prior to April, 2003 and since it was not known what bioagent (in this case a coronavirus) was present in the sample. On the other hand, if the method of U.S. Patent Serial No. 10/829,826 was to be employed subsequent to April 2003 to identify the SARS coronavirus in a clinical sample, only the first meaning (i) of "unknown" bioagent would apply since the SARS coronavirus became known to science subsequent to April 2003 and since it was not known what bioagent was present in the sample.

[281] The term "variable sequence" as used herein refers to differences in nucleic acid sequence between two nucleic acids. For example, the genes of two different bacterial species may vary in sequence by the presence of single base substitutions and/or deletions or insertions of one or more nucleotides. These two forms of the structural gene are said to vary in sequence from one another. In the context of the present invention, "viral nucleic acid" includes, but is not limited to, DNA, RNA, or DNA that has been obtained from viral RNA, such as, for example, by performing a reverse transcription reaction. Viral RNA can either be single-stranded (of positive or negative polarity) or double-stranded.

[282] The term "virus" refers to obligate, ultramicroscopic, parasites that are incapable of autonomous replication (i.e., replication requires the use of the host cell's machinery). Viruses can survive outside of a host cell but cannot replicate.

[283] The term "wild-type" refers to a gene or a gene product that has the characteristics of that gene or gene product when isolated from a naturally occurring source. A wild-type gene is that which is most frequently observed in a population and is thus arbitrarily designated the "normal" or "wild-type" form of the gene. In contrast, the term "modified", "mutant" or "polymorphic" refers to a gene or gene product

that displays modifications in sequence and or functional properties (i.e., altered characteristics) when compared to the wild-type gene or gene product. It is noted that naturally-occurring mutants can be isolated; these are identified by the fact that they have altered characteristics when compared to the wild-type gene or gene product.

[284] As used herein, a “wobble base” is a variation in a codon found at the third nucleotide position of a DNA triplet. Variations in conserved regions of sequence are often found at the third nucleotide position due to redundancy in the amino acid code.

DETAILED DESCRIPTION OF EMBODIMENTS

A. Bioagent Identifying Amplicons

[285] The present invention provides methods for detection and identification of unknown bioagents using bioagent identifying amplicons. Primers are selected to hybridize to conserved sequence regions of nucleic acids derived from a bioagent, and which bracket variable sequence regions to yield a bioagent identifying amplicon, which can be amplified and which is amenable to molecular mass determination. The molecular mass then provides a means to uniquely identify the bioagent without a requirement for prior knowledge of the possible identity of the bioagent. The molecular mass or corresponding base composition signature of the amplification product is then matched against a database of molecular masses or base composition signatures. A match is obtained when an experimentally-determined molecular mass or base composition of an analyzed amplification product is compared with known molecular masses or base compositions of known bioagent identifying amplicons and the experimentally determined molecular mass or base composition is the same as the molecular mass or base composition of one of the known bioagent identifying amplicons. Alternatively, the experimentally-determined molecular mass or base composition may be within experimental error of the molecular mass or base composition of a known bioagent identifying amplicon and still be classified as a match. In some cases, the match may also be classified using a probability of match model such as the models described in U.S. Serial No. 11/073,362, which is commonly owned and incorporated herein by reference in entirety. Furthermore, the method can be applied to rapid parallel multiplex analyses, the results of which can be employed in a triangulation identification strategy. The present method provides rapid throughput and does not require nucleic acid sequencing of the amplified target sequence for bioagent detection and identification.

[286] Despite enormous biological diversity, all forms of life on earth share sets of essential, common features in their genomes. Since genetic data provide the underlying basis for identification of bioagents by the methods of the present invention, it is necessary to select segments of nucleic acids which ideally provide enough variability to distinguish each individual bioagent and whose molecular mass is amenable to molecular mass determination.

[287] Unlike bacterial genomes, which exhibit conservation of numerous genes (i.e. housekeeping genes) across all organisms, viruses do not share a gene that is essential and conserved among all virus families. Therefore, viral identification is achieved within smaller groups of related viruses, such as members of a particular virus family or genus. For example, RNA-dependent RNA polymerase is present in all single-stranded RNA viruses and can be used for broad priming as well as resolution within the virus family.

[288] In some embodiments of the present invention, at least one bacterial nucleic acid segment is amplified in the process of identifying the bacterial bioagent. Thus, the nucleic acid segments that can be amplified by the primers disclosed herein and that provide enough variability to distinguish each individual bioagent and whose molecular masses are amenable to molecular mass determination are herein described as bioagent identifying amplicons.

[289] In some embodiments of the present invention, bioagent identifying amplicons comprise from about 45 to about 150 nucleobases (i.e. from about 45 to about 200 linked nucleosides), although both longer and short regions may be used. One of ordinary skill in the art will appreciate that the invention embodies compounds of 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, and 150 nucleobases in length, or any range therewithin.

[290] It is the combination of the portions of the bioagent nucleic acid segment to which the primers hybridize (hybridization sites) and the variable region between the primer hybridization sites that comprises the bioagent identifying amplicon. Thus, it can be said that a given bioagent identifying amplicon is "defined by" a given pair of primers.

[291] In some embodiments, bioagent identifying amplicons amenable to molecular mass determination which are produced by the primers described herein are either of a length, size or mass compatible with the particular mode of molecular mass determination or compatible with a means of providing a predictable fragmentation pattern in order to obtain predictable fragments of a length compatible with the particular mode of molecular mass determination. Such means of providing a predictable fragmentation pattern of an amplification product include, but are not limited to, cleavage with chemical reagents, restriction enzymes or cleavage primers, for example. Thus, in some

embodiments, bioagent identifying amplicons are larger than 150 nucleobases and are amenable to molecular mass determination following restriction digestion. Methods of using restriction enzymes and cleavage primers are well known to those with ordinary skill in the art.

[292] In some embodiments, amplification products corresponding to bioagent identifying amplicons are obtained using the polymerase chain reaction (PCR) that is a routine method to those with ordinary skill in the molecular biology arts. Other amplification methods may be used such as ligase chain reaction (LCR), low-stringency single primer PCR, and multiple strand displacement amplification (MDA). These methods are also known to those with ordinary skill.

B. Primers and Primer Pairs

[293] In some embodiments, the primers are designed to bind to conserved sequence regions of a bioagent identifying amplicon that flank an intervening variable region and yield amplification products which provide variability sufficient to distinguish each individual bioagent, and which are amenable to molecular mass analysis. In some embodiments, the highly conserved sequence regions exhibit between about 80-100%, or between about 90-100%, or between about 95-100% identity, or between about 99-100% identity. The molecular mass of a given amplification product provides a means of identifying the bioagent from which it was obtained, due to the variability of the variable region. Thus, design of the primers involves selection of a variable region with sufficient variability to resolve the identity of a given bioagent. In some embodiments, bioagent identifying amplicons are specific to the identity of the bioagent.

[294] In some embodiments, identification of bioagents is accomplished at different levels using primers suited to resolution of each individual level of identification. Broad range survey primers are designed with the objective of identifying a bioagent as a member of a particular division (e.g., an order, family, genus or other such grouping of bioagents above the species level of bioagents). In some embodiments, broad range survey intelligent primers are capable of identification of bioagents at the species or sub-species level. Examples of broad range survey primers include, but are not limited to: primer pair numbers: 346 (SEQ ID NOs: 202:1110), 347 (SEQ ID NOs: 560:1278), 348 SEQ ID NOs: 706:895), and 361 (SEQ ID NOs: 697:1398) which target DNA encoding 16S rRNA, and primer pair numbers 349 (SEQ ID NOs: 401:1156) and 360 (SEQ ID NOs: 409:1434) which target DNA encoding 23S rRNA.

[295] In some embodiments, drill-down primers are designed with the objective of identifying a bioagent at the sub-species level (including strains, subtypes, variants and isolates) based on sub-species characteristics which may, for example, include single nucleotide polymorphisms (SNPs), variable

number tandem repeats (VNTRs), deletions, drug resistance mutations or any other modification of a nucleic acid sequence of a bioagent relative to other members of a species having different sub-species characteristics. Drill-down intelligent primers are not always required for identification at the sub-species level because broad range survey intelligent primers may, in some cases provide sufficient identification resolution to accomplishing this identification objective. Examples of drill-down primers include, but are not limited to: confirmation primer pairs such as primer pair numbers 351 (SEQ ID NOs: 355:1423) and 353 (SEQ ID NOs: 220:1394), which target the pX01 virulence plasmid of *Bacillus anthracis*. Other examples of drill-down primer pairs are found in sets of triangulation genotyping primer pairs such as, for example, the primer pair number 2146 (SEQ ID NOs: 437:1137) which targets the *arcC* gene (encoding carbamate kinase) and is included in an 8 primer pair panel or kit for use in genotyping *Staphylococcus aureus*, or in other panels or kits of primer pairs used for determining drug-resistant bacterial strains, such as, for example, primer pair number 2095 (SEQ ID NOs: 456:1261) which targets the *pv-luk* gene (encoding Pantone-Valentine leukocidin) and is included in an 8 primer pair panel or kit for use in identification of drug resistant strains of *Staphylococcus aureus*.

[296] A representative process flow diagram used for primer selection and validation process is outlined in Figure 1. For each group of organisms, candidate target sequences are identified (200) from which nucleotide alignments are created (210) and analyzed (220). Primers are then designed by selecting appropriate priming regions (230) to facilitate the selection of candidate primer pairs (240). The primer pairs are then subjected to *in silico* analysis by electronic PCR (ePCR) (300) wherein bioagent identifying amplicons are obtained from sequence databases such as GenBank or other sequence collections (310) and checked for specificity *in silico* (320). Bioagent identifying amplicons obtained from GenBank sequences (310) can also be analyzed by a probability model which predicts the capability of a given amplicon to identify unknown bioagents such that the base compositions of amplicons with favorable probability scores are then stored in a base composition database (325). Alternatively, base compositions of the bioagent identifying amplicons obtained from the primers and GenBank sequences can be directly entered into the base composition database (330). Candidate primer pairs (240) are validated by testing their ability to hybridize to target nucleic acid by an *in vitro* amplification by a method such as PCR analysis (400) of nucleic acid from a collection of organisms (410). Amplification products thus obtained are analyzed by gel electrophoresis or by mass spectrometry to confirm the sensitivity, specificity and reproducibility of the primers used to obtain the amplification products (420).

[297] Many of the important pathogens, including the organisms of greatest concern as biowarfare agents, have been completely sequenced. This effort has greatly facilitated the design of primers for the detection of unknown bioagents. The combination of broad-range priming with division-wide and drill-down priming has been used very successfully in several applications of the technology, including

environmental surveillance for biowarfare threat agents and clinical sample analysis for medically important pathogens.

[298] Synthesis of primers is well known and routine in the art. The primers may be conveniently and routinely made through the well-known technique of solid phase synthesis. Equipment for such synthesis is sold by several vendors including, for example, Applied Biosystems (Foster City, CA). Any other means for such synthesis known in the art may additionally or alternatively be employed.

[299] In some embodiments primers are employed as compositions for use in methods for identification of bacterial bioagents as follows: a primer pair composition is contacted with nucleic acid (such as, for example, bacterial DNA or DNA reverse transcribed from the rRNA) of an unknown bacterial bioagent. The nucleic acid is then amplified by a nucleic acid amplification technique, such as PCR for example, to obtain an amplification product that represents a bioagent identifying amplicon. The molecular mass of each strand of the double-stranded amplification product is determined by a molecular mass measurement technique such as mass spectrometry for example, wherein the two strands of the double-stranded amplification product are separated during the ionization process. In some embodiments, the mass spectrometry is electrospray Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICR-MS) or electrospray time of flight mass spectrometry (ESI-TOF-MS). A list of possible base compositions can be generated for the molecular mass value obtained for each strand and the choice of the correct base composition from the list is facilitated by matching the base composition of one strand with a complementary base composition of the other strand. The molecular mass or base composition thus determined is then compared with a database of molecular masses or base compositions of analogous bioagent identifying amplicons for known viral bioagents. A match between the molecular mass or base composition of the amplification product and the molecular mass or base composition of an analogous bioagent identifying amplicon for a known viral bioagent indicates the identity of the unknown bioagent. In some embodiments, the primer pair used is one of the primer pairs of Table 2. In some embodiments, the method is repeated using one or more different primer pairs to resolve possible ambiguities in the identification process or to improve the confidence level for the identification assignment.

[300] In some embodiments, a bioagent identifying amplicon may be produced using only a single primer (either the forward or reverse primer of any given primer pair), provided an appropriate amplification method is chosen, such as, for example, low stringency single primer PCR (LSSP-PCR). Adaptation of this amplification method in order to produce bioagent identifying amplicons can be accomplished by one with ordinary skill in the art without undue experimentation.

[301] In some embodiments, the oligonucleotide primers are broad range survey primers which hybridize to conserved regions of nucleic acid encoding the hexon gene of all (or between 80% and 100%, between 85% and 100%, between 90% and 100% or between 95% and 100%) known bacteria and produce bacterial bioagent identifying amplicons.

[302] In some cases, the molecular mass or base composition of a bacterial bioagent identifying amplicon defined by a broad range survey primer pair does not provide enough resolution to unambiguously identify a bacterial bioagent at or below the species level. These cases benefit from further analysis of one or more bacterial bioagent identifying amplicons generated from at least one additional broad range survey primer pair or from at least one additional division-wide primer pair. The employment of more than one bioagent identifying amplicon for identification of a bioagent is herein referred to as triangulation identification.

[303] In other embodiments, the oligonucleotide primers are division-wide primers which hybridize to nucleic acid encoding genes of species within a genus of bacteria. In other embodiments, the oligonucleotide primers are drill-down primers which enable the identification of sub-species characteristics. Drill down primers provide the functionality of producing bioagent identifying amplicons for drill-down analyses such as strain typing when contacted with nucleic acid under amplification conditions. Identification of such sub-species characteristics is often critical for determining proper clinical treatment of viral infections. In some embodiments, sub-species characteristics are identified using only broad range survey primers and division-wide and drill-down primers are not used.

[304] In some embodiments, the primers used for amplification hybridize to and amplify genomic DNA, and DNA of bacterial plasmids.

[305] In some embodiments, various computer software programs may be used to aid in design of primers for amplification reactions such as *Primer Premier 5* (Premier Biosoft, Palo Alto, CA) or *OLIGO* Primer Analysis Software (Molecular Biology Insights, Cascade, CO). These programs allow the user to input desired hybridization conditions such as melting temperature of a primer-template duplex for example. In some embodiments, an *in silico* PCR search algorithm, such as (ePCR) is used to analyze primer specificity across a plurality of template sequences which can be readily obtained from public sequence databases such as GenBank for example. An existing RNA structure search algorithm (Macke et al., Nucl. Acids Res., 2001, 29, 4724-4735, which is incorporated herein by reference in its entirety) has been modified to include PCR parameters such as hybridization conditions, mismatches, and thermodynamic calculations (SantaLucia, Proc. Natl. Acad. Sci. U.S.A., 1998, 95, 1460-1465, which is incorporated herein by reference in its entirety). This also provides information on primer specificity of

the selected primer pairs. In some embodiments, the hybridization conditions applied to the algorithm can limit the results of primer specificity obtained from the algorithm. In some embodiments, the melting temperature threshold for the primer template duplex is specified to be 35°C or a higher temperature. In some embodiments the number of acceptable mismatches is specified to be seven mismatches or less. In some embodiments, the buffer components and concentrations and primer concentrations may be specified and incorporated into the algorithm, for example, an appropriate primer concentration is about 250 nM and appropriate buffer components are 50 mM sodium or potassium and 1.5 mM Mg²⁺.

[306] One with ordinary skill in the art of design of amplification primers will recognize that a given primer need not hybridize with 100% complementarity in order to effectively prime the synthesis of a complementary nucleic acid strand in an amplification reaction. Moreover, a primer may hybridize over one or more segments such that intervening or adjacent segments are not involved in the hybridization event. (e.g., for example, a loop structure or a hairpin structure). The primers of the present invention may comprise at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95% or at least 99% sequence identity with any of the primers listed in Table 2. Thus, in some embodiments of the present invention, an extent of variation of 70% to 100%, or any range therewithin, of the sequence identity is possible relative to the specific primer sequences disclosed herein. Determination of sequence identity is described in the following example: a primer 20 nucleobases in length which is identical to another 20 nucleobase primer having two non-identical residues has 18 of 20 identical residues ($18/20 = 0.9$ or 90% sequence identity). In another example, a primer 15 nucleobases in length having all residues identical to a 15 nucleobase segment of primer 20 nucleobases in length would have $15/20 = 0.75$ or 75% sequence identity with the 20 nucleobase primer.

[307] Percent homology, sequence identity or complementarity, can be determined by, for example, the Gap program (Wisconsin Sequence Analysis Package, Version 8 for UNIX, Genetics Computer Group, University Research Park, Madison WI), using default settings, which uses the algorithm of Smith and Waterman (Adv. Appl. Math., 1981, 2, 482-489). In some embodiments, complementarity of primers with respect to the conserved priming regions of viral nucleic acid is between about 70% and about 75% 80%. In other embodiments, homology, sequence identity or complementarity, is between about 75% and about 80%. In yet other embodiments, homology, sequence identity or complementarity, is at least 85%, at least 90%, at least 92%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99% or is 100%.

[308] In some embodiments, the primers described herein comprise at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 92%, at least 94%, at least 95%, at least 96%, at least 98%,

or at least 99%, or 100% (or any range therewithin) sequence identity with the primer sequences specifically disclosed herein.

[309] One with ordinary skill is able to calculate percent sequence identity or percent sequence homology and able to determine, without undue experimentation, the effects of variation of primer sequence identity on the function of the primer in its role in priming synthesis of a complementary strand of nucleic acid for production of an amplification product of a corresponding bioagent identifying amplicon.

[310] In one embodiment, the primers are at least 13 nucleobases in length. In another embodiment, the primers are less than 36 nucleobases in length.

[311] In some embodiments of the present invention, the oligonucleotide primers are 13 to 35 nucleobases in length (13 to 35 linked nucleotide residues). These embodiments comprise oligonucleotide primers 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34 or 35 nucleobases in length, or any range therewithin. The present invention contemplates using both longer and shorter primers. Furthermore, the primers may also be linked to one or more other desired moieties, including, but not limited to, affinity groups, ligands, regions of nucleic acid that are not complementary to the nucleic acid to be amplified, labels, etc. Primers may also form hairpin structures. For example, hairpin primers may be used to amplify short target nucleic acid molecules. The presence of the hairpin may stabilize the amplification complex (see e.g., TAQMAN MicroRNA Assays, Applied Biosystems, Foster City, California).

[312] In some embodiments, any oligonucleotide primer pair may have one or both primers with less than 70% sequence homology with a corresponding member of any of the primer pairs of Table 2 if the primer pair has the capability of producing an amplification product corresponding to a bioagent identifying amplicon. In other embodiments, any oligonucleotide primer pair may have one or both primers with a length greater than 35 nucleobases if the primer pair has the capability of producing an amplification product corresponding to a bioagent identifying amplicon.

[313] In some embodiments, the function of a given primer may be substituted by a combination of two or more primers segments that hybridize adjacent to each other or that are linked by a nucleic acid loop structure or linker which allows a polymerase to extend the two or more primers in an amplification reaction.

[314] In some embodiments, the primer pairs used for obtaining bioagent identifying amplicons are the primer pairs of Table 2. In other embodiments, other combinations of primer pairs are possible by combining certain members of the forward primers with certain members of the reverse primers. An example can be seen in Table 2 for two primer pair combinations of forward primer 16S_EC_789_810_F (SEQ ID NO: 206), with the reverse primers 16S_EC_880_894_R (SEQ ID NO: 796), or 16S_EC_882_899_R or (SEQ ID NO: 818). Arriving at a favorable alternate combination of primers in a primer pair depends upon the properties of the primer pair, most notably the size of the bioagent identifying amplicon that would be produced by the primer pair, which preferably is between about 45 to about 150 nucleobases in length. Alternatively, a bioagent identifying amplicon longer than 150 nucleobases in length could be cleaved into smaller segments by cleavage reagents such as chemical reagents, or restriction enzymes, for example.

[315] In some embodiments, the primers are configured to amplify nucleic acid of a bioagent to produce amplification products that can be measured by mass spectrometry and from whose molecular masses candidate base compositions can be readily calculated.

[316] In some embodiments, any given primer comprises a modification comprising the addition of a non-templated T residue to the 5' end of the primer (i.e., the added T residue does not necessarily hybridize to the nucleic acid being amplified). The addition of a non-templated T residue has an effect of minimizing the addition of non-templated adenosine residues as a result of the non-specific enzyme activity of *Taq* polymerase (Magnuson et al., *Biotechniques*, 1996, 21, 700-709), an occurrence which may lead to ambiguous results arising from molecular mass analysis.

[317] In some embodiments of the present invention, primers may contain one or more universal bases. Because any variation (due to codon wobble in the 3rd position) in the conserved regions among species is likely to occur in the third position of a DNA (or RNA) triplet, oligonucleotide primers can be designed such that the nucleotide corresponding to this position is a base which can bind to more than one nucleotide, referred to herein as a "universal nucleobase." For example, under this "wobble" pairing, inosine (I) binds to U, C or A; guanine (G) binds to U or C, and uridine (U) binds to U or C. Other examples of universal nucleobases include nitroindoles such as 5-nitroindole or 3-nitropyrrole (Loakes et al., *Nucleosides and Nucleotides*, 1995, 14, 1001-1003), the degenerate nucleotides dP or dK (Hill *et al.*), an acyclic nucleoside analog containing 5-nitroindazole (Van Aerschot et al., *Nucleosides and Nucleotides*, 1995, 14, 1053-1056) or the purine analog 1-(2-deoxy- β -D-ribofuranosyl)-imidazole-4-carboxamide (Sala et al., *Nucl. Acids Res.*, 1996, 24, 3302-3306).

[318] In some embodiments, to compensate for the somewhat weaker binding by the wobble base, the oligonucleotide primers are designed such that the first and second positions of each triplet are occupied by nucleotide analogs that bind with greater affinity than the unmodified nucleotide. Examples of these analogs include, but are not limited to, 2,6-diaminopurine which binds to thymine, 5-propynyluracil (also known as propynylated thymine) which binds to adenine and 5-propynylcytosine and phenoxazines, including G-clamp, which binds to G. Propynylated pyrimidines are described in U.S. Patent Nos. 5,645,985, 5,830,653 and 5,484,908, each of which is commonly owned and incorporated herein by reference in its entirety. Propynylated primers are described in U.S. Pre-Grant Publication No. 2003-0170682, which is also commonly owned and incorporated herein by reference in its entirety. Phenoxazines are described in U.S. Patent Nos. 5,502,177, 5,763,588, and 6,005,096, each of which is incorporated herein by reference in its entirety. G-clamps are described in U.S. Patent Nos. 6,007,992 and 6,028,183, each of which is incorporated herein by reference in its entirety.

[319] In some embodiments, primer hybridization is enhanced using primers containing 5-propynyl deoxy-cytidine and deoxy-thymidine nucleotides. These modified primers offer increased affinity and base pairing selectivity.

[320] In some embodiments, non-template primer tags are used to increase the melting temperature (T_m) of a primer-template duplex in order to improve amplification efficiency. A non-template tag is at least three consecutive A or T nucleotide residues on a primer which are not complementary to the template. In any given non-template tag, A can be replaced by C or G and T can also be replaced by C or G. Although Watson-Crick hybridization is not expected to occur for a non-template tag relative to the template, the extra hydrogen bond in a G-C pair relative to an A-T pair confers increased stability of the primer-template duplex and improves amplification efficiency for subsequent cycles of amplification when the primers hybridize to strands synthesized in previous cycles.

[321] In other embodiments, propynylated tags may be used in a manner similar to that of the non-template tag, wherein two or more 5-propynylcytidine or 5-propynyluridine residues replace template matching residues on a primer. In other embodiments, a primer contains a modified internucleoside linkage such as a phosphorothioate linkage, for example.

[322] In some embodiments, the primers contain mass-modifying tags. Reducing the total number of possible base compositions of a nucleic acid of specific molecular weight provides a means of avoiding a persistent source of ambiguity in determination of base composition of amplification products. Addition of mass-modifying tags to certain nucleobases of a given primer will result in simplification of *de novo* determination of base composition of a given bioagent identifying amplicon from its molecular mass.

[323] In some embodiments of the present invention, the mass modified nucleobase comprises one or more of the following: for example, 7-deaza-2'-deoxyadenosine-5'-triphosphate, 5-iodo-2'-deoxyuridine-5'-triphosphate, 5-bromo-2'-deoxyuridine-5'-triphosphate, 5-bromo-2'-deoxycytidine-5'-triphosphate, 5-iodo-2'-deoxycytidine-5'-triphosphate, 5-hydroxy-2'-deoxyuridine-5'-triphosphate, 4-thiothymidine-5'-triphosphate, 5-aza-2'-deoxyuridine-5'-triphosphate, 5-fluoro-2'-deoxyuridine-5'-triphosphate, O6-methyl-2'-deoxyguanosine-5'-triphosphate, N2-methyl-2'-deoxyguanosine-5'-triphosphate, 8-oxo-2'-deoxyguanosine-5'-triphosphate or thiothymidine-5'-triphosphate. In some embodiments, the mass-modified nucleobase comprises ^{15}N or ^{13}C or both ^{15}N and ^{13}C .

[324] In some embodiments, multiplex amplification is performed where multiple bioagent identifying amplicons are amplified with a plurality of primer pairs. The advantages of multiplexing are that fewer reaction containers (for example, wells of a 96- or 384-well plate) are needed for each molecular mass measurement, providing time, resource and cost savings because additional bioagent identification data can be obtained within a single analysis. Multiplex amplification methods are well known to those with ordinary skill and can be developed without undue experimentation. However, in some embodiments, one useful and non-obvious step in selecting a plurality candidate bioagent identifying amplicons for multiplex amplification is to ensure that each strand of each amplification product will be sufficiently different in molecular mass that mass spectral signals will not overlap and lead to ambiguous analysis results. In some embodiments, a 10 Da difference in mass of two strands of one or more amplification products is sufficient to avoid overlap of mass spectral peaks.

[325] In some embodiments, as an alternative to multiplex amplification, single amplification reactions can be pooled before analysis by mass spectrometry. In these embodiments, as for multiplex amplification embodiments, it is useful to select a plurality of candidate bioagent identifying amplicons to ensure that each strand of each amplification product will be sufficiently different in molecular mass that mass spectral signals will not overlap and lead to ambiguous analysis results.

C Determination of Molecular Mass of Bioagent Identifying Amplicons

[326] In some embodiments, the molecular mass of a given bioagent identifying amplicon is determined by mass spectrometry. Mass spectrometry has several advantages, not the least of which is high bandwidth characterized by the ability to separate (and isolate) many molecular peaks across a broad range of mass to charge ratio (m/z). Thus mass spectrometry is intrinsically a parallel detection scheme without the need for radioactive or fluorescent labels, since every amplification product is identified by its molecular mass. The current state of the art in mass spectrometry is such that less than femtomole quantities of material can be readily analyzed to afford information about the molecular contents of the

sample. An accurate assessment of the molecular mass of the material can be quickly obtained, irrespective of whether the molecular weight of the sample is several hundred, or in excess of one hundred thousand atomic mass units (amu) or Daltons.

[327] In some embodiments, intact molecular ions are generated from amplification products using one of a variety of ionization techniques to convert the sample to gas phase. These ionization methods include, but are not limited to, electrospray ionization (ESI), matrix-assisted laser desorption ionization (MALDI) and fast atom bombardment (FAB). Upon ionization, several peaks are observed from one sample due to the formation of ions with different charges. Averaging the multiple readings of molecular mass obtained from a single mass spectrum affords an estimate of molecular mass of the bioagent identifying amplicon. Electrospray ionization mass spectrometry (ESI-MS) is particularly useful for very high molecular weight polymers such as proteins and nucleic acids having molecular weights greater than 10 kDa, since it yields a distribution of multiply-charged molecules of the sample without causing a significant amount of fragmentation.

[328] The mass detectors used in the methods of the present invention include, but are not limited to, Fourier transform ion cyclotron resonance mass spectrometry (FT-ICR-MS), time of flight (TOF), ion trap, quadrupole, magnetic sector, Q-TOF, and triple quadrupole.

D. Base Compositions of Bioagent Identifying Amplicons

[329] Although the molecular mass of amplification products obtained using intelligent primers provides a means for identification of bioagents, conversion of molecular mass data to a base composition signature is useful for certain analyses. As used herein, "base composition" is the exact number of each nucleobase (A, T, C and G) determined from the molecular mass of a bioagent identifying amplicon. In some embodiments, a base composition provides an index of a specific organism. Base compositions can be calculated from known sequences of known bioagent identifying amplicons and can be experimentally determined by measuring the molecular mass of a given bioagent identifying amplicon, followed by determination of all possible base compositions which are consistent with the measured molecular mass within acceptable experimental error. The following example illustrates determination of base composition from an experimentally obtained molecular mass of a 46-mer amplification product originating at position 1337 of the 16S rRNA of *Bacillus anthracis*. The forward and reverse strands of the amplification product have measured molecular masses of 14208 and 14079 Da, respectively. The possible base compositions derived from the molecular masses of the forward and reverse strands for the *B. anthracis* products are listed in Table 1.

Table 1

Possible Base Compositions for *B. anthracis* 46mer Amplification Product

Calc. Mass Forward Strand	Mass Error Forward Strand	Base Composition of Forward Strand	Calc. Mass Reverse Strand	Mass Error Reverse Strand	Base Composition of Reverse Strand
14208.2935	0.079520	A1 G17 C10 T18	14079.2624	0.080600	A0 G14 C13 T19
14208.3160	0.056980	A1 G20 C15 T10	14079.2849	0.058060	A0 G17 C18 T11
14208.3386	0.034440	A1 G23 C20 T2	14079.3075	0.035520	A0 G20 C23 T3
14208.3074	0.065560	A6 G11 C3 T26	14079.2538	0.089180	A5 G5 C1 T35
14208.3300	0.043020	A6 G14 C8 T18	14079.2764	0.066640	A5 G8 C6 T27
14208.3525	0.020480	A6 G17 C13 T10	14079.2989	0.044100	A5 G11 C11 T19
14208.3751	0.002060	A6 G20 C18 T2	14079.3214	0.021560	A5 G14 C16 T11
14208.3439	0.029060	A11 G8 C1 T26	14079.3440	0.000980	A5 G17 C21 T3
14208.3665	0.006520	A11 G11 C6 T18	14079.3129	0.030140	A10 G5 C4 T27
14208.3890	0.016020	A11 G14 C11 T10	14079.3354	0.007600	A10 G8 C9 T19
14208.4116	0.038560	A11 G17 C16 T2	14079.3579	0.014940	A10 G11 C14 T11
14208.4030	0.029980	A16 G8 C4 T18	14079.3805	0.037480	A10 G14 C19 T3
14208.4255	0.052520	A16 G11 C9 T10	14079.3494	0.006360	A15 G2 C2 T27
14208.4481	0.075060	A16 G14 C14 T2	14079.3719	0.028900	A15 G5 C7 T19
14208.4395	0.066480	A21 G5 C2 T18	14079.3944	0.051440	A15 G8 C12 T11
14208.4620	0.089020	A21 G8 C7 T10	14079.4170	0.073980	A15 G11 C17 T3
-	-	-	14079.4084	0.065400	A20 G2 C5 T19
-	-	-	14079.4309	0.087940	A20 G5 C10 T13

[330] Among the 16 possible base compositions for the forward strand and the 18 possible base compositions for the reverse strand that were calculated, only one pair (shown in **bold**) are complementary base compositions, which indicates the true base composition of the amplification product. It should be recognized that this logic is applicable for determination of base compositions of any bioagent identifying amplicon, regardless of the class of bioagent from which the corresponding amplification product was obtained.

[331] In some embodiments, assignment of previously unobserved base compositions (also known as “true unknown base compositions”) to a given phylogeny can be accomplished via the use of pattern classifier model algorithms. Base compositions, like sequences, vary slightly from strain to strain within species, for example. In some embodiments, the pattern classifier model is the mutational probability model. On other embodiments, the pattern classifier is the polytope model. The mutational probability model and polytope model are both commonly owned and described in U.S. Patent application Serial No. 11/073,362 which is incorporated herein by reference in entirety.

[332] In one embodiment, it is possible to manage this diversity by building “base composition probability clouds” around the composition constraints for each species. This permits identification of

organisms in a fashion similar to sequence analysis. A “pseudo four-dimensional plot” can be used to visualize the concept of base composition probability clouds. Optimal primer design requires optimal choice of bioagent identifying amplicons and maximizes the separation between the base composition signatures of individual bioagents. Areas where clouds overlap indicate regions that may result in a misclassification, a problem which is overcome by a triangulation identification process using bioagent identifying amplicons not affected by overlap of base composition probability clouds.

[333] In some embodiments, base composition probability clouds provide the means for screening potential primer pairs in order to avoid potential misclassifications of base compositions. In other embodiments, base composition probability clouds provide the means for predicting the identity of a bioagent whose assigned base composition was not previously observed and/or indexed in a bioagent identifying amplicon base composition database due to evolutionary transitions in its nucleic acid sequence. Thus, in contrast to probe-based techniques, mass spectrometry determination of base composition does not require prior knowledge of the composition or sequence in order to make the measurement.

[334] The present invention provides bioagent classifying information similar to DNA sequencing and phylogenetic analysis at a level sufficient to identify a given bioagent. Furthermore, the process of determination of a previously unknown base composition for a given bioagent (for example, in a case where sequence information is unavailable) has downstream utility by providing additional bioagent indexing information with which to populate base composition databases. The process of future bioagent identification is thus greatly improved as more BCS indexes become available in base composition databases.

E. Triangulation Identification

[335] In some cases, a molecular mass of a single bioagent identifying amplicon alone does not provide enough resolution to unambiguously identify a given bioagent. The employment of more than one bioagent identifying amplicon for identification of a bioagent is herein referred to as “triangulation identification.” Triangulation identification is pursued by determining the molecular masses of a plurality of bioagent identifying amplicons selected within a plurality of housekeeping genes. This process is used to reduce false negative and false positive signals, and enable reconstruction of the origin of hybrid or otherwise engineered bioagents. For example, identification of the three part toxin genes typical of *B. anthracis* (Bowen et al., J. Appl. Microbiol., 1999, 87, 270-278) in the absence of the expected signatures from the *B. anthracis* genome would suggest a genetic engineering event.

[336] In some embodiments, the triangulation identification process can be pursued by characterization of bioagent identifying amplicons in a massively parallel fashion using the polymerase chain reaction (PCR), such as multiplex PCR where multiple primers are employed in the same amplification reaction mixture, or PCR in multi-well plate format wherein a different and unique pair of primers is used in multiple wells containing otherwise identical reaction mixtures. Such multiplex and multi-well PCR methods are well known to those with ordinary skill in the arts of rapid throughput amplification of nucleic acids. In other related embodiments, one PCR reaction per well or container may be carried out, followed by an amplicon pooling step wherein the amplification products of different wells are combined in a single well or container which is then subjected to molecular mass analysis. The combination of pooled amplicons can be chosen such that the expected ranges of molecular masses of individual amplicons are not overlapping and thus will not complicate identification of signals.

F. Codon Base Composition Analysis

[337] In some embodiments of the present invention, one or more nucleotide substitutions within a codon of a gene of an infectious organism confer drug resistance upon an organism which can be determined by codon base composition analysis. The organism can be a bacterium, virus, fungus or protozoan.

[338] In some embodiments, the amplification product containing the codon being analyzed is of a length of about 35 to about 200 nucleobases. The primers employed in obtaining the amplification product can hybridize to upstream and downstream sequences directly adjacent to the codon, or can hybridize to upstream and downstream sequences one or more sequence positions away from the codon. The primers may have between about 70% to 100% sequence complementarity with the sequence of the gene containing the codon being analyzed.

[339] In some embodiments, the codon base composition analysis is undertaken

[340] In some embodiments, the codon analysis is undertaken for the purpose of investigating genetic disease in an individual. In other embodiments, the codon analysis is undertaken for the purpose of investigating a drug resistance mutation or any other deleterious mutation in an infectious organism such as a bacterium, virus, fungus or protozoan. In some embodiments, the bioagent is a bacterium identified in a biological product.

[341] In some embodiments, the molecular mass of an amplification product containing the codon being analyzed is measured by mass spectrometry. The mass spectrometry can be either electrospray (ESI) mass spectrometry or matrix-assisted laser desorption ionization (MALDI) mass spectrometry.

Time-of-flight (TOF) is an example of one mode of mass spectrometry compatible with the analyses of the present invention.

[342] The methods of the present invention can also be employed to determine the relative abundance of drug resistant strains of the organism being analyzed. Relative abundances can be calculated from amplitudes of mass spectral signals with relation to internal calibrants. In some embodiments, known quantities of internal amplification calibrants can be included in the amplification reactions and abundances of analyte amplification product estimated in relation to the known quantities of the calibrants.

[343] In some embodiments, upon identification of one or more drug-resistant strains of an infectious organism infecting an individual, one or more alternative treatments can be devised to treat the individual.

G. Determination of the Quantity of a Bioagent

[344] In some embodiments, the identity and quantity of an unknown bioagent can be determined using the process illustrated in Figure 2. Primers (500) and a known quantity of a calibration polynucleotide (505) are added to a sample containing nucleic acid of an unknown bioagent. The total nucleic acid in the sample is then subjected to an amplification reaction (510) to obtain amplification products. The molecular masses of amplification products are determined (515) from which are obtained molecular mass and abundance data. The molecular mass of the bioagent identifying amplicon (520) provides the means for its identification (525) and the molecular mass of the calibration amplicon obtained from the calibration polynucleotide (530) provides the means for its identification (535). The abundance data of the bioagent identifying amplicon is recorded (540) and the abundance data for the calibration data is recorded (545), both of which are used in a calculation (550) which determines the quantity of unknown bioagent in the sample.

[345] A sample comprising an unknown bioagent is contacted with a pair of primers that provide the means for amplification of nucleic acid from the bioagent, and a known quantity of a polynucleotide that comprises a calibration sequence. The nucleic acids of the bioagent and of the calibration sequence are amplified and the rate of amplification is reasonably assumed to be similar for the nucleic acid of the bioagent and of the calibration sequence. The amplification reaction then produces two amplification products: a bioagent identifying amplicon and a calibration amplicon. The bioagent identifying amplicon and the calibration amplicon should be distinguishable by molecular mass while being amplified at essentially the same rate. Effecting differential molecular masses can be accomplished by choosing as a calibration sequence, a representative bioagent identifying amplicon (from a specific species of bioagent) and performing, for example, a 2-8 nucleobase deletion or insertion within the variable region between

the two priming sites. The amplified sample containing the bioagent identifying amplicon and the calibration amplicon is then subjected to molecular mass analysis by mass spectrometry, for example. The resulting molecular mass analysis of the nucleic acid of the bioagent and of the calibration sequence provides molecular mass data and abundance data for the nucleic acid of the bioagent and of the calibration sequence. The molecular mass data obtained for the nucleic acid of the bioagent enables identification of the unknown bioagent and the abundance data enables calculation of the quantity of the bioagent, based on the knowledge of the quantity of calibration polynucleotide contacted with the sample.

[346] In some embodiments, construction of a standard curve where the amount of calibration polynucleotide spiked into the sample is varied provides additional resolution and improved confidence for the determination of the quantity of bioagent in the sample. The use of standard curves for analytical determination of molecular quantities is well known to one with ordinary skill and can be performed without undue experimentation.

[347] In some embodiments, multiplex amplification is performed where multiple bioagent identifying amplicons are amplified with multiple primer pairs which also amplify the corresponding standard calibration sequences. In this or other embodiments, the standard calibration sequences are optionally included within a single vector which functions as the calibration polynucleotide. Multiplex amplification methods are well known to those with ordinary skill and can be performed without undue experimentation.

[348] In some embodiments, the calibrant polynucleotide is used as an internal positive control to confirm that amplification conditions and subsequent analysis steps are successful in producing a measurable amplicon. Even in the absence of copies of the genome of a bioagent, the calibration polynucleotide should give rise to a calibration amplicon. Failure to produce a measurable calibration amplicon indicates a failure of amplification or subsequent analysis step such as amplicon purification or molecular mass determination. Reaching a conclusion that such failures have occurred is in itself, a useful event.

[349] In some embodiments, the calibration sequence is comprised of DNA. In some embodiments, the calibration sequence is comprised of RNA.

[350] In some embodiments, the calibration sequence is inserted into a vector that itself functions as the calibration polynucleotide. In some embodiments, more than one calibration sequence is inserted into the vector that functions as the calibration polynucleotide. Such a calibration polynucleotide is herein termed a "combination calibration polynucleotide." The process of inserting polynucleotides into vectors

is routine to those skilled in the art and can be accomplished without undue experimentation. Thus, it should be recognized that the calibration method should not be limited to the embodiments described herein. The calibration method can be applied for determination of the quantity of any bioagent identifying amplicon when an appropriate standard calibrant polynucleotide sequence is designed and used. The process of choosing an appropriate vector for insertion of a calibrant is also a routine operation that can be accomplished by one with ordinary skill without undue experimentation.

H. Identification of Bacteria

[351] In other embodiments of the present invention, the primer pairs produce bioagent identifying amplicons within stable and highly conserved regions of bacteria. The advantage to characterization of an amplicon defined by priming regions that fall within a highly conserved region is that there is a low probability that the region will evolve past the point of primer recognition, in which case, the primer hybridization of the amplification step would fail. Such a primer set is thus useful as a broad range survey-type primer. In another embodiment of the present invention, the intelligent primers produce bioagent identifying amplicons including a region which evolves more quickly than the stable region described above. The advantage of characterization bioagent identifying amplicon corresponding to an evolving genomic region is that it is useful for distinguishing emerging strain variants or the presence of virulence genes, drug resistance genes, or codon mutations that induce drug resistance.

[352] The present invention also has significant advantages as a platform for identification of diseases caused by emerging bacterial strains such as, for example, drug-resistant strains of *Staphylococcus aureus*. The present invention eliminates the need for prior knowledge of bioagent sequence to generate hybridization probes. This is possible because the methods are not confounded by naturally occurring evolutionary variations occurring in the sequence acting as the template for production of the bioagent identifying amplicon. Measurement of molecular mass and determination of base composition is accomplished in an unbiased manner without sequence prejudice.

[353] Another embodiment of the present invention also provides a means of tracking the spread of a bacterium, such as a particular drug-resistant strain when a plurality of samples obtained from different locations are analyzed by the methods described above in an epidemiological setting. In one embodiment, a plurality of samples from a plurality of different locations is analyzed with primer pairs which produce bioagent identifying amplicons, a subset of which contains a specific drug-resistant bacterial strain. The corresponding locations of the members of the drug-resistant strain subset indicate the spread of the specific drug-resistant strain to the corresponding locations.

I. Kits

[354] The present invention also provides kits for carrying out the methods described herein. In some embodiments, the kit may comprise a sufficient quantity of one or more primer pairs to perform an amplification reaction on a target polynucleotide from a bioagent to form a bioagent identifying amplicon. In some embodiments, the kit may comprise from one to fifty primer pairs, from one to twenty primer pairs, from one to ten primer pairs, or from two to five primer pairs. In some embodiments, the kit may comprise one or more primer pairs recited in Table 2.

[355] In some embodiments, the kit comprises one or more broad range survey primer(s), division wide primer(s), or drill-down primer(s), or any combination thereof. If a given problem involves identification of a specific bioagent, the solution to the problem may require the selection of a particular combination of primers to provide the solution to the problem. A kit may be designed so as to comprise particular primer pairs for identification of a particular bioagent. A drill-down kit may be used, for example, to distinguish different genotypes or strains, drug-resistant, or otherwise. In some embodiments, the primer pair components of any of these kits may be additionally combined to comprise additional combinations of broad range survey primers and division-wide primers so as to be able to identify a bacterium.

[356] In some embodiments, the kit contains standardized calibration polynucleotides for use as internal amplification calibrants. Internal calibrants are described in commonly owned U.S. Patent Application Serial No: 60/545,425 which is incorporated herein by reference in its entirety.

[357] In some embodiments, the kit comprises a sufficient quantity of reverse transcriptase (if RNA is to be analyzed for example), a DNA polymerase, suitable nucleoside triphosphates (including alternative dNTPs such as inosine or modified dNTPs such as the 5-propynyl pyrimidines or any dNTP containing molecular mass-modifying tags such as those described above), a DNA ligase, and/or reaction buffer, or any combination thereof, for the amplification processes described above. A kit may further include instructions pertinent for the particular embodiment of the kit, such instructions describing the primer pairs and amplification conditions for operation of the method. A kit may also comprise amplification reaction containers such as microcentrifuge tubes and the like. A kit may also comprise reagents or other materials for isolating bioagent nucleic acid or bioagent identifying amplicons from amplification, including, for example, detergents, solvents, or ion exchange resins which may be linked to magnetic beads. A kit may also comprise a table of measured or calculated molecular masses and/or base compositions of bioagents using the primer pairs of the kit.

[358] Some embodiments are kits that contain one or more survey bacterial primer pairs represented by primer pair compositions wherein each member of each pair of primers has 70% to 100% sequence

identity with the corresponding member from the group of primer pairs represented by any of the primer pairs of Table 5. The survey primer pairs may include broad range primer pairs which hybridize to ribosomal RNA, and may also include division-wide primer pairs which hybridize to housekeeping genes such as *rplB*, *tufB*, *rpoB*, *rpoC*, *valS*, and *infB*, for example.

[359] In some embodiments, a kit may contain one or more survey bacterial primer pairs and one or more triangulation genotyping analysis primer pairs such as the primer pairs of Tables 8, 12, 14, 19, 21, 23, or 24. In some embodiments, the kit may represent a less expansive genotyping analysis but include triangulation genotyping analysis primer pairs for more than one genus or species of bacteria. For example, a kit for surveying nosocomial infections at a health care facility may include, for example, one or more broad range survey primer pairs, one or more division wide primer pairs, one or more *Acinetobacter baumannii* triangulation genotyping analysis primer pairs and one or more *Staphylococcus aureus* triangulation genotyping analysis primer pairs. One with ordinary skill will be capable of analyzing *in silico* amplification data to determine which primer pairs will be able to provide optimal identification resolution for the bacterial bioagents of interest.

[360] In some embodiments, a kit may be assembled for identification of strains of bacteria involved in contamination of food. An example of such a kit embodiment is a kit comprising one or more bacterial survey primer pairs of Table 5 with one or more triangulation genotyping analysis primer pairs of Table 12 which provide strain resolving capabilities for identification of specific strains of *Campylobacter jejuni*.

[361] Some embodiments of the kits are 96-well or 384-well plates with a plurality of wells containing any or all of the following components: dNTPs, buffer salts, Mg^{2+} , betaine, and primer pairs. In some embodiments, a polymerase is also included in the plurality of wells of the 96-well or 384-well plates.

[362] Some embodiments of the kit contain instructions for PCR and mass spectrometry analysis of amplification products obtained using the primer pairs of the kits.

[363] Some embodiments of the kit include a barcode which uniquely identifies the kit and the components contained therein according to production lots and may also include any other information relative to the components such as concentrations, storage temperatures, etc. The barcode may also include analysis information to be read by optical barcode readers and sent to a computer controlling amplification, purification and mass spectrometric measurements. In some embodiments, the barcode provides access to a subset of base compositions in a base composition database which is in digital

communication with base composition analysis software such that a base composition measured with primer pairs from a given kit can be compared with known base compositions of bioagent identifying amplicons defined by the primer pairs of that kit.

[364] In some embodiments, the kit contains a database of base compositions of bioagent identifying amplicons defined by the primer pairs of the kit. The database is stored on a convenient computer readable medium such as a compact disk or USB drive, for example.

[365] In some embodiments, the kit includes a computer program stored on a computer formatted medium (such as a compact disk or portable USB disk drive, for example) comprising instructions which direct a processor to analyze data obtained from the use of the primer pairs of the present invention. The instructions of the software transform data related to amplification products into a molecular mass or base composition which is a useful concrete and tangible result used in identification and/or classification of bioagents. In some embodiments, the kits of the present invention contain all of the reagents sufficient to carry out one or more of the methods described herein.

[366] While the present invention has been described with specificity in accordance with certain of its embodiments, the following examples serve only to illustrate the invention and are not intended to limit the same. In order that the invention disclosed herein may be more efficiently understood, examples are provided below. It should be understood that these examples are for illustrative purposes only and are not to be construed as limiting the invention in any manner.

EXAMPLES

Example 1: Design and Validation of Primers that Define Bioagent Identifying Amplicons for Identification of Bacteria

[367] For design of primers that define bacterial bioagent identifying amplicons, a series of bacterial genome segment sequences were obtained, aligned and scanned for regions where pairs of PCR primers would amplify products of about 45 to about 150 nucleotides in length and distinguish subgroups and/or individual strains from each other by their molecular masses or base compositions. A typical process shown in Figure 1 is employed for this type of analysis.

[368] A database of expected base compositions for each primer region was generated using an *in silico* PCR search algorithm, such as (ePCR). An existing RNA structure search algorithm (Macke et al., Nucl. Acids Res., 2001, 29, 4724-4735, which is incorporated herein by reference in its entirety) has been modified to include PCR parameters such as hybridization conditions, mismatches, and thermodynamic calculations (SantaLucia, Proc. Natl. Acad. Sci. U.S.A., 1998, 95, 1460-1465, which is incorporated

herein by reference in its entirety). This also provides information on primer specificity of the selected primer pairs.

[369] Table 2 represents a collection of primers (sorted by primer pair number) designed to identify bacteria using the methods described herein. The primer pair number is an in-house database index number. Primer sites were identified on segments of genes, such as, for example, the 16S rRNA gene. The forward or reverse primer name shown in Table 2 indicates the gene region of the bacterial genome to which the primer hybridizes relative to a reference sequence. In Table 2, for example, the forward primer name 16S_EC_1077_1106_F indicates that the forward primer (_F) hybridizes to residues 1077-1106 of the reference sequence represented by a sequence extraction of coordinates 4033120..4034661 from GenBank gi number 16127994 (as indicated in Table 3). As an additional example: the forward primer name BONTA_X52066_450_473 indicates that the primer hybridizes to residues 450-437 of the gene encoding *Clostridium botulinum* neurotoxin type A (BoNT/A) represented by GenBank Accession No. X52066 (primer pair name codes appearing in Table 2 are defined in Table 3. One with ordinary skill knows how to obtain individual gene sequences or portions thereof from genomic sequences present in GenBank. In Table 2, Tp = 5-propynyluracil; Cp = 5-propynylcytosine; * = phosphorothioate linkage; I = inosine. T. GenBank Accession Numbers for reference sequences of bacteria are shown in Table 3 (below). In some cases, the reference sequences are extractions from bacterial genomic sequences or complements thereof.

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

Table 2: Primer Pairs for Identification of Bacteria

Primer Pair Number	Forward Primer Name	Forward Sequence	Forward SEQ ID NO:	Reverse Primer Name	Reverse Sequence	Reverse SEQ ID NO:
1	16S_EC_1077_1106_F	GTGAGATGTTGGTTAAGTCCGTAACCGAG	134	16S_EC_1175_1195_R	GACGTCAATCCCACTTCTC	809
2	16S_EC_1082_1106_F	CGAG	38	16S_EC_1175_1197_R	TTGACGTATCCCACTTCTC	1398
3	16S_EC_1090_1111_F	ATGTTGGTTAAGTCCCAACGAG	651	16S_EC_1175_1196_R	TGACGTATCCCACTTCTC	1159
4	16S_EC_1222_1241_F	TTAAGTCCCAACGATCGCA	114	16S_EC_1303_1323_R	CGAGTTGACACTGGATCCG	787
5	16S_EC_1332_1353_F	GCTACACACGTGCTACAATG	10	16S_EC_1389_1407_R	GACGGCGGTGTGTACAAAG	806
6	16S_EC_30_54_F	AAGTCGAATCGCTAGTAATCG	429	16S_EC_105_126_R	TACGGCATTAATCAACCGTCCGC	897
7	16S_EC_38_64_F	TGAACGCTGGTGGCATGCTTAACAC	136	16S_EC_101_120_R	TTACTCACCGGTCCGCCGCT	1365
8	16S_EC_49_68_F	GTGGCATGCTTAATACATGCAAGTCG	152	16S_EC_104_120_R	TTACTCACCGGTCCGCC	1364
9	16S_EC_683_700_F	TAACACATGCAAGTCAAGCG	137	16S_EC_774_795_R	GTATCTAATCTGTTGTCTCC	839
10	16S_EC_713_732_F	GTGTAGCGGTGAATGCG	21	16S_EC_789_809_R	CGTGGACTACAGGGTATCTA	798
11	16S_EC_785_806_F	AGAACACCGATGGCAAGCG	118	16S_EC_880_897_R	GGCCGTACTCCCAAGCG	830
12	16S_EC_785_810_F	GGATTAGAGACCTGGTGTATCC	119	16S_EC_880_897_2_R	GGCCGTACTCCCAAGCG	830
13	16S_EC_789_810_F	GGATTAGATACCTGGTGTATCCACGC	206	16S_EC_880_894_R	CGTACTCCCAAGCG	796
14	16S_EC_960_981_F	TAGATACCTGGTGTATCCACGC	672	16S_EC_1054_1073_R	ACGAGCTGACGACGACCATG	735
15	16S_EC_969_985_F	TTGATGCAACGCGAAGAACCT	19	16S_EC_1061_1078_R	ACGACAGAGCTGACGAC	734
16	16S_EC_1826_1843_F	ACGCGAAGAACCTTACC	80	23S_EC_1906_1924_R	GACCGTTATAGTTACGGCC	805
17	23S_EC_2645_2659_F	CTGACACCTGCCCGTGC	408	23S_EC_2744_2761_R	TGCTTAGATGCTTTTACG	1252
18	23S_EC_2645_2659_2_F	TCTGTCCCTAGTACGAGGACCGG	83	23S_EC_2751_2767_R	GTTCATGCTTAGATGCTTTACG	846
19	23S_EC_493_518_F	CTGTCCCTAGTACGAGGACCGG	125	23S_EC_551_571_R	ACAAAAGGTACGCCCTCACCC	717
20	23S_EC_493_518_2_F	GGGAGTGAAGAGATCTGAAACCG	125	23S_EC_551_571_2_R	ACAAAAGGTACGCCCTCACCC	716
21	23S_EC_971_992_F	GGGAGTGAAGAGATCTGAAACCG	66	23S_EC_1059_1077_R	TGGCTGCTTCTTAAGCCAAC	1282
22	CAPC_BA_104_131_F	CGAGAGGGAACCAACCCAGACC	139	CAPC_BA_180_205_R	TGAATCTTGAACACCATACGTAACG	1150
23	CAPC_BA_114_133_F	GTATTATTAGCACTGTTTTTAATCAGCC	20	CAPC_BA_185_205_R	TGAATCTTGAACACCATACG	1149
24	CAPC_BA_274_303_F	ACTCGTTTTTAATCAGCCCG	109	CAPC_BA_349_376_R	GTAAACCTTGTCTTGAATGTATTGC	837
25	CAPC_BA_276_296_F	GATTATTGTTAATCTGTTATGCAATT	653	CAPC_BA_358_377_R	GGTAACCTTGTCTTGAAT	834
26	CAPC_BA_281_301_F	TTATTGTTATCTGTTATGCGC	138	CAPC_BA_361_378_R	TGGTAACCTTGTCTTGAAT	1298
27	CAPC_BA_315_334_F	GTATTCCTGTTATGCAATTG	59	CAPC_BA_361_378_R	TGGTAACCTTGTCTTGAAT	1298
28	CYA_BA_1055_1072_F	CCGTGTTATTGGAGTATTG	92	CYA_BA_1112_1130_R	TGTTGACCATGCTTCTTAG	1352

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

29	CYA BA 1349 1370 F	ACAACGAAGTACATACACAGAC	12	CYA BA 1447 1426 R	CTCTACATTTTTCAGCCATCAC	800
30	CYA BA 1353 1379 F	GGAAGTACATACACAGACAAAGAG	64	CYA BA 1448 1467 R	TGTTACGGCTTTCAGACCC	1342
31	CYA BA 1359 1379 F	ACAATACAGACAAAGAGAG	13	CYA BA 1447 1461 R	CGGCTTCAGACCC	794
32	CYA BA 914 937 F	CAGTTTACAGACAAATGACG	53	CYA BA 999 1026 R	ACCACCTTTTAAATAGGTTTGTAGTAAAC	728
33	CYA BA 916 935 F	GGTTTACAGACAAATGACG	131	CYA BA 1003 1025 R	CCACTTTTAAATAGGTTTGTAGC	768
34	INFB EC 1365 1393 F	TGCTCGTGGTGCAACAGTACGGATA	524	INFB EC 1439 1467 R	TGCTGCTTTCGCAATGTTTAAATGCTTCA	1248
35	LEF BA 1033 1052 F	TTA	254	LEF BA 1119 1135 R	A	803
36	LEF BA 1036 1066 F	TCAAGAGAGAAAGAGC	44	LEF BA 1119 1149 R	AGATAAGAAATCAGAAATATCAATTTGT	745
37	LEF BA 756 781 F	CAAGAGAGAAAGAGCTTCTTAAAG	26	LEF BA 843 872 R	AGC	1135
38	LEF BA 758 778 F	ATAAC	90	LEF BA 843 865 R	TCTTCCAGGATAGATTTATTTCTTGT	748
39	LEF BA 795 813 F	AGCTTTTGCATATTATATCGAGCCAC	700	LEF BA 883 900 R	CG	1140
40	LEF BA 883 899 F	CTTTTGCATATTATATCGAGC	43	PAG BA 939 958 R	AGGATAGATTTATTTCTTGTTCG	762
41	PAG BA 122 142 F	TTTACAGCTTATATGACCG	49	PAG BA 190 209 R	TCTTGACAGCATCCGTTG	781
42	PAG BA 123 145 F	CAACGATGCTGGAAG	22	PAG BA 326 344 R	CAGATAAAGAAATCGCTCCAG	774
43	PAG BA 269 287 F	CAGATCAAGTTCCTCCAGGG	11	PAG BA 755 772 R	CCTGTAGTAGAAGAGGTTAAC	1186
44	PAG BA 655 675 F	AGATCAAGTTCCTCCAGGGTTAC	93	PAG BA 849 868 R	CCCTGTAGTAGAAGAGGTTAAC	778
45	PAG BA 753 772 F	AACTCTGCTATTGTGTCAGG	341	PAG BA 849 868 R	TGATATATCAGCGGAAGTAG	1089
46	PAG BA 763 781 F	GAAGATATACGGTTGATGTC	552	PAG BA 849 868 R	CGGTGCTCCATTTTTCAG	1089
47	RPOC EC 1018 1045 F	TCTTGAAAATGGAGACGG	39	RPOC EC 1095 1124 R	TCGGATAAGCTGCCACAGG	959
48	RPOC EC 1018 1045 F	TCGAGCACGGCTTCTGATC	39	RPOC EC 1095 1124 2 R	TCGGATAAGCTGCCACAGG	958
49	RPOC EC 114 140 F	CAAACTTATTAGGTAAGCGTGTGA	158	RPOC EC 213 232 R	TCAAGCGCCATTTCTTCGGTAATCCAC	831
50	RPOC EC 2178 2196 F	CT	478	RPOC EC 2225 2246 R	AT	1414
51	RPOC EC 2178 2196 F	TAAGAGCCGGAACCAATCAACTACC	477	RPOC EC 2225 2246 2 R	GGCGCTTGTACTTACCGCAC	1413
52	RPOC EC 2218 2241 F	G	81	RPOC EC 2313 2337 R	TTGGCCATCAGGCCACGCATAC	790
53	RPOC EC 2218 2241 F	TGATTCGGTGCCCGTGGT	86	RPOC EC 2313 2337 2 R	TTGGCCATCAGGCCACGCATAC	789
54	RPOC EC 808 833 F	CTGGCAGGTATGCGTGGTGTGATG	75	RPOC EC 865 889 R	CGCACCGTGGTGGATGAAGTAC	847
55	RPOC EC 808 833 2 F	CTTGCTGATGCGTGGTGTGATG	76	RPOC EC 865 891 R	CGCACCGTGGTGGATGAAGTAC	741
56	RPOC EC 993 1019 F	CGTCCGGTGAATACCGTAACACCG	41	RPOC EC 1036 1059 R	CGCACCGTGGTGGATGAAGTAC	785
57	RPOC EC 993 1019 F	CGTCCGGTGAATACCGTAACACCG	40	RPOC EC 1036 1059 2 R	CGAACGGCCCTGAGTAGTCAACAG	784

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

58	SSPE BA_115_137_F	CAAGCAAGCGCACATCAGAGC	45	SSPE BA_197_222_R	TGCACGTCTGTTTCACTTGCAATTC	1201
59	TUFB EC_239_259_F	TAGACTGCCAGGACAGGCTG	204	TUFB EC_283_303_R	GCCCTCCATCTGAGCAGCACC	815
60	TUFB EC_239_259_2_F	TTGACTGCCAGGTCAGGCTG	678	TUFB EC_283_303_2_R	GCCCTCCATTTGAGCAGCACC	816
61	TUFB EC_976_1000_F	AACCTACCGTCCGAGTCTACTCC	4	TUFB EC_1045_1068_R	GTTCGTCCGAGCATAACCAATTC	845
62	TUFB EC_976_1000_2_F	AACCTACCGTCCGAGTCTACTCC	5	TUFB EC_1045_1068_2_R	GTTCCTACCAAGCATTAACCAATTC	844
63	TUFB EC_985_1012_F	CCAGATTCTACTTCCGTACTACTGA	56	TUFB EC_1033_1062_R	TCCAGGCATTACCAATTTCTACTCTCT	1006
66	RPLB EC_650_679_F	GACCTACGATGAGAGGTTCTGTAATG	98	RPLB EC_739_762_R	TCCAGTGTCTGTTTACCCCATGG	999
67	RPLB EC_688_710_F	AACC	54	RPLB EC_736_757_R	GTGCTGGTTTACCCCATGGAGT	842
68	RPOC EC_1036_1060_F	CATCCACACGCTGTGTGTAAGG	78	RPOC EC_1097_1126_R	ATTCAGAGGCCATTCTTTTGGTAAACC	754
69	RPOB EC_3762_3790_F	CGTGTGACTATTCGGGGGCTTCAG	248	RPOB EC_3836_3865_R	TTTCTTGAAGAGTATGAGTGTCTCCGTA	1435
70	RPLB EC_688_710_F	CAATCCACACGCTGTGTGTAAGG	54	RPLB EC_743_771_R	TGTTTGTATATCCAAAGTGTCTGGTTTACCC	1356
71	VALS EC_1105_1124_F	CGTGGCGCGTGGTTATCGA	77	VALS EC_1195_1218_R	CGGTACGAACCTGGATGTCTGCCGTT	795
72	RPOB EC_1845_1866_F	TATCGCTCAGCGCAACTCCAAC	233	RPOB EC_1909_1929_R	CTGGATTCGCTTTGCTGACG	825
73	RPLB EC_669_698_F	TGTAATGAACCCCTAATGACCAATCCAC	623	RPLB EC_735_761_R	CCAAGTGTCTGTTTACCCCATGGAGTA	767
74	RPLB EC_671_700_F	TAATGAACCCCTAATGACCAATCCAC	169	RPLB EC_737_762_R	TCCAAGTGTCTGTTTACCCCATGGAG	1000
75	SP101_SPET11_1_29_F	AACCTTAATTTGGAAGAAACCCCAAGA	2	SP101_SPET11_92_116_R	CCTACCCCAACGTTTACCAAGGGCAG	779
76	SP101_SPET11_118_14_7_F	CTTTC	115	SP101_SPET11_213_238_R	TGTGGCCGATTTTACCACCTGCTCCT	1340
77	SP101_SPET11_216_24_3_F	AGCAGGTGTGTAATCGGCCACATGA	24	SP101_SPET11_308_333_R	TGCCACTTTTGACAACCTCCTGTGCTG	1209
78	SP101_SPET11_266_29_5_F	CTTGTACTTGTGGCTCACACGGGCTGT	89	SP101_SPET11_355_380_R	GCTGCTTTGATGGCTGAATCCCTTC	824
79	SP101_SPET11_322_34_4_F	GTCAAAGTGGCAGCTTTACTGGC	132	SP101_SPET11_423_441_R	ATCCCTTGTCTTCTGCTGCC	753
80	SP101_SPET11_358_38_7_F	GGGATTCAGCCATCAAGCAGTAT	126	SP101_SPET11_448_473_R	CCAACCTTTTCCACAACAGAAATCAGC	766
81	SP101_SPET11_600_62_9_F	CCTTACTTCGAATATGATCTTTTG	62	SP101_SPET11_686_714_R	CCCAATTTTTCACGATGCTGAAAATAT	772
82	SP101_SPET11_658_68_4_F	GGGATTCGATATCACCGATAAGAAGA	127	SP101_SPET11_756_784_R	GATGGCGATTAAGTGAATATTTCTAAA	813
83	SP101_SPET11_776_80_1_F	TCGCCAATCAAACTAAGGAATGGC	364	SP101_SPET11_871_896_R	GCCCAACGAGAAAGACTAGCAGGATAA	814
84	SP101_SPET11_893_92_1_F	GGGCAACAGCAGCGGATTCGATTCG	123	SP101_SPET11_988_1012_R	CATGACAGCCAGAGACTCACCCACC	763

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

85	SP101_SPET11_1154_1 179_F	CAATACCGCAACAGCGGTGGCTGGG	47	SP101_SPET11_1251_1277_R	GACCCCAACCTGGCCCTTTTTCGTTGA AAACTATTTTTTTAGCTATATCGAACA C	804
86	SP101_SPET11_1314_1 336_F	CGCAAAAAATCCAGCTATTAGC	68	SP101_SPET11_1403_1431_R	GGATAATTGGTCGTAACACAGGAGTAGTG AG	711
87	SP101_SPET11_1408_1 437_F	CGAGTATAGCTAAAAAATACTTTAT GACA	67	SP101_SPET11_1486_1515_R	ATATGATTATCATTTGAATGCGGCGG	828
88	SP101_SPET11_1688_1 716_F	CCTATATTAAATCGTTTACAGAAACTG GCT	60	SP101_SPET11_1783_1808_R	GGTGACGACCTTCTTGTGAATGTAAATCA	752
89	SP101_SPET11_1711_1 733_F	CTGGCTAAAACCTTTGGCAACGGT	82	SP101_SPET11_1808_1835_R	TTGGACCTGTATATCAGCTGAATACTGG	821
90	SP101_SPET11_1807_1 835_F	ATGATTACAATTCAGAGAGGTCTGTCA CGC	33	SP101_SPET11_1901_1927_R	ATTGCCAGAAATCAAAATCATC	1412
91	SP101_SPET11_1967_1 991_F	TAACGGTTATCATGGCCAGATGGG	155	SP101_SPET11_2062_2083_R	TCTGGGTGACCTGGTGTGTTTTAGA	755
92	SP101_SPET11_2260_2 283_F	CAGAGACCGTTTTTATCCTATCAGC	50	SP101_SPET11_2375_2397_R	AGCTGCTAGATGAGCTTCTGCCATGGCC	1131
93	SP101_SPET11_2375_2 399_F	TCTAAAAACACAGGTACCCAGAG	390	SP101_SPET11_2470_2497_R	CCATAAGGTACCGTCAACCAATFCAAAGC	770
94	SP101_SPET11_2468_2 487_F	ATGGCCATGGCAGAACTCA	35	SP101_SPET11_2543_2570_R	GGAAATTTACAGCGAATGACACCC	827
95	SP101_SPET11_2961_2 984_F	ACCATGACAGAAAGCAITTTGACA	15	SP101_SPET11_3023_3045_R	AAATCGACGACCACTTTGGAAAGATTCT C	715
96	SP101_SPET11_3075_3 103_F	GATGACTTTTTAGTAATGGTCAGGC AGC	108	SP101_SPET11_3168_3196_R	CCAGCGTTACTGTCCCTCATCTTTG	769
97	SP101_SPET11_3386_3 403_F	AGCGTAAAGGTGAACCTT	25	SP101_SPET11_3480_3506_R	GGGTCTACACCTGCACCTTGCATAAC CGTATAAGCTGCACCAATAAGCTTGTAAAT GC	832
98	SP101_SPET11_3511_3 535_F	GCTTCAGGAATCAATGATGGAGCAG CTTTGGAGTAACTCTCATTTTGGTGG GCA	116	SP101_SPET11_3605_3629_R	CGCTTCCACAGCTTGTTCAGAGAG TTGCTCTCGGCCCTGGCC	797
111	RPOB_EC_3775_3803_F	CGACGCGTGGCTTCAC	87	RPOB_EC_3829_3858_R	TATAGCACCATCCATCTGAGCGGCAC	822
112	VALS_EC_1833_1850_F	GACCACTCGGCACCGT	65	VALS_EC_1920_1943_R	CGGGTCTGGCTCGTTGATGA	1386
113	RPOB_EC_1336_1353_F	GCACTATGCACACGATAGATTGTCTTG G	97	RPOB_EC_1438_1455_R	TGCGAGTTTATCAGCAGCAAGCG	930
114	TUFB_EC_225_251_F	CGGCGTACTTCAACGACAGCCA	111	TUFB_EC_284_309_R	CGGGTCTGGCTCGTTGATGA	792
115	DNAK_EC_428_449_F	CTTCTGCACAAAGCTGTGGAAGC	72	DNAK_EC_503_522_R	TGCGAGTTTATCAGCAGCAAGCG	1075
116	VALS_EC_1920_1943_F	AAAGACACCTGCACGGC	85	VALS_EC_1948_1970_R	GGCTCCACGTTCTTACCG	819
117	TUFB_EC_757_774_F	CTGTTCTTAGTACAGAGAGACC	6	TUFB_EC_849_867_R	TTTGGTCTTAGATGCTTTTCAG	1389
118	23S_EC_2646_2667_F	ACGCGAAGAACCTTACpC	84	23S_EC_2745_2765_R	ACGACACGAGCpTgACGAC	733
119	16S_EC_969_985_1P_F	CGAAGACpCpTTACC	19	16S_EC_1061_1078_2P_R	ACACGAGCpTgGAC	727
120	16S_EC_972_985_2P_F	CGAAGACpCpTTACC	63	16S_EC_1064_1075_2P_R	ACACGAGCpTgGAC	727
121	16S_EC_972_985_F	CGAAGACpCpTTACC	63	16S_EC_1064_1075_R	ACACGAGCpTgGAC	727
122	TRNA_ILE- RENH_EC_32_50.2_F	CCTGATAAGGTGAGGTGCG	61	23S_EC_40_59_R	ACGTCCTTTCATCGCCTCTGA	740

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

123	23S EC -7 15 F	GTTGTGAGTTAAGCGACTAAG	140	23S EC 430 450 R	CTATCGGTGAGTCAGGAGTAT	799
124	23S EC -7 15 F	GTTGTGAGTTAAGCGACTAAG	141	23S EC 891 910 R	TTGCATCGGTTGGTAAATC	1403
125	23S EC 430 450 F	ATATCTCTGACTGACCCGATAG	30	23S EC 1424 1442 R	AACATAGCCCTTCTCCGTC	712
126	23S EC 891 910 F	GACTTACCAACCCGATGCAA	100	23S EC 1908 1931 R	TACCTTAGGACCGTTATAGTTACG	893
127	23S EC 1424 1442 F	GGACGAGAGGCTTATGTT	117	23S EC 2475 2494 R	CCAAACACCCGCCGTCGATAT	765
128	23S EC 1908 1931 F	CGTAACATAAAGCTCTTAAGGTA	73	23S EC 2833 2852 R	GCTTACACCCCGGCCCTATC	826
129	23S EC 2475 2494 F	ATATCGACGCGGTTTGG	31	TRNA ASP-		
131	16S EC -60 -39 F	AGTCTCAAGAGTGAACAGTAA	28	RRNH EC 23 41.2 R	GCGTGACAGGCAAGTATTC	820
132	16S EC 326 345 F	GACAGGTCAGACTCTTAC	95	16S EC 508 525 R	GCTGTGGCACGAGTTA	823
133	16S EC 705 724 F	GATCTGAGGAATACCGGTG	107	16S EC 1041 1058 R	CCATGACGACCACTGTCTC	771
134	16S EC 1268 1287 F	GAGAGCAAGCGGACCTCAT	101	16S EC 1493 1512 R	ACGGTTACCTTGTTCAGGACT	739
135	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	TRNA ALA-		
137	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	RRNH EC 30 46.2 R	CCTCTGCGGTGCAAGC	780
138	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 1061 1078.2 R	ACAACACGAGCTGACGAC	719
139	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 1061 1078.2 I14 R	ACAACACGAGCTGTCGAC	721
140	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 1061 1078.2 I12 R	ACAACACGAGCTGTCGAC	718
141	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 1061 1078.2 I11 R	ACAACACGAGCTGTCGAC	722
142	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 1061 1078.2 I16 R	ACAACACGAGCTGTCGAC	720
143	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 1061 1078.2 2I R	ACAACACGAGCTGTCGAC	723
144	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 1061 1078.2 3I R	ACAACACGAGCTGTCGAC	724
145	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 1061 1078.2 4I R	ACAACACGAGCTGTCGAC	725
146	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	23S EC 2741 2760 R	ACTTAGATGTTTCAGCGGT	743
147	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 880 894 R	CGTACTCCCGAGGCG	796
148	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 1174 1188 R	TCCCGACCTTCTCTCC	1019
149	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	SSPE BA 197 216 R	TCCTGTTTCAGTTGCAAAATC	1132
150	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	GROL EC 1039 1060 R	CAATCTGCTGACGGATCTGAGC	759
151	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	INFB EC 1174 1191 R	CATGATGCTCACAAACCG	764
152	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	HFLB EC 1144 1168 R	CTTCGCTTTTCTCGAACTCAACCAT	802
153	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	INFB EC 2038 2058 R	AACTTCGCTTCGGTCAAGTT	713
154	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	GROL EC 328 350 R	TTGAGTCCATCGGGTTCATGCC	1377
155	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	VALS EC 1195 1214 R	ACGAACCTGGATGTCGCCGTT	732
156	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 683 700 R	CGCATTTTACCGCTACAC	791
157	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	RPOC EC 1295 1315 R	GTTCAAATGCTTGGATACCCA	843
158	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 880 894 R	CGTACTCCCGAGGCG	796
159	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	RPOC EC 1623 1643 R	ACGCGGCAATGACAGATGCC	737
160	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 1177 1196 R	TGACGTCATCCCACTTCC	1158
161	16S EC 969 985 F	ACGCGAAGAACCTTACC	19	16S EC 1525 1541 R	AAGAGGTGATCCAGCC	714

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

232	16S EC 1303 1323 F	CGGATTTGGAGTCTGCAACTCG	71	16S EC 1389 1407 R	GACGGGCGGTGTGTACAG	808
233	23S EC 23 37 F	GGTGGATGCTTTGGC	129	23S EC 115 130 R	GGGTTTCCCAATTGG	833
234	23S EC 187 207 F	GGGAATGAAACATCTAAGTA	121	23S EC 242 256 R	TTGGCTCGCGCTAC	1385
235	23S EC 1602 1620 F	TACCCCAACCCGACACAG	184	23S EC 1686 1703 R	CCTTCTCCCAAGTTACG	782
236	23S EC 1605 1703 F	CCGTAACTTCGGGAGAGG	58	23S EC 1828 1842 R	CACCGGCGAGCGTC	760
237	23S EC 1827 1843 F	GACGCTGCCCGGTGC	99	23S EC 1929 1949 R	CCGACAAAGGAATTTGGTTACC	775
238	23S EC 2434 2456 F	AAGGTACTCCGGGATTAACAGGC	9	23S EC 2490 2511 R	AGCCGACATCGAGGTGCCAAAC	746
239	23S EC 2599 2616 F	GACAGTTCGGTCCCTATC	96	23S EC 2653 2669 R	COGGTCTCTCGTACTA	777
240	23S EC 2653 2669 F	TAGTACGAGAGGACCG	227	23S EC 2737 2758 R	TTAGATGCTTTACGACTTATC	1369
241	23S BS -68 -44 F	AACTAGATAACAGTAGACATCAC	1	23S BS 5 21 R	GTGCGCCCTTCTTACTT	841
242	16S EC 8 27 F	AGAGTTTGATCATGGCTCAG	23	16S EC 342 358 R	ACTGCTCCCTCCCTAG	742
243	16S EC 314 332 F	CACTGGAACCTGAGACACGG	48	16S EC 556 575 R	CTTTAGCGCCAGTAATTCG	801
244	16S EC 518 536 F	CCAGCAGCCCGGTAAATAC	57	16S EC 774 795 R	GTATCTAATCTGTGTGCTCCC	839
245	16S EC 683 700 F	GTGTAGCGGTGAAATGCG	137	16S EC 967 985 R	GGTAAGGTCTTTCGGTTG	835
246	16S EC 937 954 F	AGCGGTGGACATGCG	7	16S EC 1220 1240 R	ATTGTAGCACTGTGTAGGCC	757
247	16S EC 1195 1213 F	CAAGTCATCATGGCCCTTA	46	16S EC 1525 1541 R	AAGAGGTGATCCAGCC	714
248	16S EC 8 27 F	AGAGTTTGATCATGGCTCAG	23	16S EC 1525 1541 R	AAGAGGTGATCCAGCC	714
249	23S EC 1831 1849 F	ACCTGCCAAGTCTGTGAAG	18	23S EC 1919 1936 R	TCGTACTCTTAGGACCGT	1080
250	16S EC 1387 1407 F	GCCTTGACACACCTCCCGTC	112	16S EC 1494 1513 R	CACGGTACTCTGTGTACGAC	761
251	16S EC 1390 1411 F	TTGTGACACACCCCGCTCATAC	693	16S EC 1486 1505 R	CCTTGTACGACTTCCACCC	783
252	16S EC 1367 1387 F	TACGGTGAATACGTTCCCGG	191	16S EC 1485 1506 R	ACCTTGTACGACTTCCACCC	731
253	16S EC 804 822 F	ACCAGCCGTAAACGATGA	14	16S EC 909 929 R	CCCCGTCGAATCTCTTGTAGT	773
254	16S EC 791 812 F	GATACCTCTGTTAGTCCACACCG	106	16S EC 886 904 R	GCCTTGACACCGTACTCCC	817
255	16S EC 789 810 F	TAGATACCTCTGTTAGTCCACGC	206	16S EC 882 899 R	CGGACCGTACTCCCGAGG	818
256	16S EC 1092 1109 F	TAGTCCCGCAACGAGCGC	228	16S EC 1174 1195 R	GACGTATCCCGACCTTCCCTCC	810
257	23S EC 2586 2607 F	TAGAACGTCGCGAGACAGTTG	203	23S EC 2658 2677 R	AGTCCATCCCGGTCTCTCG	749
258	RNASEP SA 31 49 F	GAGGAAAGTCCATGCTCAC	103	RNASEP SA 358 379 R	ATAAGCCATGTTCTGTTCATC	750
258	RNASEP SA 31 49 F	GAGGAAAGTCCATGCTCAC	103	RNASEP EC 345 362 R	ATAAGCCCGGTTCTGTCTG	751
258	RNASEP SA 31 49 F	GAGGAAAGTCCATGCTCAC	103	RNASEP BS 363 384 R	ATAAGCCATGTTTGTTCATC	838
258	RNASEP BS 43 61 F	GAGGAAAGTCCATGCTCGC	104	RNASEP SA 358 379 R	ATAAGCCATGTTCTGTTCATC	750
258	RNASEP BS 43 61 F	GAGGAAAGTCCATGCTCGC	104	RNASEP EC 345 362 R	ATAAGCCCGGTTCTGTCTG	751
258	RNASEP BS 43 61 F	GAGGAAAGTCCATGCTCGC	104	RNASEP BS 363 384 R	ATAAGCCATGTTTGTTCATC	838
258	RNASEP EC 61 77 F	GAGGAAAGTCCCGGCTC	105	RNASEP SA 358 379 R	ATAAGCCATGTTCTGTTCATC	750
258	RNASEP EC 61 77 F	GAGGAAAGTCCCGGCTC	105	RNASEP EC 345 362 R	ATAAGCCCGGTTCTGTCTG	751
258	RNASEP EC 61 77 F	GAGGAAAGTCCCGGCTC	105	RNASEP BS 363 384 R	ATAAGCCATGTTTGTTCATC	838
259	RNASEP BS 43 61 F	GAGGAAAGTCCATGCTCGC	104	RNASEP BS 363 384 R	ATAAGCCATGTTTGTTCATC	838

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

260	RNASEP EC 61_77_F	GAGGAAAGTCCGGGCTC	105	RNASEP EC 345_362_R	ATAAGCCGGTTCGTGCG	751
262	RNASEP SA 31_49_F	GAGGAAAGTCCATCTCAC	103	RNASEP SA 358_379_R	ATAAGCCATGTTCTGTCCATC	750
263	16S EC 1082_1100_F	ATGTTGGTTAAAGTCCCGC	37	16S EC 1525_1541_R	AAGGAGGTGATCCAGCC	714
264	16S EC 556_575_F	CGGAATTACTGGGCGTAAAG	70	16S EC 774_795_R	GTATCTAATCCTGTTGTCTCC	839
265	16S EC 1082_1100_F	ATGTTGGTTAAAGTCCCGC	37	16S EC 1177_1196_10G_11G_R	TGACGTCATGCCACCTTCC	1160
266	16S EC 1082_1100_F	ATGTTGGTTAAAGTCCCGC	37	16S EC 1177_1196_10G_11G_R	TGACGTCATGCCACCTTCC	1161
268	YAEED EC 513_532_F_M	GGTGTAAATAGCCTGGCAG	130	TRNA_ALA-	AGACCTCTCTGGTGCAAGC	744
269	16S EC 1082_1100_F	ATGTTGGTTAAAGTCCCGC	37	16S EC 1177_1196_R MOD	TGACGTCATGCCACCTTCC	1158
270	23S EC 2586_2607_F	TAGAAGCTCGGAGACAGTTG	203	23S EC 2658_2677_R MOD	AGTCCATCCCGGTCTCTCG	749
272	16S EC 969_985_F	ACGCGAAGACCTTACC	19	16S EC 1389_1407_R	GACGGCGGTGTGTACAAG	807
273	16S EC 683_700_F	GTGTAGCGTTGAATCGG	137	16S EC 1303_1323_R	CGAGTTGACAGACTGCGATCCG	788
274	16S EC 49_68_F	TAAACATGCAAGTCGAAG	152	16S EC 880_894_R	CGTACTCCCCAGGCG	796
275	16S EC 49_68_F	TAAACATGCAAGTCGAAG	152	16S EC 1061_1078_R	ACGACAGAGCTGACGAC	734
277	CYA BA 1349_1370_F	ACAAACGAATACAAATACAGAC	12	CYA BA 1426_1447_R	CTTCTACATTTTATGCCATCAC	800
278	16S EC 1090_1111_2_F	TTAAGTCCGCAACGAGCGCAA	650	16S EC 1175_1196_R	TGACGTCATGCCACCTTCTC	1159
279	16S EC 405_432_F	TGAGTGATGAAGGCTTAGGGTTGTA	464	16S EC 507_527_R	CGGCTGCTGGCAGCAAGTTAG	793
280	GROL EC 496_518_F	ATGGACAAGTTGGCAAGGAAG	34	GROL EC 577_596_R	TAGCCGCGGTGCAATTGTCAT	914
281	GROL EC 511_536_F	AAGGAAGCGGTGATCACCGTTGAGA	8	GROL EC 571_593_R	CCGCGGTGCAATTGTCATGCTTC	776
288	RPOB EC 3802_3821_F	CAGGTTTCGGCGAATGGA	51	RPOB EC 3862_3885_R	CGACTTGACCGGTTAAACATTTCCCTG	786
289	RPOB EC 3799_3821_F	GGGACAGGTTTCGGCGAATGGA	124	RPOB EC 3862_3888_R	GTCCGACTTGACGGTCAACATTTCCCTG	840
290	RPOC EC 2146_2174_F	GAT	52	RPOC EC 2227_2245_R	ACGCCATCAGGCCACGCAT	736
291	ASPS EC 405_422_F	GCACAACCTCGCGCTGCG	110	ASPS EC 521_538_R	ACGCCACGAGGTAGTCGC	738
292	RPOC EC 1374_1393_F	CGCCGACTTCGACGGTGACC	69	RPOC EC 1437_1455_R	GAGCATCAGCGTGCCTGCT	811
293	TUFB EC 957_979_F	CCACACGCGTTCTTCAACAACT	55	TUFB EC 1034_1058_R	GGCATCACCAATTTCTTGTCTTCTG	829
294	16S EC 7_33_F	GAGAGTTTGATCTGCTCAGAACGA	102	16S EC 101_122_R	TGTTACTCACCGGTCTGCCACT	1345
295	VALS EC 610_649_F	ACGAGCAAGGAGACAGC	17	VALS EC 705_727_R	TATAACGCACATCGICAGGGTGA	929
344	16S EC 971_990_F	CGGAGAACCTTACCAGGTC	113	16S EC 1043_1062_R	ACRACCATSCACCACCTGTC	726
346	16S EC 713_732_TM0D	TAGAACACCGATGGCGAAGGC	202	16S EC 789_809_TM0D R	TCGTGGACTACCAAGGTATCTA	1110
347	16S EC 785_806_TM0D	TGGATTAGAGACCTCTGTTAGTCC	560	16S EC 880_897_TM0D R	TGGCCGTAATCTCCAGGCG	1278
348	16S EC 960_981_TM0D	TTTCGATGCAAGCGGAAGACCT	706	16S EC 1054_1073_TM0D R	TACGAGCTGACACAGCCATG	895

DOCKET NO.: DBIS-0083US1 (COUNSEL DOCKET NO: 10593)

349	23S_EC_1826_1843_TM OD_F	TCTGACACCTGCCCGTGC	401	23S_EC_1906_1924_TM MOD_R	TGACCGTTATAGTACGGCC	1156
350	CAPC_BA_274_303_TMO D_F	TGATTATTGTTATPCTGTTATGCGCAT TTGAG	476	CAPC_BA_349_376_TM MOD_R	TGTAACCGCTTGCTTTTGAATGTATTG C	1314
351	CYA_BA_1353_1379_TM OD_F	TGGAAGTACAAATCAAGACAAAAGAA GG	355	CYA_BA_1448_1467_TM MOD_R	TTGTTAAACGGCTTCAAGACCC	1423
352	INFB_EC_1365_1393_T MOD_F	TTGTCGTGGTGACAAAGTACGGAT ATTA	687	INFB_EC_1439_1467_TM MOD_R	TTGCTGCTTTGCGATGTTATTTCTTCT AA	1411
353	LEF_BA_756_781_TM F	TAGCTTTTGCATATATATATCGAGCCA C	220	LEF_BA_843_872_TM MOD_R	TTCTTCCAAAGATAGATTATTTCTTGT TCG	1394
354	RPOC_EC_2218_2241_T MOD_F	TCTGCGAGGTATGCGTGGTCTCATG	405	RPOC_EC_2313_2337_TM MOD_R	TCGCAACGGTGGGTTGAGATGAAGTAC	1072
355	SSPE_BA_115_137_TMO D_F	TCAAGCAAAAGCGCAATTCAGAAAC	255	SSPE_BA_197_222_TM MOD_R	TTGCAAGGTCTGTTTTCAGTTGCAAAATTC	1402
356	RPLB_EC_650_679_TMO D_F	TGACCTACAGTAAGAGGTTCTGTATAT GAACC	449	RPLB_EC_739_762_TM MOD_R	TTCCAAGTGTGGTTTACCCCATGG	1380
357	RPLB_EC_688_710_TMO D_F	TCAATCCACACGGTGGTGTGAAGG	296	RPLB_EC_736_757_TM MOD_R	TGTGCTGGTTTACCCCATGGAGT	1337
358	VALS_EC_1105_1124_T MOD_F	TCGTGGCGCGTGGTTATCGA	385	VALS_EC_1195_1218_TM MOD_R	TCGCTACGAACTGGATGTCGCCGTT	1093
359	RPOB_EC_1845_1866_T MOD_F	TTATCGCTCAGGCGCACTCCAC	659	RPOB_EC_1909_1929_TM MOD_R	TGCTGGATTGCGCTTTGCTAAG	1250
360	23S_EC_2646_2667_TM OD_F	TCGTGTTCTTTAGTACGAGGAGCC	409	23S_EC_2745_2765_TM MOD_R	TTTCGTGCTTAGATGCTTTTCAG	1434
361	16S_EC_1090_1111_2 TMOD_F	TTTAAAGTCCCGCAACGAGCGCAA	697	16S_EC_1175_1196_TM MOD_R	TTGACGTCATCCCGCACCTTCCCTC	1398
362	RPOB_EC_3799_3821_T MOD_F	TGGGCGACGTTTCGCGCAATGGA	581	RPOB_EC_3862_3888_TM MOD_R	TGTCGCACTTGACGCTACATTTCCCTG	1325
363	RPOC_EC_2146_2174_T MOD_F	TCAGGAGTGGTTCACTCGATCTACA TGAT	284	RPOC_EC_2227_2245_TM MOD_R	TACGCCATCAGGCCACCGCAT	898
364	RPOC_EC_1374_1393_T MOD_F	TCGCCGACTTCGACGGTGGACC	367	RPOC_EC_1437_1455_TM MOD_R	TGAGCATCAGCGTGGCTGCT	1166
367	TUFB_EC_957_979_TMO D_F	TCCACACGCGCTTCTTCAACAACCT	308	TUFB_EC_1034_1058_TM MOD_R	TGGCATCACCATTTTCTTGTCTCTCG	1276
423	SP101_SPET11_893_92 1_TM MOD_F	TGGCAACAGCAGCGGATTCGATTCG CGCG	580	SP101_SPET11_988_1012_TM D_R	TCATGACAGCCCAAGACCTCACCCACCC	990
424	SP101_SPET11_1154_1 179_TM MOD_F	TCAATACCGCAACAGCGGTGGCTTGG G	258	SP101_SPET11_1251_1277_TM OD_R	TGACCCCAACCTGGCTTTTGTGCTTGA	1155
425	SP101_SPET11_1118_14 7_TM MOD_F	TGCTGGTGAATAATACCCAGATGTCG TCTTC	528	SP101_SPET11_213_238_TM R	TTGTGGCGGATTTACACACCTGCTCTCT	1422
426	SP101_SPET11_1314_1 336_TM MOD_F	TCGCAAAAAATCCAGCTATATAGC	363	SP101_SPET11_1403_1431_TM OD_R	TAAACTATTTTTTTTAGCTATACTCGAAC AC	849
427	SP101_SPET11_1408_1 437_TM MOD_F	TCGAGTATAGCTAAAAAAATAGTTTA TGACA	359	SP101_SPET11_1486_1515_TM OD_R	TGGATATATGGTCGTTAACAAGGGATAGT GAG	1268

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

428	SP101_SPET11_1688_1 716_TM0D_F	TCCTATATTAAATCGTTTACAGAACT GGCT	334	SP101_SPET11_1783_1808_TM OD_R	TATATGATTATCATTAATGAATGGGCGG TGCCTGACGACCTTCTTGAATTTGAATC A	932
429	SP101_SPET11_1711_1 733_TM0D_F	TCTGGCTAAACTTTTGGCAACGGT	406	SP101_SPET11_1808_1835_TM OD_R	TTTGGACCTTGTAAATCAGCTGAATCTGG TATTGCCAGAAATCAATCATC	1239
430	SP101_SPET11_1807_1 835_TM0D_F	TATGATTACAAATCAAGAAGTGGTC ACGC	235	SP101_SPET11_1901_1927_TM OD_R	TTTGGACCTTGTAAATCAGCTGAATCTGG TATTGCCAGAAATCAATCATC	1439
431	SP101_SPET11_1967_1 991_TM0D_F	TTAACGGTTATCATGGCCCGATGGG	649	SP101_SPET11_2052_2083_TM OD_R	TTTGGACCTTGTAAATCAGCTGAATCTGG TATTGCCAGAAATCAATCATC	940
432	SP101_SPET11_216_24 3_TM0D_F	TAGCAGGTGTGAAATCGCCACATG ATT	210	SP101_SPET11_308_333_TM0D R	TTGCCACTTTTGACAACTCTCTGTTCGCG TTCTGGGTCGCTGGTGTCTTGA	1404
433	SP101_SPET11_2260_2 283_TM0D_F	TCAGACACCGTTTATCTCTATCAGC	272	SP101_SPET11_2375_2397_TM OD_R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1393
434	SP101_SPET11_2375_2 399_TM0D_F	TTCTAAACACACAGGTCACCCAGAG	675	SP101_SPET11_2470_2497_TM OD_R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	918
435	SP101_SPET11_2468_2 487_TM0D_F	TATGGCCATGCGCAGAAAGCTCA	238	SP101_SPET11_2543_2570_TM OD_R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1007
436	SP101_SPET11_266_29 5_TM0D_F	TCTTGACTTGTGGCTCACACGGCTG TTTGG	417	SP101_SPET11_355_380_TM0D R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1249
437	SP101_SPET11_2961_2 984_TM0D_F	TACCATGACAGAGCAATTTTGACA	183	SP101_SPET11_3023_3045_TM OD_R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1264
438	SP101_SPET11_3075_3 103_TM0D_F	TGATGACTTTTGTAGTAATGGTCAGG CAGC	473	SP101_SPET11_3168_3196_TM OD_R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	875
439	SP101_SPET11_322_34 4_TM0D_F	TGTCAAAAGTGGCAGCTTACTGCGC	631	SP101_SPET11_423_441_TM0D R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	934
440	SP101_SPET11_3386_3 403_TM0D_F	TAGCGTAAAGGTGAACCTT	215	SP101_SPET11_3480_3506_TM OD_R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1005
441	SP101_SPET11_3511_3 535_TM0D_F	TGCTTCAGGAATCAATGATGGAGCAG	531	SP101_SPET11_3605_3629_TM OD_R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1294
442	SP101_SPET11_358_38 7_TM0D_F	TGGGATTCAGCCATCAAGCAGCTA TTGAC	588	SP101_SPET11_448_473_TM0D R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	998
443	SP101_SPET11_600_62 9_TM0D_F	TCTTTACTCGAATCATGAATCTTTT GGAAG	348	SP101_SPET11_686_714_TM0D R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1018
444	SP101_SPET11_658_68 4_TM0D_F	TGGGATGATATCATCCGATAGAAG AA	589	SP101_SPET11_756_784_TM0D R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1189
445	SP101_SPET11_776_80 1_TM0D_F	TTTCGCCAATCAAACTAAGGGAATGG C	673	SP101_SPET11_871_896_TM0D R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1217
446	SP101_SPET11_1_29_T MOD_F	TACCTTAATTGGAAGAAACCCCAAG AAGT	154	SP101_SPET11_92_116_TM0D R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1044
447	SP101_SPET11_364_38 5_F	TCAGCCATCAAGCAGCTATTG	276	SP101_SPET11_448_471_R R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	894
448	SP101_SPET11_3085_3 104_F	TAGCTAATGGTCAGCAGCC	216	SP101_SPET11_3170_3194_R R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1066
449	RPLB_EC_690_710_F	TCCACACGGTGTGTGTGAAGG	309	RPLB_EC_737_758_R R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1336
481	BONTA_X52066_538_55 2_F	TATGGCTCTACTCAA	239	BONTA_X52066_647_660_R R	TTCTGGGTCGCTGGTGTCTTGA TAGCTGCTAGATGAGCTTCTGCCATGGC C	1346

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

482	BONTA_X52066_538_55 2 P F	TA*TPGGC*TP*CP*TPA*CP*TP*C PAA	143	BONTA_X52066_647_660P R	TC*TP*TPA*CP*TPG*CP*TPGGAT	1146
483	BONTA_X52066_701_72 0 F	GAATGCAATTAATCCAAAT	94	BONTA_X52066_759_775 R	TTACTTCTAACCCACTC	1367
484	BONTA_X52066_701_72 0 P F	GAA*TPAG*CPAA*TP*TPAA*TP*C P*CPAAAT	91	BONTA_X52066_759_775P R	TTA*CP*TP*TP*CP*TPAA*CP*CP*C P*CP*TPC	1359
485	BONTA_X52066_450_47 3 F	TCTAGTAATAATAGACCCCTCAGC	393	BONTA_X52066_517_539 R	TAACCAATTCGCGTAAGATTCAA	859
486	BONTA_X52066_450_47 3 P F	T*CP*TPAGTAATAATAGGA*CP*CP *CP*TP*CPAGC	142	BONTA_X52066_517_539P R	TAACCA*TP*TP*TP*CPGCGTAAGA*T P*TP*CPAA	857
487	BONTA_X52066_591_62 0 F	TGAGTCACCTTGAAGTTGATACAAATC CTCT	463	BONTA_X52066_644_671 R	TCATGTGCTAATGTACTGCTGGATCTG	992
608	SSPE_BA_156_168P F	TGGTPGCTPAGCPATT	616	SSPE_BA_243_255P R	TCGACGCTGATPpGT	1241
609	SSPE_BA_75_89P F	TACpAGAGTTPTPGCPGAC	192	SSPE_BA_163_177P R	TGTGCTTPTPGAAATpGGCT	1338
610	SSPE_BA_150_168P F	TGCTTCGGTPGCTPAGCPATT	533	SSPE_BA_243_264P R	TGATTTGTTTGCpAGCpTGAATPpGT	1191
611	SSPE_BA_72_89P F	TGCTACpAGAGTTPTPGCPGAC	602	SSPE_BA_163_182P R	TCATTTGTGCTTPTPGAAATpGCT	995
612	SSPE_BA_114_137P F	TCAAGCAACCCACCAATpCpAGAGC	255	SSPE_BA_196_222P R	TTGCACGCTCPpGTTTTCAGTTGCAAAAT C	1401
699	SSPE_BA_123_153 F	TGCACAATCAGAAAGCTAAGAAAGCGC	488	SSPE_BA_202_231 R	TTTCACAGCAGTACGCTCTGTTTCAGTT GC	1431
700	SSPE_BA_156_168 F	TGGTCTAGCATT	612	SSPE_BA_243_255 R	TGCAGCTGATTGT	1202
701	SSPE_BA_75_89 F	TACAGAGTTTGGAC	179	SSPE_BA_163_177 R	TGTGCTTTGAATGCT	1338
702	SSPE_BA_150_168 F	TGCTTCTGGTGTAGCATT	533	SSPE_BA_243_264 R	TGATTTGTTTGCAGCTGATTGT	1190
703	SSPE_BA_72_89 F	TGGTACAGAGTTTGGAC	600	SSPE_BA_163_182 R	TCATTTGCTTTTGAATGCT	995
704	SSPE_BA_146_168 F	TGCAAGCTTCTGGTGTAGCATT	484	SSPE_BA_242_267 R	TTGTGATTTGTTTGCAGCTGATTGTG	1421
705	SSPE_BA_63_89 F	TGCTAGTTATGTTACAGAGTTTGGCA C	518	SSPE_BA_163_191 R	TCATAACTAGCAATTTGCTTTTGAATGC T	986
706	SSPE_BA_114_137 F	TCAAGCAACCCACCAATCAGAGC	255	SSPE_BA_196_222 R	TTGCAGCTGCTTTTTCAGTTGCAAAATTC	1402
770	PLA_AF053945_7377_7 402 F	TGACATCCGGCTCACCTTATTATGTT	442	PLA_AF053945_7434_7462 R	TGTTAAATTCGCGCAAGACTTTGGCATT G	1313
771	PLA_AF053945_7382_7 404 F	TCCGGCTCACCTTATTATGTTAC	327	PLA_AF053945_7482_7502 R	TGGTCTGAGTACCTCCTTTCG	1304
772	PLA_AF053945_7481_7 503 F	TGCAAGGAGGTTACTCAGACCAT	481	PLA_AF053945_7539_7562 R	TATTGGAAATACCGGACGACATCTC	943
773	PLA_AF053945_7186_7 211 F	TTATACCGGAAACTTCCGAAAGGAG	657	PLA_AF053945_7257_7280 R	TAATGCGATACCTGGCTTGCAGATC	879
774	CAFL_AF053947_33407 33430 F	TCAGTTCCGTTATCGCATTTGCAT	292	CAFL_AF053947_33494_33514 R	TGCGGGCTGGTTCAACAAGAG	1235
775	CAFL_AF053947_33515 33541 F	TCACCTTACATATAGGAGGCGCT C	270	CAFL_AF053947_33595_33621 R	TCCTGTTTTTATAGCCGCGCAAGAGTAAG	1053
776	CAFL_AF053947_33435 33457 F	TGGAACATATTGCAACTGCTAATG	542	CAFL_AF053947_33499_33517 R	TGATCGGGCTGGTTTCAAC	1183

DOCKET NO.: DBIS-0083US1 (COUNSEL DOCKET NO: 10593)

777	CAF1_AF053947_33687_33716_F	TCAGGATGGAATAACCAACCAATTCACTAC	286	CAF1_AF053947_33755_33782_R	TCAAGGTTCTCACCGTTTACCTTAGGAG	962
778	INV_U22457_515_539_F	TGGCTCTGTTGGTATGACTCTGTCTTC	573	INV_U22457_571_598_R	TGTTAAGTGTGTGCGGCTGTCTTTATT	1343
779	INV_U22457_699_724_F	TGCTGAGGCTTGGACCGATTATTATAC	525	INV_U22457_753_776_R	TCACGCGACAGTGCATCCATTG	976
780	INV_U22457_834_858_F	TTATTTACCTGCACCTCCCAAACTG	664	INV_U22457_942_966_R	TGACCCAAAGCTGAAAGCTTTACTG	1154
781	INV_U22457_1558_158_I_F	TGCTAACAGAGCCTTATAGGCGCA	597	INV_U22457_1619_1643_R	TTCGGTTGCAGATTATCTTTACCAA	1408
782	LL_NC003143_2366996_2367019_F	TGTAGCGCTAAGCACTACCATCC	627	LL_NC003143_2367073_2367097_R	TCTCATCCCGATATTACCGCCATGA	1123
783	LL_NC003143_2367172_2367194_F	TGACGCGCATCAGGATCTCTAC	550	LL_NC003143_2367249_2367271_R	TGCCAACAGCTCAACACCTTTGG	1272
784	RPLB_EC_649_679_F	TGICCTACIGTTIGGTTCTGTATGAACC	620	RPLB_EC_739_762_TM0D_R	TTCCAACTGCTGGTTTACCCCATGG	1380
785	RPLB_EC_642_679_F	TpCpCpTTPGHTpGICCIACIGTIIIGIGTCTGTATGAACC	646	RPLB_EC_739_762_TM0D_R	TTCCAACTGCTGGTTTACCCCATGG	1380
786	MECA_Y14051_3315_3341_F	TTACACATATCGTGAGCAATGAACTGA	653	MECA_Y14051_3367_3393_R	TGTGATATGAGGTGTAGAAGGTGTTA	1333
787	MECA_Y14051_3774_3802_F	TAAACAACTACGGTAACATGTATGCA	144	MECA_Y14051_3828_3854_R	TCCCAATCTAACTTCCACATACCACTCT	1015
788	MECA_Y14051_3645_3670_F	TGAAGTAGAATGACTGAACGTCCGA	434	MECA_Y14051_3690_3719_R	TGATCCTGAATGTTTATATCTTTAACGCCT	1181
789	MECA_Y14051_4507_4530_F	TCAGGTACTGTATCCACCCCTCAA	288	MECA_Y14051_4555_4581_R	TGGATAGACGTCAATATGAAGGTGTGCT	1269
780	MECA_Y14051_4510_4530_F	TGTACTGCTATCCACCTCAA	626	MECA_Y14051_4586_4610_R	TATTTCTGTTACTCATGCGCATACA	939
781	MECA_Y14051_4669_4698_F	TCACGAGGTTCAACTCAAAAAATATTAAACA	262	MECA_Y14051_4765_4793_R	TAACCAACCAAGATTATCTTTTGCC	858
782	MECA_Y14051_4520_4530_F	TCpCpACpCpCpTpCpAA	389	MECA_Y14051_4590_4600P_R	TpACpTpCpATpCpCpA	1357
783	MECA_Y14051_4520_4530_F	TCpCpACpCpCpTpCpAA	389	MECA_Y14051_4600_4610P_R	TpATpTpCpTpTpCpGtpT	1358
784	TRPE_AY094355_1467_1491_F	ATGTCGATTGCAATCCGTTCTGTG	36	TRPE_AY094355_1569_1592_R	TGCGGAGCGTTTATTATTTGGGTTTC	1231
785	TRPE_AY094355_1445_1471_F	TGGATGGCATGGTGAATGGATATGTC	557	TRPE_AY094355_1551_1580_R	TATTTGGGTTTTCATTTCCACTCAGATTCTGG	944
786	TRPE_AY094355_1278_1303_F	TCAATGTACAAGGTGAAGTGGGTGA	247	TRPE_AY094355_1392_1418_R	TCCTCTTTTACAGGCTCTACTTCATC	1048
787	TRPE_AY094355_1064_1086_F	TCGACCTTTTGGCAGGAACATAGAC	357	TRPE_AY094355_1171_1196_R	TACATCGTTTCGCCCAAGATCAATCA	885
788	TRPE_AY094355_666_688_F	GTGCATGCGGATACAGAGCAGAG	135	TRPE_AY094355_769_791_R	TTCAAAATGCGGAGGCGTAATG	1372
789	TRPE_AY094355_757_777_F	TGCAAGCGGACCCACATACG	483	TRPE_AY094355_864_883_R	TGCCCCAGGTACAACTTGCAT	1218

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

76_F	RECA_AF251469_43_68_F	TGGTACATGTCCTTCATTGATGCTG	601	RECA_AF251469_140_163_R	TTCAAGTGTCTGCTCACCATTGTC	1375
908	RECA_AF251469_169_1_90_F	TGACATGCTTGTCGTTCAAGC	446	RECA_AF251469_277_300_R	TGGCTCATAGACGCGCTTGTAGA	1280
909	PARC_X95819_87_110_F	TGGTGACTCGGCATGTTATGAAGC	609	PARC_X95819_201_222_R	TTCCGTTATAACGCATCGCAGCA	1387
910	PARC_X95819_87_110_F	TGGTGACTCGGCATGTTATGAAGC	609	PARC_X95819_192_219_R	GGTATAACGCATCGCAGCAAAAGATTTA	836
911	PARC_X95819_123_147_F	GGCTCAGCCATTAGTTACCGCTAT	120	PARC_X95819_232_260_R	TCGCTCAGCAATAATTCACTATAAGCCG	1081
912	PARC_X95819_43_63_F	TCAGCGGTACAGTGGGTGAT	277	PARC_X95819_143_170_R	TTCCCTGACCTTCGATTAAAGGATAGC	1383
913	OMPA_AY485227_272_3_01_F	TTTACTCCATTATGCTTGCTTACACT	655	OMPA_AY485227_364_388_R	GAGCTGGCCCAACGAATAAATCGTC	812
914	OMPA_AY485227_379_4_01_F	TGCGGAGCTCTTGGTATCGAGTT	509	OMPA_AY485227_492_519_R	TGCCGTACATAGAGTTCACGGTTGATT	1223
915	OMPA_AY485227_311_3_35_F	TACACAAATGGCGGTTAAGATGG	178	OMPA_AY485227_424_453_R	TACGTCGCTTTTAACTTGGTTATATCA	901
916	OMPA_AY485227_415_4_41_F	TGCTCGAAGCTGAATATAACCAAGT	506	OMPA_AY485227_514_546_R	TCGGGCGTAGTTTTTAGTAATTAATCA	1092
917	OMPA_AY485227_494_5_20_F	TCAACGGTAACCTTCTATGTTACTTCT	252	OMPA_AY485227_569_596_R	TCGTCGTATTTTATAGTGACCGACCTA	1108
918	OMPA_AY485227_551_5_77_F	TCAAAGCGTACGTAFTATTATAGGTGCT	257	OMPA_AY485227_658_680_R	TTTAAAGCGCCAGAAAGCACCAC	1425
919	OMPA_AY485227_555_5_81_F	TCCGTACGTAFTATTATAGGTGCTGGTC	328	OMPA_AY485227_635_662_R	TCAACACCCAGCGTTTACCTAAAGTACCTT	954
920	OMPA_AY485227_556_5_83_F	TCGTACGTATTTATAGGTGCTGGTCA	379	OMPA_AY485227_659_683_R	TCGTTTAAAGCGCCAGAAAGCACCAA	1114
921	OMPA_AY485227_657_6_79_F	TGTTGGTGCTTCTTGCGGCTTAA	645	OMPA_AY485227_739_765_R	TAAGCCAGCAAGAGCTGTATAGTTCCA	871
922	OMPA_AY485227_660_6_83_F	TGGTGCTTCTTGCGGCTTAAACGA	613	OMPA_AY485227_786_807_R	TACAGGAGCAGCAGGCTTCAAG	884
923	GYRA_AF100557_4_23_F	TCTGCCGCTGTCGTTGGTGA	402	GYRA_AF100557_119_142_R	TCGAACCGAAGTTTACCCTGACCAT	1063
924	GYRA_AF100557_70_94_F	TCCATTGTTGCTATGGCTCAAGACT	316	GYRA_AF100557_178_201_R	TGCCAGCTTAGTCATACGACTTC	1211
925	GYRB_AB008700_19_40_F	TCAGGTGGCTTACACGGGCTAG	289	GYRB_AB008700_111_140_R	TATTGGGATCACCATGATGATTTCTT	941
926	GYRB_AB008700_265_2_92_F	TCTTCTTGAATGCTGGTGTACGTAT	420	GYRB_AB008700_369_395_R	TCGTTGAGATGGTTTTTACCTTCGTTG	1113
927	GYRB_AB008700_368_3_94_F	TCAACGAAGGTAAAAACCATCTCAAC	251	GYRB_AB008700_466_494_R	TTTGTGAACAGCGCAACATTTTCTTGGT	1440
928	GYRB_AB008700_477_5_04_F	TGTTGCTGTTTCAAAACAATTC	641	GYRB_AB008700_611_632_R	TCACGGGCATCATCACCACTCA	977
929	GYRB_AB008700_760_7_TACTTACTTGAGATCCACAAGCTGC	198	GYRB_AB008700_862_888_R	ACCTGCAATATCTAATGCACTCTTACG		729

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

931	87_F	AA	TCTTGCTCTTTGCTGAGTTTCAGTAA	416	WAAA_Z96925_115_138_R	CAAGCGGTTTGGCTCTCAAAATGTC	758
932	WAAA_Z96925_286_311_F	TG	TGATCTGTTTCAGCTGTTTCAGT	360	WAAA_Z96925_394_412_R	TGGCAGAGCCTGACCTGT	1274
939	RPOB_EC_3798_3821_F	TGGG	TGGGACGCTTTCGGCGAAATGGA	581	RPOB_EC_3862_3899_R	TGTCGACTTGACGGTCAGCATTTCTG	1326
940	RPOB_EC_3798_3821_F	TGGG	TGGGACGCTTTCGGCGAAATGGA	581	RPOB_EC_3862_3899_2_R	TGTCGACTTGACGGTTAGCATTTCTG	1327
941	TUPB_EC_275_299_F	TGAT	TGATCACTGCTGCTGCTCAGATGGA	468	TUPB_EC_337_362_R	TGGATGTGCTCAGCGATCTGTGGCAT	1271
942	TUPB_EC_251_278_F	AT	TGCACGCCGCTATGTTTAAAGAACATG	493	TUPB_EC_337_360_R	TATGTGCTCAGAGTTTGGGGCAT	937
949	GYRB_AB008700_760_7_F	AA	TACTTACTTGAGAAATCCACAGCTGC	198	GYRB_AB008700_852_888_2_R	TCTTGCAATATCTAATGCACCTCTTACG	1050
958	RPOC_EC_2223_2243_F	TGGT	TGGTATGCTGCTGCTGATGGC	605	RPOC_EC_2329_2352_R	TGCTAGACCTTTTACGTGCACCGTG	1243
959	RPOC_EC_918_938_F	TCTG	TCTGGATAACGGTCTGCTGCGG	404	RPOC_EC_1009_1031_R	TCCAGCAGGTTCTGACGGAAACG	1004
960	RPOC_EC_2334_2357_F	TGCT	TGCTGTAAGGCTCTGGCGGATAC	523	RPOC_EC_2380_2403_R	TACTAGACGACGGTCTAGGTAACC	905
961	RPOC_EC_917_938_F	TATG	TATGGACACGGTCTGCTGCGG	242	RPOC_EC_1009_1034_R	TTACCGAGCAGGTTCTGACGGAAACG	1362
962	RPOB_EC_2005_2027_F	TGCT	TGCTGCTGAAACACGATGACGC	387	RPOB_EC_2041_2054_R	TTGACGTTGATGTTTTCGAGCCCAT	1399
963	RPOB_EC_1527_1549_F	TCAG	TCAGCTGCTGACGTTTCATGGACC	282	RPOB_EC_1630_1649_R	TGCTCGCGGACTTTCGAAGCC	1104
964	INFB_EC_1347_1367_F	TGCG	TGCGTTTACCGCAATGCTGTC	515	INFB_EC_1414_1432_R	TGGGATCAGCGCTGCTGTC	1090
965	VALS_EC_1128_1151_F	TATG	TATGCTGACGACACGATGCTGATG	237	VALS_EC_1231_1257_R	TTGCGCATCCAGGAGAGTACATGTT	1384
978	RPOC_EC_2145_2175_F	TCAG	TCAGGAGTCTGTTTCACTGCACTACA	285	RPOC_EC_2228_2247_R	TTACGCCATCAGGCCACGCA	1363
1045	CJST_CJ_1668_1700_F	TGCT	TGCTCGAGTATGACITTTGCTAAT	522	CJST_CJ_1774_1799_R	TGAGCGTGTGGAAGGACTTGGATG	1170
1046	CJST_CJ_2171_2197_F	TGTT	TGTTTGGTGGTGTAGATGAAAAG	388	CJST_CJ_2283_2313_R	TCTCTTTCAAGCACCATTGCTCATTA	1126
1047	CJST_CJ_584_616_F	TCAG	TCAGGACAAATGATGAAAATGTC	315	CJST_CJ_663_692_R	TCATTTTCTGTCTCCAAAGTAAGCAGTA	1379
1048	CJST_CJ_360_394_F	CAAG	CAAGATG	346	CJST_CJ_442_476_R	TCACCTGGTTTCAAAAACATTAAAGTTGTA	955
1049	CJST_CJ_2636_2668_F	CCAA	CCAACTT	504	CJST_CJ_2753_2777_R	TTGCTGCCATAGCAAGCCTACAGC	1409
1050	CJST_CJ_1290_1320_F	TTTAC	TTTAC	575	CJST_CJ_1406_1433_R	TTTGCTCATGATCTGCAAGCATAAA	1437
1051	CJST_CJ_3267_3293_F	TTTG	TTTGATTTTACGCGCTCTCCAGGTC	707	CJST_CJ_3356_3385_R	TCAAAGAACCCGACCTAATTCATCAT	951
1052	CJST_CJ_5_39_F	G	TAGCGAAGATATCAAGAGATTA	222	CJST_CJ_104_137_R	TCCCTTATTTTCTTCTTACTACCTTCG	1029
1053	CJST_CJ_1080_1110_F	TTAG	TTAGGATGACACGCTCTTTTGTAT	681	CJST_CJ_1166_1198_R	TCCCTCATGTTTAAATGATCAGGATAA	1022
1054	CJST_CJ_2060_2090_F	TTCT	TTCTTT	323	CJST_CJ_2148_2174_R	TGATCCCGCATCACCATTCAAAGCAAA	1068

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

1055	CJST CJ 2869 2895 F	TGAAGCTTGTCTTTAGCAGGACITC	432	CJST CJ 2979 3007 R	TCCTCCTTGTGCTCAAAACGCAATTTT	1045
1056	CJST CJ 1880 1910 F	TCCCAATTAATCTGCCAATTTTCCA	317	CJST CJ 1981 2011 R	TGGTTCTTACTTGTTCATATAACTTT	1309
1057	CJST CJ 2185 2212 F	GGTAT	208	CJST CJ 2283 2316 R	CCA	1152
1058	CJST CJ 1543 1670 F	TGATGAAAAGGGGGAAGTGGCTAAT	660	CJST CJ 1724 1752 R	TGAATCTTTTCAAGACCAATGTCTCAT	1198
1059	CJST CJ 2165 2194 F	GG	511	CJST CJ 2247 2278 R	TATAGT	1002
1060	CJST CJ 599 632 F	TATCGTTTGTGGAGCTAGTGTCTAT	424	CJST CJ 711 743 R	TGCAATGTGTCTATGTGACGAAAAAGA	1024
1061	CJST CJ 360 393 F	GC	345	CJST CJ 443 477 R	TCCACACTGGATTGTAATTTACCTTGT	882
1062	CJST CJ 2678 2703 F	TGCGGATCGTTTGGTGGTGTAGATG	321	CJST CJ 2760 2787 R	CTTT	1339
1063	CJST CJ 1268 1299 F	AAAA	29	CJST CJ 1349 1379 R	TTTAC	1096
1064	CJST CJ 1680 1713 F	TGAAAATGTCCAAGACATAGCAA	479	CJST CJ 1795 1822 R	TACAACCTGGTTCAAAAACATTAAGCTGT	938
1065	CJST CJ 2857 2887 F	AAAAAGCA	565	CJST CJ 2965 2998 R	AATGTC	1253
1070	RNASEP_BKM_580_599_F	TCCCTGTATCCCTGAGTAGTATATC	512	RNASEP_BKM_665 686 R	TGTGCTTTTTTGTGCTGCCATAGCAAGC	1034
1071	RNASEP_BKM_616_637_F	AACTTTCT	333	RNASEP_BKM_665 687 R	TCGGTTTAAGCTCTACATGATCGTAAGG	1222
1072	RNASEP_BDP_574_592_F	TGATTTTGTCTAAATTTAGAGAAATG	561	RNASEP_BDP_616 635 R	ATA	1115
1073	23S BRM 1110 1129 F	CGATGTA	510	23S BRM 1176 1201 R	TATGTAGTTGAGCTTACTACATGAGC	1074
1074	23S BRM 515 536 F	TGGCAATTCATTATGAAGCTTGTCTT	496	23S BRM 616 635 R	TGCTTCAAAAACGCAATTTTACATTTTCG	1088
1075	RNASEP_CLB_459_487_F	TAGCA	162	RNASEP_CLB_498 526 R	TTAAAG	1247
1076	RNASEP_CLB_459_487_F	TGCGGTAGGGAGCTTGAGC	162	RNASEP_CLB_498 522 R	TCCGATAAGCCGGATTCGTGTC	1426
1077	ICD CXB 93 120 F	TCCTAGAGGAATGGCTGCCACG	343	ICD CXB 172 194 R	TGCGATAAGCCGGATTCGTGTC	921
1078	ICD CXB 92 120 F	TGBCACGGCCATCTCCGTG	671	ICD CXB 224 247 R	TCGTTTCACTGCTGCTATGCCG	921
1079	ICD CXB 176 198 F	TGCGCGGAAGATGTAACGGG	369	IS1111A_NC002971_6928_695_4_R	TCGCAGGCTTACAGAACGCTCTCCTA	916
1080	IS1111A_NC002971_68_66 6891 F	TGCATACAAACAGTCCGAGGCT	290	IS1111A_NC002971_7529_755_4_R	TCGACTCGCTTTCGCTACG	848
1081	IS1111A_NC002971_74_56 7483 F	TAAGGATAGTCAACAGAGATATACC	594	RNASEP_RKP_542 565 R	TGCTCTTACCTCACCGTTCCACCCCTTAC	952
1082	RNASEP_RKP_419_448_F	GCC	599		C	957
		TAAGATAGTCAACAGAGATATACC			TTTACCTCGCCTTTCCACCCCTTACC	
		GCC			TAGGATTTTCCACGGGGCATC	
		TC			TAGGATTTTCCACGGGGCATC	
		TCCTGACCGACCCATTATTCCTTTA			TAGCCTTTTCTCCGGCTAGATCT	
		ATC			TAAAGCTCGATACCAATGTTTCGCTC	
		TTCTGACCGACCCATTATTCCTTTT			TCAACACACCTCCTTATTTCCACTC	
		ATC			TCAAGCGATCTACCCGATTAACA	
		TCGCGGTGGAATAATCTTACGCT				
		TCAGTATGATCCACCGTAGGCGATC				
		TGGGTGACATTTCATCAATTTTCATCGT				
		TC				
		TGTTAAGGCGCACCGGTAAAGTTGTT				
		AACA				

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

1083	RNASEP_RKP_422_443_F	TAAAGCGCACCGGTAAAGTTGG	159	RNASEP_RKP_542_565_R	TCAAGCGAICTACCCGCAATTACAA	957
1084	RNASEP_RKP_466_491_F	TCCACCAAGAGCAGATCAAAATAGGC	310	RNASEP_RKP_542_565_R	TCAAGCGAICTACCCGCAATTACAA	957
1085	RNASEP_RKP_264_287_F	TCTAAATGGTCTGTCAGTTGCGTG	391	RNASEP_RKP_295_321_R	TCTATAGAGTCCGGAAGTTTCTCGTGA	1119
1086	RNASEP_RKP_426_448_F	TGCATACCGGTAAGTTGGCAACA	497	RNASEP_RKP_542_565_R	TCAAGCGAICTACCCGCAATTACAA	957
1087	OMP_RKP_860_890_F	TTACAGGAAGTTTAGGTGGTAATCTA	654	OMP_RKP_972_996_R	TCCTGCAGCTCTACCTGCTCCATTA	1051
1088	OMP_RKP_1192_1221_F	TCTACTGATTTTGGTAAATCTTGCAGC	392	OMP_RKP_1288_1315_R	TAGCGCAAAAGTTATCACACCTGCACT	910
1089	OMP_RKP_3417_3440_F	TGCAAGTGGTACTTCAACATGGGG	485	OMP_RKP_3520_3550_R	TGGTTGTAGTTTCTGTAGTTGTTCATT	1310
1090	GLTA_RKP_1043_1072_F	TGGGACTTGAAGCTATCGCTCTTAAA	576	GLTA_RKP_1138_1162_R	TGAACATTTTCGACGGTATACCCAT	1147
1091	GLTA_RKP_400_428_F	TCTTCTCATCCTATGGCTATTATGCT	413	GLTA_RKP_499_529_R	TGGTGGGTATCTTAGCAATCATTTCTAAT	1305
1092	GLTA_RKP_1023_1055_F	TGCCTTCTTACAAATAGCAATAGAAC	330	GLTA_RKP_1129_1156_R	TTGGCGACGGTATACCCATAGCTTTATA	1415
1093	GLTA_RKP_1043_1072_2_F	TTGAAGC	553	GLTA_RKP_1138_1162_R	TGAACATTTTCGACGGTATACCCAT	1147
1094	GLTA_RKP_1043_1072_3_F	TGGAGCTTGAAGCTATCGCTCTTAAA	543	GLTA_RKP_1138_1164_R	TGTGAACATTTTCGACGGTATACCCAT	1330
1095	GLTA_RKP_400_428_F	TGGAAGTGAAGCTCTCGCTCTTAAA	413	GLTA_RKP_505_534_R	TGCGATGGTAGGTATCTTAGCAATCAAT	1230
1096	CTXA_VBC_117_142_F	TCTTCTCATCCTATGGCTATTATGCT	410	CTXA_VBC_194_218_R	TGCCTAACAAATCCGCTCTAGTTTC	1226
1097	CTXA_VBC_351_377_F	TCTTATGCCAAGAGACAGAGTGAAT	630	CTXA_VBC_441_466_R	TGTCATCAAGCACCCCAAAATGAAT	1324
1098	RNASEP_VBC_331_349_F	TGTATTAGGGGCATACATCTCTCATC	325	RNASEP_VBC_388_414_R	TGACTTTCTCCCTCTTATCATCTCTCC	1163
1099	TOXR_VBC_135_158_F	TCCGCGAGTTGACTGGGT	362	TOXR_VBC_221_246_R	TTCAAAACCTTGTCTCTCGCAAAACA	1370
1100	ASD_FRT_1_29_F	TGATTAGGCGACACGAGTGAAG	690	ASD_FRT_86_116_R	TGAGATGTCGAAAAAACGTTGGCAAAA	1164
1101	ASD_FRT_43_76_F	TTGCTTAAAGTTGGTTTATTGTTG	295	ASD_FRT_129_156_R	TAC	1009
1102	GALE_FRT_168_199_F	TGATTTTAAATGTCTCGTATGATCGA	658	GALE_FRT_241_269_R	TCCATATTGTTGCATAAACCCTGTTGGC	973
1103	GALE_FRT_834_865_F	ATCAAAAG	245	GALE_FRT_901_925_R	TCACCTACAGCTTTAAAGCCAGCAAAAT	915
1104	GALE_FRT_308_339_F	TTATCAGCTAGACCTTTTAGGTAAAG	306	GALE_FRT_390_422_R	G	1136
1105	IPAH_SGF_258_277_F	CTAAGC	458	IPAH_SGF_301_327_R	TAGCCCTTGGCAACATCAGCAAAACT	1055
1106	IPAH_SGF_113_134_F	TCCAAGGCCCTAGGTAAGAGATTTC	350	IPAH_SGF_172_191_R	TCTTCTGTAAGGGTGGTTTATATTCA	1441
		CATATC			TCCCA	
		TCCAAGGTACACTAACTTACTTGAG			TCCTTCTGATGCCCTCATGACCCAGGAG	
		CTAATG			TTTTCCAGCCATGACAGCGAC	
		TGAGGACCGGTGTCGGCTCA				
		TCCTTACCGGCTTTCCGATAC				

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

1107	IPAH SGF 462 486 F	TCAGACCATGCTCGCAGAGAACTT	271	IPAH SGF 522 540 R	TGTCACCTCCCGACACAGCCA	1322
1111	RNASHP_BRM_461_488_F	TAAACCCCATCGGGAGCAAGACCGAA TA	147	RNASHP_BRM_542_561 R	TGCTTCGGCGCAACTACCGG	1227
1112	RNASHP_BRM_325_347_F	TACCCAGGAGAAAGTGCACAGA	185	RNASHP_BRM_402_428 R	TCTCTTACCCACCCCTTTCACCCCTTAC TCCCTAATAGTAGAATAATACGCAACAG TAGC	1125
1128	HUPB CJ 113 134 F	TAGTTGCTCAAAACAGCTGGCT	230	HUPB CJ 157 188 R	TCCCTAATAGTAGAATAATACGCAACAG TAGC	1028
1129	HUPB CJ 76 102 F	TCCCGAGCTTTTATGACTAAGCAG AT	324	HUPB CJ 157 188 R	TCCCTAATAGTAGAATAATACGCAACAG TAGC	1028
1130	HUPB CJ 76 102 F	TCCCGAGCTTTTATGACTAAGCAG AT	324	HUPB CJ 114 135 R	TAGCCAGCTGTTTGGACAACT	913
1151	AB_MLST-11- OIF007 62 91 F	TGAGATGCTGAACATTTTAAATGCTGA TTGA	454	AB_MLST-11- OIF007 169 203 R	TGTGACATTTGAAACAATATGCAAGACA TGTGAAT	1418
1152	AB_MLST-11- OIF007 185 214 F	TATGTTTCAAAATGACAGGTGAAG TGCG	243	AB_MLST-11- OIF007 291 324 R	TACACAGTTTCTACTTCACTCAATTAATTC CATTCG	969
1153	AB_MLST-11- OIF007 260 289 F	TGGAACGTTTATCAGGTGCCCAAAA TTGG	541	AB_MLST-11- OIF007 364 393 R	TTCGAATCGACATATCCATTTCACCATG CC	1400
1154	AB_MLST-11- OIF007 206 239 F	TGAAGTCGCTGATGATATCGAUGCAC TTGATGTA	436	AB_MLST-11- OIF007 318 344 R	TCCGCCAAAAAATCCTCCCTTTTCACAGG	1036
1155	AB_MLST-11- OIF007 522 552 F	TCGGTTTAGTAAAAAGAACCTATTGCT CAACC	378	AB_MLST-11- OIF007 587 610 R	TTCTGCTTGAGGAATAGTGGCTGG TACGTTCTACGATTTCTTCATCAGGTAC ATC	1392
1156	AB_MLST-11- OIF007 547 571 F	TCAACCTGACTCGCTGAATGGTTGT TCAAGCAGAAAGCTTTGGAAAGAGAAG G	250	AB_MLST-11- OIF007 656 686 R	TACAACTGATATAAACACGACCAAGAGC TAATGCCGGGTAGTGAATCAATCTTCTTC TAG	881
1157	AB_MLST-11- OIF007 601 627 F	TCGTGCCCGCAATTTGCAATAAAGC	256	AB_MLST-11- OIF007 710 736 R	TGCACCTCGGTCGAGCGG	878
1158	AB_MLST-11- OIF007 1202 1225 F	TCGTGCCCGCAATTTGCAATAAAGC	384	AB_MLST-11- OIF007 1266 1296 R	TGCACCTCGGTCGAGCGG	1199
1159	AB_MLST-11- OIF007 1202 1225 F	TCGTGCCCGCAATTTGCAATAAAGC	384	AB_MLST-11- OIF007 1299 1316 R	TGCCATCCATAATACGCCCATACGACG	1215
1160	AB_MLST-11- OIF007 1234 1264 F	TTGTAGCACAGCAAGCAAAATTTCTT GAAC	694	AB_MLST-11- OIF007 1335 1362 R	TGCCATCCATAATACGCCCATACGACG	1212
1161	AB_MLST-11- OIF007 1327 1356 F	TAGGTTTACGTCAGTATGGCGTGATT ATGG	225	AB_MLST-11- OIF007 1422 1448 R	TGCCAGTTTCCACATTTTCAGTTCTGTG	1083
1162	AB_MLST-11- OIF007 1345 1369 F	TCGTGATTATGGATGGCAACGCTGA ATGG	383	AB_MLST-11- OIF007 1470 1494 R	TGCCAGTTTCCACATTTTCAGTTCTGTG	1083
1163	AB_MLST-11- OIF007 1351 1375 F	TTATGATGGCAAGCTGAAACGCGT	662	AB_MLST-11- OIF007 1470 1494 R	TGCCAGTTTCCACATTTTCAGTTCTGTG	1083
1164	AB_MLST-11- OIF007 1387 1412 F	TCTTTGCCATGTAAGATGACTTAAGC TACTAGCGGTAAAGTTTAAACAGATT GC	422	AB_MLST-11- OIF007 1470 1494 R	TGCCAGTTTCCACATTTTCAGTTCTGTG	1173
1165	AB_MLST-11- OIF007 1542 1569 F	TTGCCATGATATTCGTTGGTTAGCA AG	194	AB_MLST-11- OIF007 1656 1680 R	TGCCAGTTTCCACATTTTCAGTTCTGTG	1173
1166	AB_MLST-11- OIF007 1566 1593 F	TTGCCATGATATTCGTTGGTTAGCA AG	684	AB_MLST-11- OIF007 1656 1680 R	TGCCAGTTTCCACATTTTCAGTTCTGTG	890
1167	AB_MLST-11- OIF007 1611 1638 F	TCGGCGAAATCCGTATTCCTGAAAT GA	375	AB_MLST-11- OIF007 1731 1757 R	TGCCAGTTTCCACATTTTCAGTTCTGTG	

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

1168	AB_MLST-11- OIF007_1726_1752_F	TACCACTATTAAAGTCGCTGGTTCCTT C	182	AB_MLST-11- OIF007_1790_1821_R	TGCAACTGAATAGATTGTCAGTAAGTTAT AAGC	1195
1169	AB_MLST-11- OIF007_1792_1826_F	TTATTAATCTACTGCAATCTATTTCAGT TGCTTGGTG	656	AB_MLST-11- OIF007_1876_1909_R	TGAATTTATGCAAGAGAGATGATCAATTTTC TCACGA	1151
1170	AB_MLST-11- OIF007_1792_1826_F	TTATTAATCTACTGCAATCTATTTCAGT TGCTTGGTG	656	AB_MLST-11- OIF007_1895_1927_R	TGCCGTAACTAACTAAGAGAAATATGTC AAGAA	1224
1171	AB_MLST-11- OIF007_1970_2002_F	TGGTTATGTAACCAATATCTTTTCTCTG AAGATGG	618	AB_MLST-11- OIF007_2097_2118_R	TGACGGCATCGATACCAACCGTC	1157
1172	RNASEP_BRN_461_488_ F	TAAACCCCATCGGGAGCAGACCGAA TA	147	RNASEP_BRN_542_561_2_R	TGCCCTCGTGCAACCCACCCG	1228
2000	CTXB_NC002505_46_70 F	TCAGCGTAIGCACAATGGAATCTCTC TGAGTGCACATATCATCTGCTGAAG A	278	CTXB_NC002505_132_162_R	TCCGGCTAGAGATTCTGTATACGACAAT ATC	1039
2001	FUR_NC002505_87_113 F	TGAGTGCCAAATATCATCTGCTGAAG A	465	FUR_NC002505_205_228_R	TCCGCCCTTCAAAATGGTGGCGAGT	1037
2002	FUR_NC002505_87_113 F	TGAGTGCCAAATATCATCTGCTGAAG A	465	FUR_NC002505_178_205_R	TCACGATACCTGCTATCATCAAAATGGTT T	974
2003	GAPA_NC002505_533_5 60_F	TCGACAAACACCATTTATCTATGCTGTG AA	356	GAPA_NC002505_646_671_R	TCAGAAATCGATGCCAAATGCCGTCTC TCTCTTAAGCAACTTAGTATCAACAGGA AT	980
2004	GAPA_NC002505_694_7 21_F	TCAATGAACGACCAACCAAGTATGTA TG	259	GAPA_NC002505_769_798_R	TCCATCGCAGTCAAGTTTACCTGTGG T	1011
2005	GAPA_NC002505_753_7 82_F	TGCTAGTCAATCTATCATTTCCGGTTG ATAC	517	GAPA_NC002505_856_881_R	TCCACCACTCAAAAGACCATGTGGTG T	1003
2006	GYRB_NC002505_2_32_ F	TGCCGGACAAATACGATTCATCGAGT ATTAA	501	GYRB_NC002505_109_134_R	TCCGTCTATCGTGCAGAAACTGAGTT T	1042
2007	GYRB_NC002505_123_1 52_F	TGAGGTGGTGGATACTCAATTTGANG AAGC	460	GYRB_NC002505_199_225_R	TGAAAAACCGGCTAAGTGAAGTACCAAT C	1262
2008	GYRB_NC002505_768_7 94_F	TATGACGTGGAACGATGTTTCCAAAG A	236	GYRB_NC002505_832_860_R	TCCTTCAACGGCGCATCATCACC	1054
2009	GYRB_NC002505_837_8 60_F	TGGTACTCACTTAGCGGGTTTCCG	603	GYRB_NC002505_937_957_R	TGGCTTGAAGATTTAGGATCCGGCAC T	1283
2010	GYRB_NC002505_934_9 56_F	TCCGGTGATGATGCGCGTCAAGG	377	GYRB_NC002505_982_1007_R	TGAGTCACCCCTCCACAAATGTATAGTTCA GA	1172
2011	GYRB_NC002505_1161_ 1190_F	TAAAGCCCGTGAATGACTCTGTCGTA AAGG	148	GYRB_NC002505_1255_1284_R	TGCTTCAGCACGGCCACCAACTTCTAG T	1254
2012	OMPU_NC002505_85_11 0_F	TACGCTACGGAATCAACCAAGCGG	190	OMPU_NC002505_154_180_R	TCCGAGACCGAGGTAGTGTAAAG T	1033
2013	OMPU_NC002505_258_2 83_F	TGACGGCTATACGGTGTGGTTTCT	451	OMPU_NC002505_346_369_R	TCCGTCAAGCAAAACGGTGTAGCTTGC T	1094
2014	OMPU_NC002505_431_4 55_F	TCACCGATATCATGGCTTACCAGG	266	OMPU_NC002505_544_557_R	TAGAGAGTAGCCATCTTCCACCGTTGTC T	908
2015	OMPU_NC002505_533_5 57_F	TAGCGGTGAAGCAAGCTACCGTTT	223	OMPU_NC002505_625_651_R	TGGGGTAAAGCGCGGTAGCATGTATT T	1291
2016	OMPU_NC002505_689_7 13_F	TAGGTGCTGTTTACGCATCAAGA	224	OMPU_NC002505_725_751_R	TAGCAGTAGCTCTCTAAACAGTGA T	911
2017	OMPU_NC002505_727_7	TACATGCTAGCCGGTCTTAC	181	OMPU_NC002505_811_835_R		

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

	47_F					
2018	OMPU_NC002505_931_9 53_F	TACTACTTCAGCCGAACTCCG	193	OMPU_NC002505_1033_1053_R	TTAGAAGTCGTAACGTGGACC	1368
2019	OMPU_NC002505_927_9 53_F	TACTTACTACTTCAGCCGAACCTCC G	197	OMPU_NC002505_1033_1054_R	TGGTTAGAAGTCGTAACGTGGACC	1307
2020	TCPA_NC002505_48_73 F	TCACGATAAGAAAAACCGGTCAGAGG	269	TCPA_NC002505_148_170_R	TTTCGCGAATCAATCGCACGCTG	1391
2021	TDH_NC004605_265_28 9_F	TGGCTGACATCCCTACATGACTGTGA	574	TDH_NC004605_357_386_R	TGTTGAAGCTGTACTTTGACCTGATTTTA CG	1351
2022	VVHA_NC004460_772_8 02_F	TCTTATTCCAACTTCAACCGAACTA TGACG	412	VVHA_NC004460_862_886_R	TACCAAAGCGTGACCATAGCTTGAG	887
2023	23S_EC_2643_2667_F	TGCCTGTTCTTAGTACGAGAGGACC	508	23S_EC_2746_2770_R	TGGGTTTCGGCGCTTAGATGCTTCA	1297
2024	16S_EC_713_732_TM0D F	TAGAACACCGATGGCGAAGGC	202	16S_EC_789_811_R	TGCGTGGACTACCAGGGTATCTA	1240
2025	16S_EC_784_806_F	TGGATTAGAGACCTGGTAGTCC	560	16S_EC_880_897_TM0D_R	TGGCCGTACTCCCCAGGCG	1278
2026	16S_EC_959_981_F	TGTCGATGCAACGCGAAGAACT	634	16S_EC_1052_1074_R	TACGAGCTGACGACAGCCATGCA	896
2027	TUFB_EC_956_979_F	TGCACACGCGGTTCTTCAACAAC	489	TUFB_EC_1034_1058_2_R	TGCATCACCATTTCTTGTCTCTCG	1204
2028	RPOC_EC_2146_2174_T MOD_F	TCAGGAGTCGTTCAACTCGATCTACA TGAT	284	RPOC_EC_2227_2249_R	TGCTAGGCCATCAGGCCACGCAAT	1244
2029	RPOB_EC_1841_1866_F	TGGTTATCGCTCAGCGCAACTCCAAC	617	RPOB_EC_1909_1929_TM0D_R	TGCTGGATTCCGCTTTTGCTAAG	1250
2030	RPLB_EC_650_679_TMO D_F	TGACCTACAGTAAGAGGTTCTGTAAT GAAC	449	RPLB_EC_739_763_R	TGCCAAGTGTGTTTACCCCATGG	1208
2031	RPLB_EC_690_710_F	TCCACACGCTGGTGCTGAAGG	309	RPLB_EC_737_760_R	TGGGTGCTGTTTACCCCATGGAG	1295
2032	INFB_EC_1366_1393_F	TCCTGCTGTGCACACAGTAACGGATAT TA	397	INFB_EC_1439_1469_R	TGTGCTGCTTTCCGATGGTTAATTGCTT CAA	1335
2033	VALS_EC_1366_1393_F MOD_F	TCGTCGCGCGTGCTTATCGA	385	VALS_EC_1195_1219_R	TGGGTACGAACCTGGATGTGCGGTT	1292
2034	SSPE_BA_113_137_F	TGCAAGCAAAAGCACAATCAGAAGC	482	SSPE_BA_197_222_TM0D_R	TTGCACGTCGTTTCAGTTGCAAAATTC	1402
2035	RPOC_EC_2218_2241_T MOD_F	TCGCGCAGGTATGCGTGTGCTGATG	405	RPOC_EC_2313_2338_R	TGGCACCGTGGGTTGAGATGAAGTAC	1273
2056	MECI-R_NC003923- 41798-41609_33_60_F	TTTACACATATCTGAGCAATGAAC GA	698	MECI-R_NC003923-41798- 41609_86_113_R	TTGTGATATGGAGGTGTAGAGAGGTGTA	1420
2057	AGR-III_NC003923- 2108074- 2109507_1_23_F	TCACCAAGTTTGCCACGATCTTCAA	263	AGR-III_NC003923-2108074- 2109507_56_79_R	ACCTGCAATCCCTAAACGTAATTGC	730
2058	AGR-III_NC003923- 2108074- 2109507_569_596_F	TGAGCTTTTAGTTGACTTTTTCACA GC	457	AGR-III_NC003923-2108074- 2109507_622_653_R	TACTTCAGCTTCGTCCCAATAAAAAATCA CAAT	906
2059	AGR-III_NC003923- 2108074- 2109507_1024_1052_F	TTTACACACAGCGTGTTTTAGTTCTA CCA	701	AGR-III_NC003923-2108074- 2109507_1070_1098_R	TGTAGGCAAGTGCATAGAAAATTGATAC A	1319
2060	AGR- I_AJ617706_622_651	TGGTGACTTTCATATGGATGAAGTTG AAGT	610	AGR-I_AJ617706_694_726_R	TCCCCATTTAATAAATTCACCTACTATC ACACT	1021

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2061	AGR-I I_AJ617706_580_611_ F	TGGGATTTTAAAAACATTTGTAACA TCGCAG	579	AGR-I_AJ617706_626_655_R	TGGTACTTCAACCTTCATCCATTATGAAG TC	1302
2062	AGR-II 2079448- 2080879_620_551_F	TCTTGACAGCAGTTTATTGTGTAACC TAAAGT	415	AGR-II_NC002745-2079448- 2080879_700_731_R	TGTTTATTGTTTCCCATATGCTACACAC TTTC	1424
2063	AGR-II 2079448- 2080879_649_679_F	TGTACCCGCTGAATTAACGAATTTAT ACGAC	624	AGR-II_NC002745-2079448- 2080879_715_745_R	TGCCCATAGCTAAGTTGTTTATTGTTTC CAT	1077
2064	AGR- IV_AJ617711_931_961 F	TGGTATTTCTATTGCTGATTAATGAC CTCGC	606	AGR- IV_AJ617711_1004_1035_R	TGCGCTATCAACGATTTTGACAAATATAT GTGA	1233
2065	AGR- IV_AJ617711_250_283 F	TGGCACTCTTGCCCTTTAATATTAGTA AACTATCA	562	AGR-IV_AJ617711_309_335_R	TCCCATPACCTATGGCGATPACTGTGAT T	1017
2066	BLAZ_NC002952(19138 27..1914672)_68_68_ F	TCCACTTATCGCAATGGAATAATTA GCAA	312	BLAZ_NC002952(1913827..19 14672)_68_68_R	TGGCCACTTTTATGACGCAACCTTACAGT C	1277
2067	BLAZ_NC002952(19138 27..1914672)_68_68_ 2_F	TGCACCTATCGCAATGGAATAATTA GCAA	494	BLAZ_NC002952(1913827..19 14672)_68_68_2_R	TAGTCTTTTGGACACACCGCTCTTAAATTA AAGT	926
2068	BLAZ_NC002952(19138 27..1914672)_68_68_ 3_F	TGATACTTCAACGCTGTGCTTTC	467	BLAZ_NC002952(1913827..19 14672)_68_68_3_R	TGGAACACCGCTCTTAAATTAAGATATCT CC	1263
2069	BLAZ_NC002952(19138 27..1914672)_68_68_ 4_F	TATACCTCAACGCTGTGCTTTC	232	BLAZ_NC002952(1913827..19 14672)_68_68_4_R	TCTTTTCTTTTGCTTAAATTTTCCATTTGC GAT	1145
2070	BLAZ_NC002952(19138 27..1914672)_1_33_F	TGCAATTTGCTTTAGTTTAAAGTGAT GTAATTC	487	BLAZ_NC002952(1913827..19 14672)_34_67_R	TTACTTCTTTTACCACCTTTTAGTATCTAA AGCATA	1366
2071	BLAZ_NC002952(19138 27..1914672)_3_34_F	TCCTTGCTTTAGTTTAAAGTGATGT AATTCAA	351	BLAZ_NC002952(1913827..19 14672)_40_68_R	TGGGGACTTCCCTTACCACCTTTTAGTATC TAA	1289
2072	BSA-A_NC003923- 1304065- 1303589_99_125_F	TAGCGAATGGCTTTACTTCAAT T	214	BSA-A_NC003923-1304065- 1303589_165_193_R	TGCAAGGGAAAACCTTAGAATTACAAACCC T	1197
2073	BSA-A_NC003923- 1304065- 1303589_194_218_F	ATCAATTTGTTGGCAAGAACCTGG	32	BSA-A_NC003923-1304065- 1303589_253_278_R	TGCATAGGGAAGGTAACACCTAGTT	1203
2074	BSA-A_NC003923- 1304065- 1303589_328_349_F	TTGACTGCGGCACAAACAGGAT	679	BSA-A_NC003923-1304065- 1303589_388_415_R	TAACAACGTTTACCTTCGCGATCCACTAA	856
2075	BSA-A_NC003923- 1304065- 1303589_253_278_F	TGCTATGTTGTTTACCTTCCCTATGCA	519	BSA-A_NC003923-1304065- 1303589_317_344_R	TGTTTGCCGCGAGTCAAAATATCTAAATA	1353
2076	BSA-B_NC003923-	TAGCAACAATATATCTGAAGCAGCG	209	BSA-B_NC003923-1917149-	TGTGAAGAACITTCCTCAATCTGTGAATCC	1331

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

	1917149- 1914156_953_982_F	TACT		1914156_1011_1039_R	A	
2077	BSA-B NC003923- 1917149- 1914156_1050_1081_F	TGAAAAGTATGGATTGAACAACCTCG TGAATA	426	BSA-B NC003923-1917149- 1914156_1109_1136_R	TCTTCTTTGAAAAATTGTTGTCGCCGAAAC	1138
2078	BSA-B NC003923- 1917149- 1914156_1260_1286_F	TCATTATCATGCGCCCAATGAGTGCAG A	300	BSA-B NC003923-1917149- 1914156_1323_1353_R	TGGACTAATAACAATGAGCTCATTTGTAC TGA	1267
2079	BSA-B NC003923- 1917149- 1914156_2126_2153_F	TTTCATCTTATCGAGGACCCGAAATC GA	703	BSA-B NC003923-1917149- 1914156_2186_2216_R	TGAATAIGTAATGCAAAACCAAGCTTTGT CAT	1148
2080	ERMA NC002952- 55890- 56621_366_392_F	TCGCTATCTTATCGTTGAGAAGGGAT T	372	ERMA NC002952-55890- 56621_487_513_R	TGAGTCTACACTTGCGTTAGGATGAAA	1174
2081	ERMA NC002952- 55890- 56621_366_395_F	TAGCTATCTTATCGTTGAGAAGGGAT TTGC	217	ERMA NC002952-55890- 56621_438_465_R	TGAGCATTTTTTATATCCATCTCCACCAT	1167
2082	ERMA NC002952- 55890- 56621_374_402_F	TGATCGTTGAGAAGGGATTTCGAAA AGA	470	ERMA NC002952-55890- 56621_473_504_R	TCTTGGCTTAGGATGAAAAATATAGTGGT GGTA	1143
2083	ERMA NC002952- 55890- 56621_404_427_F	TGCAAAATCTGCAACGAGCTTTGG	480	ERMA NC002952-55890- 56621_491_520_R	TCAATACAGAGTCTACACTTGGCTTAGG AT	964
2084	ERMA NC002952- 55890- 56621_489_516_F	TCAATCCTAAGCCCAAGTGTAGACTCTG TA	297	ERMA NC002952-55890- 56621_586_615_R	TGGACGATATTCACGGTTTACCCACTTA TA	1266
2085	ERMA NC002952- 55890- 56621_586_614_F	TATAAGTGGTAAACCGTGAATATCG TGT	231	ERMA NC002952-55890- 56621_640_665_R	TTGACATTTGCAATGCTTCAAAGCCTG	1397
2086	ERMC NC005908-2004- 2738_85_116_F	TCTGAACATGATAAATATCTTTGAAAT CGGCTC	399	ERMC NC005908-2004- 2738_173_206_R	TCCGTAGTTTTGCATAATTTATGGTCTA TTTCAA	1041
2087	ERMC NC005908-2004- 2738_90_120_F	TCAATGATATATCTTTGAAATCGGCT CAGGA	298	ERMC NC005908-2004- 2738_160_189_R	TTTATGGTCTATTTCAATGGCAGTTACG AA	1429
2088	ERMC NC005908-2004- 2738_115_139_F	TCAGGAAAAGGGCATTTTACCCCTTG	283	ERMC NC005908-2004- 2738_161_187_R	TATGGTCTATTTTCAATGGCAGTTACGA	936
2089	ERMC NC005908-2004- 2738_374_397_F	TATTCGTGAATACGGGTTTGCTA	168	ERMC NC005908-2004- 2738_425_452_R	TCAACTTCTGCCATTTAAAAGTATGCCA	956
2090	ERMC NC005908-2004- 2738_101_125_F	TCTTTGAATCGGCTCAGGAAAAGG	421	ERMC NC005908-2004- 2738_159_188_R	TGATGGTCTATTTCAATGGCAGTTACGA AA	1185
2091	ERMB Y13600-625- 1362_291_321_F	TGTTGGGAGTATTTCTTTACCATTTAA GCACA	644	ERMB Y13600-625- 1362_352_380_R	TCAACAATCAGATAGATCTCAGACGCAT G	953
2092	ERMB Y13600-625- 1362_344_367_F	TGGAAGCCATGCGTCTGACATCT	536	ERMB Y13600-625- 1362_415_437_R	TGCAAGAGCAACCCCTAGTGTTCG	1196
2093	ERMB Y13600-625- 1362_404_429_F	TGGATATTCACCCGAAACACTAGGGTTG	556	ERMB Y13600-625- 1362_471_493_R	TAGGATGAAAGCATTCGCTGCG	919

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2094	ERMB_Y13600-625- 1362_465_487_F	TAAGCTGCCAGCGAATGCTTTC	161	ERMB_Y13600-625- 1362_521_545_R	TCATCTGTGTATGGCGGTAAGTT	989
2095	PVLUK_NC003923- 1529595- 1531285_688_713_F	TGAGCTGCATCAACTGTATGGATAG	456	PVLUK_NC003923-1529595- 1531285_775_804_R	TGGAATACTCATGAAATTAPAGTGAAG GA	1261
2096	PVLUK_NC003923- 1529595- 1531285_1039_1068_F	TGGAACAAAATAGTCTCTCGGATTTT GACT	539	PVLUK_NC003923-1529595- 1531285_1095_1125_R	TCATTAGGTAAATGTCCTGGACATGTC CAA	993
2097	PVLUK_NC003923- 1529595- 1531285_908_936_F	TGAGTAACATCCATATTCTTCCGATA CGT	461	PVLUK_NC003923-1529595- 1531285_950_978_R	TCTCATGAAAAAGGCTCAGGAGATACAA G	1124
2098	PVLUK_NC003923- 1529595- 1531285_610_633_F	TCGGATCTGATGTTGCGATTGTT	373	PVLUK_NC003923-1529595- 1531285_654_682_R	TCACACCTGTAAGTGAGAAAAAGGTTGA T	968
2099	SA442_NC003923- 2538576- 2538831_11_35_F	TGTCGGTACAGATATTCTTCAAGA	635	SA442_NC003923-2538576- 2538831_98_124_R	TTTCCGATGCAACGTAATGAGATTTCA	1433
2100	SA442_NC003923- 2538576- 2538831_98_124_F	TGAATCTCATTTACGTTGCATCGGAA A	427	SA442_NC003923-2538576- 2538831_163_188_R	TCGTATGACCAGCTTCGGTACTACTA	1098
2101	SA442_NC003923- 2538576- 2538831_103_126_F	TCTCATTTACGTTGCATCGAACA	395	SA442_NC003923-2538576- 2538831_161_187_R	TTTATGACCAGCTTCGGTACTACTAAA	1428
2102	SA442_NC003923- 2538576- 2538831_166_188_F	TAGTACGGAAGCTGGTCAACGA	226	SA442_NC003923-2538576- 2538831_231_257_R	TGATAATGAAGGGAACCTTTTTCACG	1179
2103	SEA_NC003923- 2052219- 2051456_115_135_F	TGCAGGGAACAGCTTTAGGCA	495	SEA_NC003923-2052219- 2051456_173_200_R	TCGATCGTGACTCTCTTTTATTTTCAGTT	1070
2104	SEA_NC003923- 2052219- 2051456_572_598_F	TAACTCTGATGTTTTTGTGGAAGG T	156	SEA_NC003923-2052219- 2051456_621_651_R	TGTAATTAACCGAAGGTTCTGTAGAAGT ATG	1315
2105	SEA_NC003923- 2052219- 2051456_382_414_F	TGATATGTTGGTAACTGTTACATGAT ATAATC	629	SEA_NC003923-2052219- 2051456_464_492_R	TACCGTTTCCAAAGGTAAGTATTTTG T	861
2106	SEA_NC003923- 2052219- 2051456_377_406_F	TTGTATGATGTTGGTGTAACTGTTAC ATGA	695	SEA_NC003923-2052219- 2051456_459_492_R	TAAACGTTTCCAAAGGTAAGTATTTTG TTTACC	862
2107	SEB_NC002758- 2135540- 2135140_208_237_F	TTTCACATGTAATTTTGTATTCGCA CTGA	702	SEB_NC002758-2135540- 2135140_273_298_R	TCATCIGGTTTAGGATCTGTTGACT	988
2108	SEB_NC002758- 2135540- 2135140_206_235_F	TATTTACATGTAATTTTGTATTCG CACT	244	SEB_NC002758-2135540- 2135140_281_304_R	TGCAACTCATCTGGTTTAGGATCT	1194
2109	SEB_NC002758- 2135540- 2135140_206_235_F	TAACTCGCCTTATGAACGGGAT ATA	151	SEB_NC002758-2135540- 2135140_402_402_R	TGTGCAAGGCAATCATGTCATACCAA	1334

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2110	2135140_402_402_F SEB_NC002758- 2135540- 2135140_402_402_2_F	TTGTATGATGGTGGTAACTGAGC A	696	SEB_NC002758-2135540- 2135140_402_402_2_R	TTACCATCTTCAAAATACCCGAACAGTAA	1361
2111	SEC_NC003923- 851678- 852768_546_575_F	TTACATGAAGGAAACCACTTTGATA ATGG	648	SEC_NC003923-851678- 852768_620_647_R	TGAGTTTGACCTTCAAAAGAAATTGGT	1177
2112	SEC_NC003923- 851678- 852768_537_566_F	TGGAATAACAAACATGAAGGAAACC ACTT	546	SEC_NC003923-851678- 852768_619_647_R	TCAGTTTGACCTTCAAAAGAAATTGGT T	985
2113	SEC_NC003923- 851678- 852768_720_749_F	TCAGTTTAACAGTTCACCATATGAAA CAGG	466	SEC_NC003923-851678- 852768_794_815_R	TCGCCTGGTGCAGGCATCATAT	1078
2114	SEC_NC003923- 851678- 852768_787_810_F	TGGTATGATATGATGCTGACCA	604	SEC_NC003923-851678- 852768_853_886_R	TCTTCACACTTTTAGAATCAACCGTTTT ATTGTC	1133
2115	SED_M28521_657_682_F	TGGTGGTGAATAGATAGGACTGCTT	615	SED_M28521_741_770_R	TGTACACCATTTATCCACAAATTGATTG GT	1318
2116	SED_M28521_690_711_F	TGGAGGTGTCACCTCCACACGAA	554	SED_M28521_739_770_R	TGGGCACCATTTATCCACAAATTGATTG GTAT	1388
2117	SED_M28521_833_854_F	TTGCACAAGCAAGCGCTATT	683	SED_M28521_888_911_R	TCGCGCTGATTTTTTCTCCGAGA	1079
2118	SED_M28521_962_987_F	TGGATGTTAAGGGTGATTTCCCGAA	559	SED_M28521_1022_1048_R	TGTCAATAAGAAAGTGCTCTGTGGATA	1320
2119	SEA-SEE_NC002952- 2131289- 2130703_16_45_F	TTTACACTACTTTTATTTCATTGCCCT AACG	699	SEA-SEE_NC002952-2131289- 2130703_71_98_R	TCATTTATTCTTCGGCTTTCTCGCTAC	994
2120	SEA-SEE_NC002952- 2131289- 2130703_249_278_F	TGATCATCCGTGGTATACGATTAT TAGT	469	SEA-SEE_NC002952-2131289- 2130703_314_344_R	TAAGCACCATATATAAGTCTACTTTTTTCC CTT	870
2121	SEE_NC002952- 2131289- 2130703_409_437_F	TGACATGATAATAACCGATTGACCGA AGA	445	SEE_NC002952-2131289- 2130703_465_494_R	TCTATAGGTACTGTAGTTTGTTCGGT CT	1120
2122	SEE_NC002952- 2131289- 2130703_525_550_F	TGTTCAAGAGCTAGATCTTCAGGCAA	640	SEE_NC002952-2131289- 2130703_586_586_R	TTTGCACCTTACCGCCCAAGCT	1436
2123	SEE_NC002952- 2131289- 2130703_525_549_F	TGTTCAAGAGCTAGATCTTCAGGCAA	639	SEE_NC002952-2131289- 2130703_586_586_2_R	TACCTTACCGCCCAAGCTGTCT	892
2124	SEE_NC002952- 2131289- 2130703_361_384_F	TCTGGAGGCACACCAATAAACA	403	SEE_NC002952-2131289- 2130703_444_471_R	TCCGTCTATCCACAAGTTAATTGGTACT	1043
2125	SEG_NC002758- 1955100- 1954171_225_251_F	TGCTCAACCGATCCTTAATTAGACG A	520	SEG_NC002758-1955100- 1954171_321_346_R	TAACTCTCTCTCTTCAACAGGTGGA	863

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2126	SEG_NC002758-1955100-1954171_623_651_F	TGGACAATAGACAATCACTTCGGATTTACA	548	SEG_NC002758-1955100-1954171_671_702_R	TGCTTTGTAATCTAGTTCCTGTAATAGTAACCA	1260
2127	SEG_NC002758-1955100-1954171_540_564_F	TGGAGGTGTTGTGTAATGATGGTGGT	555	SEG_NC002758-1955100-1954171_607_635_R	TGTCTATTGTCGATGTTTACCTGTACAGT	1329
2128	SEG_NC002758-1955100-1954171_694_718_F	TACAAAGCAAGACACTGGCTCACTA	173	SEG_NC002758-1955100-1954171_735_762_R	TGATTCAAATGCGAAGCAATCAAACTCG	1187
2129	SEH_NC002953-60024-60977_449_472_F	TTGCAACTGCTGATTTAGCTCAGA	682	SEH_NC002953-60024-60977_547_576_R	TAGTGTGTGTAACCTCCATATAGACATTCA	927
2130	SEH_NC002953-60024-60977_408_434_F	TAGAAATCAAGGTGATAGTGGCAATG	201	SEH_NC002953-60024-60977_450_473_R	GA	1390
2131	SEH_NC002953-60024-60977_547_576_F	TCTGAAATGCTATATGAGGTACAACTA	400	SEH_NC002953-60024-60977_608_634_R	TTCTGAGCTAAATCAGCGCTTCSA	888
2132	SEH_NC002953-60024-60977_546_575_F	TTCTGAAATGCTATATGAGGTACAACTA	677	SEH_NC002953-60024-60977_594_616_R	TACCATCTACCCCAACATAGCACCAA	909
2133	SEI_NC002758-1957830-1956949_324_349_F	TCTGAAATGCTATATGAGGTACAACTA	253	SEI_NC002758-1957830-1956949_419_446_R	TAGCACCAATCACCCCTTTCTCTGT	966
2134	SEI_NC002758-1957830-1956949_336_363_F	TTCAACAGGTACCAATGATTTGATCTCA	666	SEI_NC002758-1957830-1956949_420_447_R	TCACAAGGACCAATTAATCAATGCCAA	1316
2135	SEI_NC002758-1957830-1956949_356_384_F	TGATCTCAGAAATCTAATTAATGGGACGAA	471	SEI_NC002758-1957830-1956949_449_474_R	TGTACAAGGACCAATTAATCAATGCCAA	1129
2136	SEI_NC002758-1957830-1956949_233_253_F	TCTCAAGGTGATATGGGTAGGTAACTTAA	394	SEI_NC002758-1957830-1956949_290_316_R	CTTGCGCCCTCCATACATGTATTAG	1293
2137	SEJ_AF053140_1307_1_332_F	TGTGAGTAACACTGCAATCAAAACAA	637	SEJ_AF053140_1381_1404_R	TGGGTAGGTTTTTTATCTGTAAGCCCTT	1118
2138	SEJ_AF053140_1378_1_403_F	TAGCATCAGAACTGTTGTTCCGCTAG	211	SEJ_AF053140_1429_1458_R	CT	1049
2139	SEJ_AF053140_1431_1_459_F	TAACCAATCAAGAACTAGATCTTCAGGCA	153	SEJ_AF053140_1500_1531_R	TAGTCCCTTTCTGAAATTTACCATCAAAAG	925
2140	SEJ_AF053140_1434_1_461_F	TCAATTCAGAACTAGATCTTCAGGCAAG	301	SEJ_AF053140_1521_1549_R	TCAGGTATGAAACACGATTAGTCTCTTC	984
2141	TSST_NC002758-2137564-2138293_206_236_F	TGCTTAGAATAATCTCTTAGGATCTATGCGT	619	TSST_NC002758-2137564-2138293_278_305_R	TGTAAAGCGAGGCTATATAATAGGACTC	1312
2142	TSST_NC002758-2137564-2138293_232_258_F	TGCGTATATAAAACACACAGATGGCAGCA	514	TSST_NC002758-2137564-2138293_289_313_R	TGCCCTTTTGTAAAAGCAGGGCTAT	1221
2143	TSST_NC002758-2137564-2138293_382_410_F	TCCAAATAAGTGGCGTTACAAATACTGAA	304	TSST_NC002758-2137564-2138293_448_478_R	TACTTTAAGGGGCTATCTTTACCATGAACTT	907

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2144	TSST_NC002758-2137564-2137564-2138293 297 325 F	TCTTTTACAAAAAGGGAAAAAGTTGA CTT	423	TSST_NC002758-2137564-2138293 347 373 R	TAAGTTCCTTCGCTAGTAGTGGCTT	874
2145	ARCC_NC003923-2725050-2724595 37 58 F	TCGCGGCAATGCCATTGGATA	368	ARCC_NC003923-2725050-2724595 97 128 R	TGAGTTAAAAATGCCATTGATTTAGTTT CCAA	1175
2146	ARCC_NC003923-2725050-2724595 131 161 F	TGAATAGTAGTAGAAGTGTAGGCACA ATCGT	437	ARCC_NC003923-2725050-2724595 214 245 R	TCTTCTTCTTTTCGTATATAAAAGGACCAA TTGG	1137
2147	ARCC_NC003923-2725050-2724595 218 249 F	TGGGFCCTTTTATACGAAGAAGAA GTTGAA	691	ARCC_NC003923-2725050-2724595 322 353 R	TGGTGTTCTAGTATAGATTGAGGTAGTG GTGA	1306
2148	AROE_NC003923-1674726-1674277 371 393 F	TGCGAATAGAACGATGCTCGT	686	AROE_NC003923-1674726-1674277 435 464 R	TGGAATTCAGCTAAATACCTTTTCAGCAT CT	1064
2149	AROE_NC003923-1674726-1674277 30 62 F	TGGGGCTTTAAATATTCOAATTGAAG ATTTCA	590	AROE_NC003923-1674726-1674277 155 181 R	TACCTGCATTAATCGCTTGTTTCATCAA	891
2150	AROE_NC003923-1674726-1674277 204 232 F	TGAAGCAAGTGGATAGGGTATAATA CAG	474	AROE_NC003923-1674726-1674277 308 335 R	TAAGCAATACCTTTTACTTGCACCACTG	869
2151	GLPF_NC003923-1296927-1297391 270 301 F	TGCACGGCTATTAAAGATTACTTIG CCAAC	491	GLPF_NC003923-1296927-1297391 382 414 R	TGCACAAATTAATGCTCGGACAAATTA GGATT	1193
2152	GLPF_NC003923-1296927-1297391 27 51 F	TGGATGGGATTAGCGTTTACAATG	558	GLPF_NC003923-1296927-1297391 81 108 R	TAAAGACACCGCTGGGTTTAAATGTGCA	850
2153	GLPF_NC003923-1296927-1297391 239 260 F	TAGCTGGCGGAATTAGGTGT	218	GLPF_NC003923-1296927-1297391 323 359 R	TCACCGATATAATAAAATACCTAAAGTTA ATGCCATTG	972
2154	GMK_NC003923-1190906-1191334 91 122 F	TACTTTTAAAACTAGGGATCGGTT TGAAGC	200	GMK_NC003923-1190906-1191334 166 197 R	TGATATTGAACCTGGTGTACCATAATAGT TGCC	1180
2155	GMK_NC003923-1190906-1191334 240 267 F	TGAAGTAGAAGGTGCAAAAGCAAGTTA GA	435	GMK_NC003923-1190906-1191334 305 333 R	TGCTCTCTCAAGTGATCTAAACTTGGGA G	1082
2156	GMK_NC003923-1190906-1191334 301 329 F	TCACCTCCAAGTTTATAGTCACTTGAG AGA	268	GMK_NC003923-1190906-1191334 403 432 R	TGGGACGTAAATCGTATAAATTCATCAT TC	1284
2157	PTA_NC003923-628885-629355 237 263 F	TCTTGTATTAGCTGGTAAAGCAGATG G	418	PTA_NC003923-628885-629355 314 345 R	TGGTACACCTGGGTTTCGTTTGTGATGATT TGTA	1301
2158	PTA_NC003923-628885-629355 141 171 F	TGAATTAGTTCAATCAATTGTTGAAC GACGT	439	PTA_NC003923-628885-629355 211 239 R	TGCATTGTACCGAAGTAGTTCACATTGT T	1207

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2159	PTA_NC003923-628885-629355 328 356 F	TCCAAACCCAGGTGTATCAAGAACATC AGG	303	PTA_NC003923-628885-629355 393 422 R	TGTTCTGGATTGATGCACAAATCACCAA AG	1349
2160	TPI_NC003923-830671-831072 131 160 F	TGCAACTTAAGAAAGCTCTTGACGGT TTAT	486	TPI_NC003923-830671-831072 209 239 R	TGAGATGTTGATGATTAATACCACTTCGGA TTG	1165
2161	TPI_NC003923-830671-831072 1 34 F	TCCCAGAAACAGATGAAGAAATTAACAAAAAG	318	TPI_NC003923-830671-831072 97 129 R	TGTTACACACATCGTTAGCTTTTACCACCTT TCACG	1300
2162	TPI_NC003923-830671-831072 199 227 F	TCAAACTGGGCAATCGGAACCTGGTAA ATC	246	TPI_NC003923-830671-831072 253 286 R	TGGCAGCAATAGTTTGACGTACAAATGCA ACACAT	1275
2163	YQI_NC003923-378916-379431 142 167 F	TGAATTGCTGCTATGAAGGTGGCTT	440	YQI_NC003923-378916-379431 259 284 R	TGCCCAGCTAGCACGATGTCATTTTC	1076
2164	YQI_NC003923-378916-379431 44 77 F	TACAACATATTAATAAGAGACGGGT TTGAATCC	175	YQI_NC003923-378916-379431 120 145 R	TTGCGTGTGGATTTTGCTCTTGTCCT	1388
2165	YQI_NC003923-378916-379431 135 160 F	TCCAGCAGCAATGCTGCTATGAAG	314	YQI_NC003923-378916-379431 193 221 R	TTCAACCCAGAAACACATACCTTTATTCA C	997
2166	YQI_NC003923-378916-379431 275 300 F	TAGCTGGCGTATGGAGATATGCTCT	219	YQI_NC003923-378916-379431 364 396 R	TCCATCTGTTAAACCAATCATATACCAATG CTATC	1013
2167	BLAZ_(1913827..1914 672) 546 575 F	TCCACTTATCGCAATGGAAAAATTAACAA	312	BLAZ_(1913827..1914672) 6 55 683 R	TGGCCACTTTTATCAGCAACCTTTACAGT C	1277
2168	BLAZ_(1913827..1914 672) 546 575 2 F	TGCACCTTATCGCAATGGAAAAATTAACAA	494	BLAZ_(1913827..1914672) 6 28 659 R	TAGTCTTTTGGAAACACCCGTCCTTTAAATTA AAGT	926
2169	BLAZ_(1913827..1914 672) 507 531 F	TGATACTTCAAGCGCTGCTGCTTTC	467	BLAZ_(1913827..1914672) 6 22 651 R	TGGAACACCCGTCCTTTAAATTAAGTATCT CC	1263
2170	BLAZ_(1913827..1914 672) 508 531 F	TATACCTCAACGCCCTGCTGCTTTC	232	BLAZ_(1913827..1914672) 5 53 583 R	TCCTTTCTTGTCTTAATTTTCCATTGCG GAT	1145
2171	BLAZ_(1913827..1914 672) 24 56 F	TGCAATTGCTTTAGTTTAAAGTGCAT GTAATTC	487	BLAZ_(1913827..1914672) 1 21 154 R	TTACTTCTTACCACTTTTAGTATCTTAA AGCATA	1366
2172	BLAZ_(1913827..1914 672) 26 58 F	TCCTTGTCTTATGTTTAAAGTGCATGT AATTCAA	351	BLAZ_(1913827..1914672) 1 27 157 R	TGGGGACTTCCTTACCACCTTTTAGTATC TAA	1289
2173	BLAZ_NC002952-1913827-1914672 546 575 F	TCCACTTATCGCAATGGAAAAATTAACAA	312	BLAZ_NC002952-1913827-1914672 655 683 R	TGGCCACTTTTATCAGCAACCTTACAGT C	1277
2174	BLAZ_NC002952-1913827-1914672 546 575 2 F	TGCACCTTATCGCAATGGAAAAATTAACAA	494	BLAZ_NC002952-1913827-1914672 628 659 R	TAGTCCTTTTGGAAACACCGTCCTTTAATTA AAGT	926
2175	BLAZ_NC002952-1913827-1914672 507 531 F	TGATACTTCAAGCGCTGCTGCTTTC	467	BLAZ_NC002952-1913827-1914672 622 651 R	TGGAACACCGCTTTTAAATTAAGTATCT CC	1263

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2176	BLAZ_NC002952-1913827-1914672_508_531_F	TATACCTCAACGCTGCTGCTTC	232	BLAZ_NC002952-1913827-1914672_553_583_R	TCTTTCTTTGCTTAATTTTCCATTGCGAT	1145
2177	BLAZ_NC002952-1913827-1914672_24_56_F	TGCAATTTGCTTTAGTTTAAAGTGCATGTAATTC	487	BLAZ_NC002952-1913827-1914672_121_154_R	TTACTTCCCTTACCACTTTTGTAGTACTAAACATA	1366
2178	BLAZ_NC002952-1913827-1914672_26_58_F	TCTTTGCTTTAGTTTAAAGTGCATGTAATTC	351	BLAZ_NC002952-1913827-1914672_127_157_R	TGGGGACTTCTTACCACCTTTTGTAGTATCTAA	1289
2247	TUFB_NC002758-615038-616222_693_721_F	TGTTGAACGGTTCAAATCAAAAGTTGGTG	643	TUFB_NC002758-615038-616222_793_820_R	TGTCACCAAGCTTTCAGCGTAGTCTAATAA	1321
2248	TUFB_NC002758-615038-616222_690_716_F	TGCTGTGTAACGGTGTCAAATCAAAGTT	386	TUFB_NC002758-615038-616222_793_820_R	TGTCACCAAGCTTTCAGCGTAGTCTAATAA	1321
2249	TUFB_NC002758-615038-616222_696_725_F	TGAAAGGTGTCAAATCAAAGTTGGTG	430	TUFB_NC002758-615038-616222_793_820_R	TGTCACCAAGCTTTCAGCGTAGTCTAATAA	1321
2250	TUFB_NC002758-615038-616222_488_513_F	TCCAGGTGACGATGTACCTGTAATC	320	TUFB_NC002758-615038-616222_501_630_R	TGCTTTGCTCAGAAATCACGGTCTCGAGTTGG	1311
2251	TUFB_NC002758-615038-616222_945_972_F	TGAAGGTGACGTCACACTCCATTCCTTC	433	TUFB_NC002758-615038-616222_1030_1060_R	TAGSCATAAACCATTTTCAGTACCTTCCTGGTAA	922
2252	TUFB_NC002758-615038-616222_333_356_F	TCCAAATGCCACAAATCTCGTGAACA	307	TUFB_NC002758-615038-616222_424_459_R	TTCCATTTCAACTAATTCCTAATAATTCCTTCATCGTC	1382
2253	NUC_NC002758-894288-894974_402_424_F	TCCCTGAAGCAAGTGCATTTACGA	342	NUC_NC002758-894288-894974_483_509_R	TACGCTAAGCCACGCTCCATATTTATCA	899
2254	NUC_NC002758-894288-894974_53_81_F	TCCCTATAGGGATGGCTATCAGTAATGTT	349	NUC_NC002758-894288-894974_165_189_R	TGTTTGTGATGCAATTTGCTGAGCTA	1354
2255	NUC_NC002758-894288-894974_169_194_F	TCAGCAATGCAATCAAAACAGATAA	273	NUC_NC002758-894288-894974_222_250_R	TAGTTGAAGTTGCACATATATACCTGTTGGA	928
2256	NUC_NC002758-894288-894974_316_345_F	TACAAAGGTCAACCAATGACATTCAGACTA	174	NUC_NC002758-894288-894974_396_421_R	TAAATGCACTTGTCTTCAGGGCCATAT	853
2270	RPOB_EC_3798_3821_1_F	TGGCCAGCGCTTCGGTGAATGGA	566	RPOB_EC_3858_3895_R	TCACGTCGTCGCACTTCACGGTCAGCAT	979
2271	RPOB_EC_3789_3812_F	TCAGTTCCGGGGTTCAGCGCTTCGG	294	RPOB_EC_3860_3890_R	TCGTCGCACTTAACGGTCAGCATTTTCCTGCA	1107
2272	RPOB_EC_3789_3812_F	TCAGTTCCGGGGTTCAGCGCTTCGG	294	RPOB_EC_3860_3890_2_R	TCGTCGCACTTAACGGTCAGCATTTTCCTGCA	1102

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2273	RPOB_EC_3789_3812_F	TCAGTTCGGCGGTGACGCTTCGG	294	RPOB_EC_3862_3890_R	TCGTGGACTTAACGGTCAGCATTTCTCT G	1106
2274	RPOB_EC_3789_3812_F	TCAGTTCGGCGGTGACGCTTCGG	294	RPOB_EC_3862_3890_2_R	TCGTGGACTTAACGGTCAGCATTTCTCT G	1101
2275	RPOB_EC_3793_3812_F	TCGCGCGGTGACGCTTCGG	674	RPOB_EC_3865_3890_R	TCGTGGACTTAACGGTCAGCATTTCT	1105
2276	RPOB_EC_3793_3812_F	TCGCGCGGTGACGCTTCGG	674	RPOB_EC_3865_3890_2_R	TCGTGGACTTAACGGTCAGCATTTCT	1100
2309	MUPR_X75439_1658_16	TCCTTTGATATATATATGCGATGGAAG CTTGGT	352	MUPR_X75439_1744_1773_R	TCCTTTCTTTAATATGAGAAAGAACCA CT	1030
2310	MUPR_X75439_1330_13	TTCTCTCTTTTGAAGCGACGGTT	669	MUPR_X75439_1413_1441_R	TGAGCTGGTCTATATGAAACAATACCAG T	1171
2312	MUPR_X75439_1314_13	TTTCTCTCTTTTGAAGCGACGGTT	704	MUPR_X75439_1381_1409_R	TATATGAACAATAATACCAGTTCCTCTTGAG T	931
2313	MUPR_X75439_2486_25	TAAATGGGCTCTTTCTCGCTTAAACA CCTTA	172	MUPR_X75439_2548_2574_R	TTAATCTGCTGCGGAAGTGAATACTGT	1360
2314	MUPR_X75439_2547_25	TACGATTTCACTTCGCGACGACGATT	188	MUPR_X75439_2605_2630_R	TGCTCTCTCGAAATCTCGATATACC	1103
2315	MUPR_X75439_2666_26	TGCGTACAAATACGCTTTATGAATTT TAACA	513	MUPR_X75439_2711_2740_R	TCAGATATATAATGGAACAAATGGAGCCA CT	981
2316	MUPR_X75439_2813_28	ATACC	165	MUPR_X75439_2867_2890_R	TCTGCATTTTTCGAGAGCCTGTCTA	1127
2317	MUPR_X75439_884_914	TGACATGGACTCCCTTATATACTC TTGAG	447	MUPR_X75439_977_1007_R	TGTACAAATAGGAGTCACTTATGTCCC TTA	1317
2318	CTXA_NC002505- 1568114- 1567341_114_142_F	TGGTCTTATGCCAAGAGACAGAGTG AGT	608	CTXA_NC002505-1568114- 1567341_194_221_R	TCGTGCTTACAAATCCCGTCTGAGTTC	1109
2319	CTXA_NC002505- 1568114- 1567341_117_145_F	TCTTATGCCAAGAGACAGAGTGAGT ACT	411	CTXA_NC002505-1568114- 1567341_194_221_R	TCGTGCTTACAAATCCCGTCTGAGTTC	1109
2320	CTXA_NC002505- 1568114- 1567341_114_142_F	TGGTCTTATGCCAAGAGACAGAGTG AGT	608	CTXA_NC002505-1568114- 1567341_186_214_R	TAAACAAATCCCGTCTGAGTTCCTCTTGC A	855
2321	CTXA_NC002505- 1568114- 1567341_117_145_F	TCTTATGCCAAGAGACAGAGTGAGT ACT	411	CTXA_NC002505-1568114- 1567341_186_214_R	TAAACAAATCCCGTCTGAGTTCCTCTTGC A	855
2322	CTXA_NC002505- 1568114- 1567341_129_156_F	AGGACAGAGTGAGTACTTTGACCGAG GT	27	CTXA_NC002505-1568114- 1567341_180_207_R	TCCTGCTGAGTTCCTCTTGTGATGATCA	1027
2323	CTXA_NC002505- 1568114- 1567341_122_149_F	TGCCAAGAGACAGAGTGAGTACTTT GA	500	CTXA_NC002505-1568114- 1567341_186_214_R	TAAACAAATCCCGTCTGAGTTCCTCTTGC A	855
2324	INV_U22457-74- 3772_831_858_F	TGCTTATTTACCTGCACCTCCCAAC TG	530	INV_U22457-74- 3772_942_966_R	TGACCCAAAGCTGAAAGCTTTACTG	1154
2325	INV_U22457-74- 3772_827_857_F	TGAATGCTTATTTACCTGCACCTCCCA CAACT	438	INV_U22457-74- 3772_942_970_R	TAACTGACCCAAAGCTGAAAGCTTTACT G	864
2326	INV_U22457-74- 3772_827_857_F	TGCTGTAAACAGAGCCTTATAGGCGC	526	INV_U22457-74- 3772_942_970_R	TGGGTTGCGTTGCAAGTATATCTTTACCA	1296

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

	3772_1555_1581_F	A			3772_1619_1647_R	A	
2327	INV_U22457-74- 3772_1558_1585_F	TGTTAACAGAGCCTTATAGCGCATA TG	598		INV_U22457-74- 3772_1622_1652_R	TCTAAGGGTTGCGTTGCAGATTATCTT TAC	987
2328	ASD_NC006570- 439714- 438608_3_37_F	TGAGGGTTTATGCTTAAAGTTGGTT TTATTTGGTT	459		ASD_NC006570-439714- 438608_54_84_R	TGATTTCGATCATACAGACATTAACAACT GAG	1188
2329	ASD_NC006570- 439714- 438608_18_45_F	TAAAGTTGGTTTATTTATTTGGTTGGCGG GA	149		ASD_NC006570-439714- 438608_66_95_R	TCAAAATCTTTTGTGATTTCGATCATACGAG AC	948
2330	ASD_NC006570- 439714- 438608_17_45_F	TTAAAGTTGGTTTATTTATTTGGTTGGCGG GGA	647		ASD_NC006570-439714- 438608_67_95_R	TCCCAATCTTTTGTGATTTCGATCATACGAG A	1016
2331	ASD_NC006570- 439714- 438608_9_40_F	TTTTATGCTTAAAGTTGGTTTATTTG GTTGGC	709		ASD_NC006570-439714- 438608_107_134_R	TCTGCCTGAGATGTCGAAAAAAGCGTTG TCTCACCTTACAGCTTTAAAGCCAGCAAA ATG	1128
2332	GALE_AF513299_171_2 00_F	TCAGCTAGACCTTTTATAGGTAAGCTA AGCT	280		GALE_AF513299_241_271_R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	1122
2333	GALE_AF513299_168_1 99_F	TTATCAGCTAGACCTTTTATAGGTAAG CTAAGC	658		GALE_AF513299_245_271_R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	1121
2334	GALE_AF513299_168_1 99_F	TTATCAGCTAGACCTTTTATAGGTAAG CTAAGC	658		GALE_AF513299_233_264_R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	883
2335	GALE_AF513299_169_1 98_F	TCCAGCTAGACCTTTTATAGGTAAGC TTAAG	319		GALE_AF513299_252_279_R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	1374
2336	PLA_AF053945_7371_7 403_F	TTGAGAAACATCCGGCTCACGTTAT TATGGTA	680		PLA_AF053945_7434_7468_R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	900
2337	PLA_AF053945_7377_7 403_F	TGACATCCGGCTCAGCTTATTATGGT A	443		PLA_AF053945_7428_7455_R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	1035
2338	PLA_AF053947_33412_7 404_F	TGACATCCGGCTCAGCTTATTATGGT AC	444		PLA_AF053945_7430_7460_R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	854
2339	CAF_AF053947_33412_7 3341_F	TCCGTTATCCGCTATGCAATTAATTGG AACT	329		CAF_AF053947_33498_33523_7 R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	866
2340	CAF_AF053947_33426_7 3345_F	TGCATTATTTGGAACATAATGCAACTG CTAATGC	499		CAF_AF053947_33483_33507_7 R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	1308
2341	CAF_AF053947_33407_7 33429_F	TCAGTTCCGTTATCCGCCATTGCA T	291		CAF_AF053947_33483_33504_7 R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	1373
2342	CAF_AF053947_33407_7 33431_F	TCAGTTCCGTTATCCGCCATTGCAAT T	293		CAF_AF053947_33494_33517_7 R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	1184
2344	GAPA_NC_002505_1_28 F_1	TCAATGAACGATCAACAAGTGAATGA TG	260		GAPA_NC_002505_29_58_R_1	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	1060
2472	OMPA_NC000117_68_89 F	TGCCTGTAGGAAATCTGCTGA T	507		OMPA_NC000117_145_167_R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	967
2473	OMPA_NC000117_798_8 21_F	TGATTACCATGATGCGCAAGCAAG T	475		OMPA_NC000117_865_893_R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	947
2474	OMPA_NC000117_645_6 71_F	TGCTCAATCTAAACCTAAAGTCGAG A	521		OMPA_NC000117_757_777_R	TCTCACCTTACAGCTTTAAAGCCAGCAA TACAGCTTTAAAGCCAGCAAAATGAATT ACAG	1328

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2475	OMPA_NC000117_947_9 73 F	TAACTGCAATGGAACCCCTCTCTTACTA G	157	OMPA_NC000117_1011_1040 R	TGACAGGACACAAATCTGCATGAATCTG AG	1153
2476	OMPA_NC000117_774_7 95 F	TACTGGAACAAAGTCCTGGGACC	196	OMPA_NC000117_871_894 R	TTCAAAAGTTGCTGAGACCAATTTG	1371
2477	OMPA_NC000117_457_4 83 F	TTCTATCTCGTTGGTTTATTCGGAGT T	676	OMPA_NC000117_511_534 R	TAAAGAGACGTTTGGTATGATTCATTTGC	851
2478	OMPA_NC000117_687_7 10 F	TAGCCAGCACAATTTGTGATCA	212	OMPA_NC000117_787_816 R	TTGCCATTATGATTTTAAAGTGTAGCA GA	1406
2479	OMPA_NC000117_540_5 66 F	TGGCGTAGTAGAGCTATTTACAGACA C	571	OMPA_NC000117_649_672 R	TTCTTGAACGCGAGGTTTCGATTG	1395
2480	OMPA_NC000117_338_3 60 F	TGCACGATGCGGAATGGTTTACA	492	OMPA_NC000117_417_444 R	TCCTTTAAATAACCGCTAGTAGCTCCT	1058
2481	OMP2_NC000117_18_40 F	TATGACCAAACTCTATCAGACGAG	234	OMP2_NC000117_71_91 R	TCCCGCTGGCAAAATAAACTCG	1025
2482	OMP2_NC000117_354_3 82 F	TGCTACGGTAGGATCTCCTTATCCTA TTG	516	OMP2_NC000117_445_471 R	TGGATCACTGCTTACGAACTCAGCTTC	1270
2483	OMP2_NC000117_1297_1 1319 F	TGGAAAGGTTTTCAGCTACTCA	537	OMP2_NC000117_1396_1419 R	TACGTTTGTATCTTCTGCAGAAC	903
2484	OMP2_NC000117_1465_1 1493 F	TCTGGTCCACAAAAGGAACGATTAC AGG	407	OMP2_NC000117_1541_1569 R	TCCTTTCAATGTTTACAGAAAACCTTACA G	1052
2485	OMP2_NC000117_44_66 F	TGACGATCTTCGCGGTGACTAGT	450	OMP2_NC000117_120_148 R	TCTCAGCTAAGCTAATAACGTTTGTAGA G	1323
2486	OMP2_NC000117_166_1 90 F	TGACAGCGAAGAAGTTTAGACTTGT C	441	OMP2_NC000117_240_261 R	TTGACATCGTCCCTCTTCACAG	1396
2487	GYRA_NC000117_514_5 36 F	TCAGGCATTCGCGTTGGATGGC	287	GYRA_NC000117_640_660 R	TGCTGTAGGGAATAATCAGGGCC	1251
2488	GYRA_NC000117_801_8 27 F	TGTGAATAAATCAGCATTTGATTGAGC A	636	GYRA_NC000117_871_893 R	TTGTCACTCATCAGCGAACATC	1419
2489	GYRA_NC002952_219_2 42 F	TGTCAATGGTAAATATCACCTTCA	632	GYRA_NC002952_319_345 R	TCCATCCATAGAACCAAGTTACCTTG	1010
2490	GYRA_NC002952_964_9 83 F	TACAAGCATTCCAGCTGCA	176	GYRA_NC002952_1024_1041 R	TCGCAGCGTGCCTGGCGAC	1073
2491	GYRA_NC002952_1505_1 1520 F	TCGCCCGCGAGGACGT	366	GYRA_NC002952_1546_1562 R	TTGGTGGCTTGGCGTA	1416
2492	GYRA_NC002952_59_81 F	TCAGCTACATCGACTATCGGATG	279	GYRA_NC002952_124_143 R	TGGCGATGCACTGGCTTGAG	1279
2493	GYRA_NC002952_216_2 39 F	TGACGTCATCGGTAAGTACCACCC	452	GYRA_NC002952_313_333 R	TCGAAAGTTGCCCTTGGCCGTC	1032
2494	GYRA_NC002952_219_2 42 F	TGTATCGGTAAGTATCACCCGCA	625	GYRA_NC002952_308_330 R	TGAGTTACCTTGGCCGTCAACCA	873
2495	GYRA_NC002952_115_1 41 F	TGAGATGGAATTTAAACCTTTCACCG C	453	GYRA_NC002952_220_242 R	TGGGGGTGATACTTACCCGAGTAC	1236
2496	GYRA_NC002952_517_5 39 F	TCAGGCATTTGGGTTGGATGGC	287	GYRA_NC002952_643_663 R	TGCTGTAGGGAATAACAGGGCC	1251
2497	GYRA_NC002952_273_2	TCGTATGGCTCAATGGTGAG	380	GYRA_NC002952_338_360 R	TGCGGCGAGCACTATCACCATCCA	1234

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

	93_F								
2498	GYRA_NC000912_257_2	78_F	TGAGTAAAGTTCCACCCGACGG	462		GYRA_NC000912_346_370_R	TCGAGCCGAAGTTACCTCTGTCCGTC		1067
2504	ARCC_NC003923-2725050-2724595_135_161P_F	2725050-2724595_135_161P_F	TAGTGAATPAGAACpTpGTAGGCPAC	229		ARCC_NC003923-2725050-2724595_214_239P_R	TCpTpTpCpGTATATAAAAGGACpCpA		1116
2505	PTA_NC003923-628885-629355_237_263P_F	628885-629355_237_263P_F	TCTTGTPTpATGCPtpGGTAAAGC	417		PTA_NC003923-628885-629355_314_342P_R	TACpCpCpTGGTPTpTpCpGTPTpTpT		904
2517	CJMLST_ST1_1852_188	3_F	TTTGGGATGAAGTAGGTGCCTATCT	708		CJMLST_ST1_1945_1977_R	PGATGATpTpGUA		1355
2518	CJMLST_ST1_2963_299	2_F	TGAAATTCCTACAGGCCCTTTAGGAC	428		CJMLST_ST1_3073_3097_R	TGAGC		1020
2519	CJMLST_ST1_2350_237	8_F	TGCTTTTGATGGTATGAGATCGTT	535		CJMLST_ST1_2447_2481_R	TCCCATCTCCGCAAGACATATAA		1117
2520	CJMLST_ST1_654_684_F	8_F	TGG	240		CJMLST_ST1_725_756_R	TCTACAACACTTGATTGTAAATTTGCCTT		1084
2521	CJMLST_ST1_360_395_F	8_F	TATGTCCAAAGAGCATTAGCAAAAAA	347		CJMLST_ST1_454_487_R	GTTCTTT		1245
2522	CJMLST_ST1_1231_125	8_F	TGCGAGTTTACAGGTGCTGTTTCA	564		CJMLST_ST1_1312_1340_R	TCGGAACCAAGAAATTCATTTTCTGCTC		1427
2523	CJMLST_ST1_3543_357	4_F	TC	529		CJMLST_ST1_3656_3685_R	CAAA		950
2524	CJMLST_ST1_1_17_F	2_F	TGCTGTAGCTTATCCGGAATGTCIT	145		CJMLST_ST1_55_84_R	TGCTATATGCTACAACTGTTTCAAAAC		1348
2525	CJMLST_ST1_1312_134	2_F	TAAACTTTTGGCGTAATGATGGGIG	538		CJMLST_ST1_1383_1417_R	ATTAAG		1432
2526	CJMLST_ST1_2254_228	6_F	TGGAATGGCAGCTAGAAATAGTACT	582		CJMLST_ST1_2352_2379_R	TTTAGCTATTCTTAGCTGCCAATTTCC		996
2527	CJMLST_ST1_1380_141	1_F	TGGGCTTAATGGGCTTAATATCAATG	534		CJMLST_ST1_1486_1520_R	TCAAAGAACGAGCACCTTAATTCATCAT		1205
2528	CJMLST_ST1_3413_343	7_F	AGATCG	692		CJMLST_ST1_3511_3542_R	TA		1257
2529	CJMLST_ST1_1130_115	6_F	TGTAATGCCGGTGTTCAGATCC	189		CJMLST_ST1_1203_1230_R	TGTTCCAAAGACAGTTCGCCCAATTTG		920
2530	CJMLST_ST1_2840_287	2_F	TACGGCTCTTGAAGCGTTTCGTTAIG	591		CJMLST_ST1_2940_2973_R	AT		917
2531	CJMLST_ST1_2058_208	4_F	TGGGGCTTTGCTTTATAGTTTTTTAC	241		CJMLST_ST1_2131_2162_R	TTTCCCGATCTAAATTTGGGATAAGCCA		1417
2532	CJMLST_ST1_553_585_F	4_F	ATTTAAG	344		CJMLST_ST1_655_685_R	TAGGAAA		942
2564	GLTA_NC002163-1604930-1604529_306_338_F	1604930-1604529_306_338_F	TATTCAAAGGTGTCCTTTGATGCAIG	299		GLTA_NC002163-1604930-1604529_352_380_R	TAGGATGAGCATTTATCAGGGAAGATC		1443
2565	UNCA_NC002163-		TTCCTGATGCTCAAAGTGTCTTTTAG	322		UNCA_NC002163-112166-	TAGCGATTTCTACTCTTAGAGTTGAAAT		1065

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

112166- 112647_80_113_F	GATTTGAG			112647_146_171_R		
2566	UNCA_NC002163- 112166- 112647_233_259_F	TAATGATGAATTAGGTGGGGTTCCT T	170	UNCA_NC002163-112166- 112647_294_329_R	TGGGATAACATTGGTTGGGAATATAAGCA GAAACATC	1285
2567	PGM_NC002163- 327773- 328270_273_305_F	TCTTGATACCTTGTAAATGTGGCGGATA AATATGT	414	PGM_NC002163-327773- 328270_365_396_R	TCCATCGCCAGTTTTTGCATAATCGCTA AAAA	1012
2568	TKT_NC002163- 1569415- 1569873_255_284_F	TTAAGAAGCGTGTCTTTTAGCAGGAC TTCA	661	TKT_NC002163-1569415- 1569873_350_383_R	TCAAAACGCATTTTACATCTTCGTAA AGGCTA	946
2570	GLTA_NC002163- 1604930- 1604529_39_68_F	TCGTCTTTTGTATCTTTCCTTGATA ATGC	381	GLTA_NC002163-1604930- 1604529_109_142_R	TGTTCAATGTTTAATGATCAGGATAAAA AGCACT	1347
2571	TKT_NC002163- 1569415- 1569903_33_62_F	TGATCTTAAAAATTCGCCAACTTC ATTC	472	TKT_NC002163-1569415- 1569903_139_162_R	TGCCATAGCAAGCCTACAGCAAT	1214
2572	TKT_NC002163- 1569415- 1569903_207_239_F	TAAGGTTAATGTCTTTGGGAGATG GGGATTT	164	TKT_NC002163-1569415- 1569903_313_345_R	TACATCTCCTTCGATAGAAAATTCATG CTATC	886
2573	TKT_NC002163- 1569415- 1569903_350_383_F	TAGCCTTTAACGAAAATGTAAAAATG CGTTTGA	213	TKT_NC002163-1569415- 1569903_449_481_R	TAAGACAAGGTTTTTGCGAATTTTAGC TTGTT	865
2574	GLTA_NC002163- 1604930- 1604529_60_92_F	TTCAAAACTCCAGGCATCCTGAAA TTTCAAC	665	TKT_NC002163-1569415- 1569903_139_163_R	TTGCCATAGCAAGCCTACAGCAAT	1405
2575	GLTA_NC002163- 1604930- 1604529_39_70_F	TCGTCTTTTGTATCTTTCCTTGATA ATGCTC	382	GLTA_NC002163-1604930- 1604529_139_168_R	TGCCATTTCCATGTACTCTTCTCTAACA TT	1216
2576	GLYA_NC002163- 367572- 368079_386_414_F	TCAGTATTTTCCAGGTATCCAGG TGG	281	GLYA_NC002163-367572- 368079_476_508_R	ATTCTTCTTACTTGCTTAGCATAAAT TTCCA	756
2577	GLYA_NC002163- 367572- 368079_148_174_F	TGGTGGAGTGTCTTATGCTCGTATTA T	611	GLYA_NC002163-367572- 368079_242_270_R	TGCTCACCTGTACACAACTCCAGCAA T	1246
2578	GLYA_NC002163- 367572- 368079_298_327_F	TGTAAGCTCTACAAACCACAAACCT TACG	622	GLYA_NC002163-367572- 368079_384_416_R	TTCCACCTTGGATACCTGGAAAAATAGC TGAAT	1381
2579	GLYA_NC002163- 367572- 368079_1_27_F	TGGTGGACATTTAAACACATGGTGCAA A	614	GLYA_NC002163-367572- 368079_52_81_R	TCAGCTCTACACCAATAAAAAAGCTCT CA	961
2580	PGM_NC002163- 327746- 328270_254_285_F	TGAGCAATGGGGCTTTGAAAAGATTT TTAAAT	455	PGM_NC002163-327746- 328270_356_379_R		1438
2581	PGM_NC002163- 327746-	TGAAAAGGGTGAAGTAGCAAAATGGAG ATAG	425	PGM_NC002163-327746- 328270_241_267_R	TTTGCTCTCCGCCAAAGTTTCCAC TGCCCCATTTGCTCATGATAGTAGCTAC	1219

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2582	328270_153_182_F PGM_NC002163- 327746- 328270_19_50_F	TGGCCTTAATGGGCTTAATCAATGA AAATTG	568	PGM_NC002163-327746- 328270_79_102_R	TGCACGCAAAACGCTTTACTTCAGC	1200
2583	UNCA_NC002163- 112166- 112647_114_141_F	TAAGCATGCTGTGGCTTATCGTGAAA TG	160	UNCA_NC002163-112166- 112647_196_225_R	TGCCCTTTCTAAAGAGTCTTGAGTGAAGA TA	1220
2584	UNCA_NC002163- 112166- 112647_3_29_F	TGCTTCGGATCCAGCAGCATTCAAT A	532	UNCA_NC002163-112166- 112647_88_123_R	TGCATGCTTACTCAAAATCATATAACA ATTAAAGC	1206
2585	ASPA_NC002163- 96692- 97166_308_335_F	TTAATTGCCAAAAATGCACCAGGT AG	652	ASPA_NC002163-96692- 97166_403_432_R	TGCAAAAGTAACGGTTACATCTGCTCCA AT	1192
2586	ASPA_NC002163- 96692- 97166_228_258_F	TGCGGTTGCCAACAAAACCTTCTAAAG TAATGT	370	ASPA_NC002163-96692- 97166_316_346_R	TCAATGATAGAACTACCTGGTTGCATTTT TGG	991
2587	GLNA_NC002163- 658085- 657609_244_275_F	TGGAATGATATAAAGATTTCGAGA TAGCTA	547	GLNA_NC002163-658085- 657609_340_371_R	TGAGTTTGAACCATTTACAGAGCGAATAT CTAC	1176
2588	TKT_NC002163- 1569415- 1569903_107_130_F	TCGCTACAGGCCCTTTAGGACAAAG	371	TKT_NC002163-1569415- 1569903_212_236_R	TCGCCATCTCCGCCAAGACATAAA	1020
2589	TKT_NC002163- 1569415- 1569903_265_296_F	TGTTCTTTAGCAGGACTTCACAACT TGATAA	642	TKT_NC002163-1569415- 1569903_361_393_R	TCCTTGTGCTTCAAAACGCATTTTACA TTTTC	1057
2590	GLYA_NC002163- 367572- 368095_214_246_F	TGCTATCTTTTGTGCTGATATAGCAC ATATTGC	505	GLYA_NC002163-367572- 368095_317_340_R	TCCTCTTGGGCCACGCAAGTTTT	1047
2591	GLYA_NC002163- 367572- 368095_415_444_F	TCCTTTGATGCAATGTAATTGCTGCAA AAGC	353	GLYA_NC002163-367572- 368095_485_516_R	TCCTTGAGCATTTGGTTCTTACTTGTGTTG CATA	1141
2592	PGM_NC002163_21_54_ F	TCCTAATGGAATTAATATCAATGAAA ATTGTGGA	332	PGM_NC002163_116_142_R	TCAAACGATCCGCATCACCATCAAAAAG TCCCCTTTAAAGGCCCATTTACTCATTTAT	949
2593	PGM_NC002163_149_17 6_F	TAGATGAAAAAGGCGAAGTGGCTAAT GG	207	PGM_NC002163_247_277_R	AGT	1023
2594	GLNA_NC002163- 658085- 657609_79_106_F	TGTCCAAGRAGCATAGCAAAAAAGC AA	633	GLNA_NC002163-658085- 657609_148_179_R	TCAAAAACAAAAGAAATTCATTTTCTGGTC CABA	945
2595	ASPA_NC002163- 96685- 97196_367_402_F	TCCTGTTATTCCTGAAGTAGTTAATC AAGTTTGTTA	347	ASPA_NC002163-96685- 97196_467_497_R	TCAAGCTATATGCTACAACTGGTTCAAA AAC	960
2596	ASPA_NC002163- 96685-97196_1_33_F	TGCCGTAATCATAGGTGAAGATATAC AAGAGT	502	ASPA_NC002163-96685- 97196_95_127_R	TACAACCTTCGGATAATCAGGATGAGAA TTAAT	880
2597	ASPA_NC002163- 96685-	TGGAACAGGAATTAATTTCTCATCTG ATTATCC	540	ASPA_NC002163-96685- 97196_185_210_R	TAAAGTCCCGTATCTTGAGTCGCCTC	872

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2598	97196_85_117_F PGM_NC002163- 327746- 328270_165_195_F	TGCGCAGCTAGAAATAGTACGTAATAATC CCTAC	563	PGM_NC002163-327746- 328270_230_261_R	TCACGATCTAAATTTGGATAAGCCATAG GAAA	975
2599	PGM_NC002163- 327746- 328270_252_286_F	TGGGTGCTGTGTTTTACAGAAAAATTC TTATATATG	593	PGM_NC002163-327746- 328270_353_381_R	TTTTGCTCATGATCTGCATGAAGCATAA A	1443
2600	PGM_NC002163- 327746- 328270_1_30_F	TGGGATGAAAAAGCGTTCTTTTATCC ATGA	577	PGM_NC002163-327746- 328270_95_123_R	TGATAAAAAGCAGCTAAGCGATGAAACAG C	1178
2601	PGM_NC002163- 327746- 328270_220_250_F	TAAACACGGCTTTCCATATGGCTTATC CAAAAT	146	PGM_NC002163-327746- 328270_314_345_R	TCAAGTGTCTTTTACTTCTATAGGTTTAA GCTC	963
2602	UNCA_NC002163- 112166- 112647_123_152_F	TGTAGCTTATCGCGAAATGCTTTGA TTTT	628	UNCA_NC002163-112166- 112647_199_229_R	TGCTTGCTCTTTTCAAGCAGTCTTTGAATG AAG	1258
2603	UNCA_NC002163- 112166- 112647_333_365_F	TCAGATGGACAAAATTTCTTTAGAAA CTGATTT	313	UNCA_NC002163-112166- 112647_430_461_R	TCCGAAACTTGTGTTTGTAGCTTTTAATTT GAGC	1031
2734	GYRA_AY291534_237_2 64_F	TCACCTCATGGTGATTCAGCTGTTTT AT	265	GYRA_AY291534_268_288_R	TTGCGCCATAGTACCATCGT	1407
2735	GYRA_AY291534_224_2 52_F	TAATCGGTAGTATCACCTCATGGT GAT	167	GYRA_AY291534_256_285_R	TGCCATACGTACCATCGTTTCTATAAACA GC	1213
2736	GYRA_AY291534_170_1 98_F	TAGGAATTACGGCTGATTAAGCGTAT AAA	221	GYRA_AY291534_268_288_R	TTGCGCCATAGTACCATCGT	1407
2737	GYRA_AY291534_224_2 52_F	TAATCGGTAAATATCACCTCATGGT GAT	167	GYRA_AY291534_319_346_R	TATCGACAGATCCAAAGTTACCATGCC	935
2738	GYRA_NC002953-7005- 9668_166_195_F	TAAGGTATGACACCGGATAAAATCATA TAAA	163	GYRA_NC002953-7005- 9668_265_287_R	TCCTTGAGCCATACGTACCATTGC	1142
2739	GYRA_NC002953-7005- 9668_221_249_F	TAATGGGTAATAATCACCTCATGGT GAC	171	GYRA_NC002953-7005- 9668_316_343_R	TATCCATTTGAACCAAGTTACCTTTGGCC	933
2740	GYRA_NC002953-7005- 9668_221_249_F	TAATGGGTAATAATCACCTCATGGT GAC	171	GYRA_NC002953-7005- 9668_253_283_R	TAGCCATACGTACCATTGCTTCATAAAT AGA	912
2741	GYRA_NC002953-7005- 9668_234_261_F	TCACCTCATGCTGACTCATCTATTT AT	264	GYRA_NC002953-7005- 9668_265_287_R	TCCTTGAGCCATACGTACCATTGC	1142
2842	CAPC_AF188935- 56074- 56074- 56074- 271_304_F	TGGGATTAATGTTATCCCTGTTATGCC ATTGAGA	578	CAPC_AF188935-56074- 55628_348_378_R	TGTTAACCCCTTGCTCTTTGAATTTGATTT GCA	1299
2843	CAPC_AF188935- 56074- 56074- 56074- 273_303_F	TGATTAATGTTATCCCTGTTATGCTpCp ATpTpGAG	476	CAPC_AF188935-56074- 55628_349_377p_R	TGTAACCCCTTGCTCTTTGAATpTpGATp TpTpGC	1314
2844	CAPC_AF188935- 56074- 56074- 56074- 268_303_F	TCGTTGATTAATGTTATCCCTGTTAT GCCATTTGAG	331	CAPC_AF188935-56074- 55628_349_384_R	TGTTAATGGTAACCCCTTGCTCTTTGAAT GTATTTGC	1344
2845	CAPC_AF188935- 56074- 56074- 56074- 268_303_F	TCGTTGATTAATGTTATCCCTGTTAT TCGTTGATTAATGTTATCCCTGTTAT	331	CAPC_AF188935-56074- 55628_349_384_R	TAACCCCTTGCTCTTTGAATTTGATTTGCA	860

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

	56074- 55628_268_303_F	GCCATTTGAG		55628_337_375_R	ATTAATCTCTGG	
2846	PARC_X95819_33_58_F	TCCAAAAAATCAGCGGTACAGTGG	302	PARC_X95819_121_153_R	TAAAGGATAGCGGTAAATAGGCTGA	852
2847	PARC_X95819_65_92_F	TACTTGGTAAATACACCCACATGGT	199	PARC_X95819_157_178_R	TACCCAGTTCCCTGACCTTC	889
2848	PARC_X95819_69_93_F	TGGTAAATACACCCACATGGTAC	596	PARC_X95819_97_128_R	TGAGCCATGAGTACCATGGCTTCATAAC	1169
2849	PARC_NC003997- 3362578-	TTCCGTAAGTCGGCTAAACAGTCG	668	PARC_NC003997-3362578- 3365001_256_283_R	TCCAGTTTGACTTAAACGTACCATCGC	1001
2850	PARC_NC003997- 3362578-	TGTAACTATCACCCGCCACGGTGAT	621	PARC_NC003997-3362578- 3365001_304_335_R	TGCTCAACACTACCATTTATTACCATGCA	1099
2851	PARC_NC003997- 3362578-	TGTAACATACACCCGCCACGGTGAT	621	PARC_NC003997-3362578- 3365001_244_275_R	TGACTTAAACGTACCATCGCTTCATATA	1162
2852	GYRA_AY642140_26_54_F	TAAATCTGCCCGTGTCTGTTGGTAC	150	GYRA_AY642140_71_100_R	TGCTAAAGTCTTGAGCCATACGAACAAT	1242
2853	GYRA_AY642140_26_54_F	TAAATCTGCCCGTGTCTGTTGGTAC	166	GYRA_AY642140_121_146_R	TGATCGAAGCCGAAGTTTACCCGTGACC	1069
2854	GYRA_AY642140_26_54_F	TAAATCTGCCCGTGTCTGTTGGTAC	166	GYRA_AY642140_58_89_R	TGAGCCATACGAACAATGGTTTCATATA	1168
2860	CYA_AF065404_1348_1_379_F	TCCACGAAAGTACAATAACAAGCAAA	305	CYA_AF065404_1448_1472_R	TCAGCTTTAAACGGCTTCAAGACCC	983
2861	LEF_BA_AF065404_751_781_F	TCGAAAGCTTTTGCATATATATATCGA	354	LEF_BA_AF065404_843_881_R	TTCTTTAAGTTCTTCCAGGATAGATTTA	1144
2862	LEF_BA_AF065404_762_788_F	TGCATATATATCGAGCCACAGCATC	498	LEF_BA_AF065404_843_881_R	TTCTTTAAGTTCTTCCAGGATAGATTTA	1144
2917	MUTS_AY698802_106_1_25_F	TCGGCTGAATCTGTGCGCGC	326	MUTS_AY698802_172_193_R	TTCTTTGTTTCG	1237
2918	MUTS_AY698802_172_1_92_F	TACCTATATGCGCCACGACCGC	187	MUTS_AY698802_228_252_R	TGCGTCTGCGCATATAGGTA	965
2919	MUTS_AY698802_228_2_52_F	TACCGCGCAAAAAGTCGAGATTGG	186	MUTS_AY698802_314_342_R	TCATCTCGACTTTTGTGCGCGTA	1097
2920	MUTS_AY698802_315_3_42_F	TCCTTATGTTGGAGATGACTGAAACC	419	MUTS_AY698802_413_433_R	TCGGTTTCAGTTCATCTCCACCATAAAGG	1210
2921	MUTS_AY698802_394_4_11_F	TGGCGGTGGAACGTCAC	585	MUTS_AY698802_497_519_R	TGCCAGCGACAGACCATCTGTA	1040
2922	AB_MLST-11- OIF007_991_1018_F	TGGCGGATGCTGCGAAATGGTTAAAA	583	AB_MLST-11- OIF007_1110_1137_R	TCGGTTAATCTGGGTTCAGCTCGAA	923
2927	GAPA_NC002505_694_7_21_F	TCAATGAACGACCAACAACTGATTGA	259	GAPA_NC_002505_29_58_R_1	TAGTATCACCAAGTACACCCGGATCAGT	1060
2928	GAPA_NC002505_694_7_21_2_F	TGATGACGACCAACAACTGATTGA	361	GAPA_NC_002505_769_798_R_2	TCCTTTATGCAACTTGGTATCAACCGGA	1061

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2929	GAPA_NC002505_694_7 21_2_F	TCGATGAACGACCAACAAAGTATTGA TG	361	GAPA_NC002505_769_798_3_R	TCCTTTATGCAACTTAGTATCAACCGGA AT	1059
2932	INFB_EC_1364_1394_F	TTGCTCGTGTGTCACAACTAACGGAT ATTAC	688	INFB_EC_1439_1468_R	TTGCTGCTTTTCGCATGTTAATCGCTTC AA	1410
2933	INFB_EC_1364_1394_2 F	TTGCTCGTGTGTCACAACTAACGGAT ATTAC	689	INFB_EC_1439_1468_R	TTGCTGCTTTTCGCATGTTAATCGCTTC AA	1410
2934	INFB_EC_80_110_F	TTGCCGCGGTGCGGAAAGTAACGGAT ATTAC	685	INFB_EC_1439_1468_R	TTGCTGCTTTTCGCATGTTAATCGCTTC AA	1410
2949	ACS_NC002516- 970624-			ACS_NC002516-970624- 971013_364_383_R		
2950	ARO_NC002516-26883- 27380_4_26_F	TCGGCGCTTCGCTGATGA	376	ARO_NC002516-26883- 27380_111_128_R	TGGACACGCGCCGAGAACGG TG	1265
2951	ARO_NC002516-26883- 27380_356_377_F	TCACCGTGCCTTCAAGGAAGAG TTTCGAAGGCGCTTTCGACCTG	267	ARO_NC002516-26883- 27380_459_484_R	TGTTGTTGTCGCCGCGCAG TC	1341
2952	GUA_NC002516- 4226546- 4226174_23_41_F		705	GUA_NC002516-4226546- 4226174_127_146_R	TCCTTGGCATACATCATGTCGTAGCA TC	1056
2953	GUA_NC002516- 4226546- 4226174_120_142_F	TGGACTCTCGGTGCTGCG	551	GUA_NC002516-4226546- 4226174_214_233_R	TGCGGGAACATGGCCATCAC TC	1091
2954	GUA_NC002516- 4226546- 4226174_155_178_F	TGACACAGGTGATGCGCATGTTGCG	448	GUA_NC002516-4226546- 4226174_265_287_R	TGCTTCTCTTCCGCGTCGCGC TC	1256
2955	GUA_NC002516- 4226546- 4226174_190_206_F	TTTTGAAGTGATCGTGCCTGCG	710	GUA_NC002516-4226546- 4226174_288_309_R	TGCTTGGTGGCTTCTTCTGTCGAA TC	1259
2956	GUA_NC002516- 4226546- 4226174_242_263_F	TTCTCGCGCGCTTGGC	670	GUA_NC002516-4226546- 4226174_355_371_R	TGCGAGGAACTTCAAGTCTGCTGC TC	1229
2957	MUT_NC002516- 5551158- 5550717_5_26_F	TCGGCGCACCTTTCATCGAGT	374	MUT_NC002516-5551158- 5550717_99_116_R	TCGTTGGSCCTTGCCCGGT TC	1111
2958	MUT_NC002516- 5551158- 5550717_152_168_F	TGGAAGTCAATCAAGCGCTGGC	545	MUT_NC002516-5551158- 5550717_256_277_R	TCACGGCGCAGCTCGTCT TC	978
2959	NUO_NC002516- 2984589- 2984954_8_26_F	TCGAGCAGCGCTGCGC	358	NUO_NC002516-2984589- 2984954_301_326_R	TCACCATGCGCCCGTTCACATA TC	971
2960	NUO_NC002516- 2984589- 2984954_218_239_F	TCBACCTCGGCCGACCA	249	NUO_NC002516-2984589- 2984954_301_326_R	TCGGTGGTGGTAGCCGATCTC TC	1095
2961	PPS_NC002516- 1915014- 1915383_44_63_F	TACTCTCGTGGAGAACTCGC	195	PPS_NC002516-1915014- 1915383_140_165_R	TTCAAGTACAGCAGTGGTTCAGGAT TC	1376
		TCCACGCTCATGGAGCGCTA	311		TCCATTTCCGACACGCTGTTGATCAC TC	1014

DOCKET NO.: DBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2962	PPS_NC002516-1915014-1915383 240 258 F	TCGCCATCGTCAACCAACCG	365	PPS_NC002516-1915014-1915383 341 360 R	TCCTGGCCATCTCTGCAGGAT	1052
2963	TRP_NC002516-671831-672273 24 42 F	TGCTGGTACGGTCGAGGA	527	TRP_NC002516-671831-672273 131 150 R	TCGATCTCCTTGGCGTCCGA	1071
2964	TRP_NC002516-671831-672273 261 282 F	TGCACATCGTGTCCACGTCCAC	490	TRP_NC002516-671831-672273 362 383 R	TGATCTCCATGGCGCGGACTT	1182
2972	AB_MLST-11-OIF007_1007_1034 F	TGGGIGATGCTGCIAAATGTTAAAA	592	AB_MLST-11-OIF007_1126_1153 R	TAGTATCACCACTGATCCTCIGGATCAGT	924
2993	OMP NC002505-674828-675680 428 455 F	TTCCACCGATATCATGGCTTACCAC	667	OMP NC002505 544 567 R	TCGCTACGAAACGGTAGCTTGC	1094
2994	GAPA_NC002505-506780-507937 691 721 F	TCCTCAATGAACGAICAACAAGTGAT	335	GAPA_NC002505-506780-507937 769 802 R	TTTCCCTTTTATGCAACTTAGTATCAAC	1442
2995	GAPA_NC002505-506780-507937 691 721 2 F	TCCTCIATGAACGAICAACAAGTGAT	339	GAPA_NC002505-506780-507937 769 803 R	TCCATACCTTTATGCAACTTGTATCAA	1008
2996	GAPA_NC002505-506780-507937 692 721 F	TCCTCATGAACGACCAACAAGTGAT	396	GAPA_NC002505-506780-507937 785 817 R	TCGGAATATTTCTTTCAATACCTTTATG	1085
2997	GAPA_NC002505-506780-507937 691 721 3 F	TCCTCGATGAACGAICAACAAGTTAT	337	GAPA_NC002505-506780-507937 785 817 R	TCGGAATATTTCTTTCAATACCTTTATG	1085
2998	GAPA_NC002505-506780-507937 691 721 4 F	TCCTCAATGAATGATCAACAAGTGAT	336	GAPA_NC002505-506780-507937 784 817 R	TCGGAATATTTCTTTCAATACCTTTTIG	1087
2999	GAPA_NC002505-506780-507937 691 721 5 F	TCCTCIATGAALGAICAACAAGTTAT	340	GAPA_NC002505-506780-507937 784 817 2 R	TCGGAATATTTCTTTCAATACCTTTATG	1086
3000	GAPA_NC002505-506780-507937 691 721 6 F	TCCTCGATGAATGAICAACAAGTTAT	338	GAPA_NC002505-506780-507937 769 805 R	TTTCAATACCTTTTATGCAACTTGTATC	1430
3001	CTXB_NC002505-1566967-1567341 46 71 F	TCAGCATATGCATGGAACACCTCA	275	CTXB_NC002505-1566967-1567341 139 163 R	TCCCGGTAGAGATTTCTGTATACCA	1026
3002	CTXB_NC002505-1566967-1567341 46 70 F	TCAGCATATGCATGGAACACCTTC	274	CTXB_NC002505-1566967-1567341 132 162 R	TCCCGGTAGAGATTTCTGTATACGAAAT	1038
3003	CTXB_NC002505-1566967-1567341 46 70 F	TCAGCATATGCATGGAACACCTTC	274	CTXB_NC002505-1566967-1567341 118 150 R	TGCCGTATACGAAATATCTATATCTTT	1225
3004	TUFB_NC002758-615038-615038	TACAGGCCGTGTGAAGTGG	180	TUFB_NC002758-615038-616222 778 809 R	TCAGGTACTCTAATAATTTACGGAACA	982

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

3005	616222_684_704_F TUFBN0002758- 615038- 616222_688_710_F	TGCCGCTTTGAACGCTGGTCAAAAT	503	TUFB_N0002758-615038- 616222_783_813_R	TGCTTCAGCGTAGTCTTAATAATTACGG AAC	1255
3006	TUFB_N0002758- 615038- 616222_700_726_F	TGTGGTCAAATCAAAGTTGGTGAAGA A	638	TUFB_N0002758-615038- 616222_778_807_R	TGCGTAGTCTTAATAATTACGGAACATT TC	1238
3007	TUFB_N0002758- 615038- 616222_702_726_F	TGGTCAAATCAAAGTTGGTGAAGA	607	TUFB_N0002758-615038- 616222_778_807_R	TGCGTAGTCTTAATAATTACGGAACATT TC	1238
3008	TUFB_N0002758- 615038- 616222_696_726_F	TGAACGTGGTCAAATCAAAGTTGGTG AAGAA	431	TUFB_N0002758-615038- 616222_785_818_R	TCACGAGCTTCAGCGTAGTCTTAATAATT TACGGA	970
3009	TUFB_N0002758- 615038- 616222_690_716_F	TCGTGTTGAACGCTGGTCAAATCAAAG T	386	TUFB_N0002758-615038- 616222_778_812_R	TCTTCAGCGTAGTCTTAATAATTACGGA ACATTC	1134
3010	MECI-R_N0003923- 41798-41609_36_59_F	TCACATATCGTAGCAATGAATG	261	MECI-R_N0003923-41798- 41609_89_112_R	TCTGATATGGAGGTGTAGAAGGTG TC	1332
3011	MECI-R_N0003923- 41798-41609_40_66_F	TGGCGGTGAGCAATGAATGATTATA C	584	MECI-R_N0003923-41798- 41609_81_110_R	TGGGATGGAGGTGTAGAAGGTGTATCA TC	1287
3012	MECI-R_N0003923- 41798- 41609_33_60_2_F	TGGACACATATCGTAGCAATGAATG GA	549	MECI-R_N0003923-41798- 41609_81_110_R	TGGGATGGAGGTGTAGAAGGTGTATCA TC	1286
3013	MECI-R_N0003923- 41798-41609_29_60_F	TGGGTTTACACATATCGTAGCAATG AATGA	595	MECI-R_N0003923-41798- 41609_81_113_R	TGGGATATGGAGGTGTAGAAGGTGTATCA TCATC	1290
3014	MUPR_X75439_2490_25	TGGGCTCTTTCTCGCTTAAACACCT	587	MUPR_X75439_2548_2570_R	TCTGGCTGCGGAAGTGAATCGT	1130
3015	MUPR_X75439_2490_25	TGGGCTCTTTCTCGCTTAAACACCT	586	MUPR_X75439_2547_2568_R	TGGCTGCGGAAGTGAATCGTA	1281
3016	MUPR_X75439_2482_25	TAGATAATTGGGCTCTTTCTCGCTTA AAC	205	MUPR_X75439_2551_2573_R	TAATCTGGCTGCGGAAGTGAAT	876
3017	MUPR_X75439_2490_25	TGGGCTCTTTCTCGCTTAAACACCT	587	MUPR_X75439_2549_2573_R	TAATCTGGCTGCGGAAGTGAATCG	877
3018	MUPR_X75439_2482_25	TAGATAATTGGGCTCTTTCTCGCTTA AAC	205	MUPR_X75439_2559_2589_R	TGCTATATTGCTTAATTAATCTGGCTGC GGA	1303
3019	MUPR_X75439_2490_25	TGGGCTCTTTCTCGCTTAAACACCT	587	MUPR_X75439_2554_2581_R	TCGTTAATTAATCTGGCTGCGGAAGTGA	1112
3020	AROE_N0003923- 1674726- 1674277_204_232_F	TGATGGCAAGTGAATAGGCTATAATA CAG	474	AROE_N0003923-1674726- 1674277_309_335_R	TAAGCAATACCTTTTACTTCACACCT	868
3021	AROE_N0003923- 1674726- 1674277_207_232_F	TGGCGAGTGGATAGGCTATAATACAG	570	AROE_N0003923-1674726- 1674277_311_339_R	TTCATRAAGCAATACCTTTTACTTCACCA C	1378
3022	AROE_N0003923- 1674726-	TGGCpAAGTGGATAGGCTpATpAA TpAcPAG	572	AROE_N0003923-1674726- 1674277_311_335P_R	TAAGCAATACCTpTpTpAcTpTpGCPA CpCpAC	867

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

	1674277_207_232p_F						
	ARCC_NC003923-2725050-2724595_124_155_F	TCTGAATGAATAGTAGATAGAACTGTAGGCAC	398	ARCC_NC003923-2725050-2724595_214_245_R	TCTTCTTCTTTTCGTATATAAAAGGACCAA TTGG		1137
3023	ARCC_NC003923-2725050-2724595_131_161_F	TGAATAGTAGTAGAACTGTAGGCACA ATCGT	437	ARCC_NC003923-2725050-2724595_212_242_R	TCTTCTTTCGTATAAAAGGACCAATTG GTT		1139
3024	ARCC_NC003923-2725050-2724595_131_161_F	TGAATAGTAGTAGAACTGTAGGCACA ATCGT	437	ARCC_NC003923-2725050-2724595_232_260_R	TGGCTAATTCTTCAACTTCTTCTTTTCG T		1232
3025	PTA_NC003923-628885-629355_231_259_F	TACAATGCTTGTGTTTATGCTGGTAAAG CAG	177	PTA_NC003923-628885-629355_322_351_R	TGTTCTTGATACACCTGGTTTCGTTTTG AT		1350
3026	PTA_NC003923-628885-629355_231_259_F	TACAATGCTTGTGTTTATGCTGGTAAAG CAG	177	PTA_NC003923-628885-629355_314_345_R	TGGTACACCTGGTTTCGTTTTCGTATGATT TGTA		1301
3027	PTA_NC003923-628885-629355_237_263_F	TCTTGTGTTATGCTGGTAAAGCAGATG G	418	PTA_NC003923-628885-629355_322_351_R	TGTTCTTGATACACCTGGTTTCGTTTTG AT		1350

[370] Primer pair name codes and reference sequences are shown in Table 3. The primer name code typically represents the gene to which the given primer pair is targeted. The primer pair name may include specific coordinates with respect to a reference sequence defined by an extraction of a section of sequence or defined by a GenBank gi number, or the corresponding complementary sequence of the extraction, or the entire GenBank gi number as indicated by the label "no extraction." Where "no extraction" is indicated for a reference sequence, the coordinates of a primer pair named to the reference sequence are with respect to the GenBank gi listing. Gene abbreviations are shown in bold type in the "Gene Name" column.

[371] To determine the exact primer hybridization coordinates of a given pair of primers on a given bioagent nucleic acid sequence and to determine the sequences, molecular masses and base compositions of an amplification product to be obtained upon amplification of nucleic acid of a known bioagent with known sequence information in the region of interest with a given pair of primers, one with ordinary skill in bioinformatics is capable of obtaining alignments of the primers of the present invention with the GenBank gi number of the relevant nucleic acid sequence of the known bioagent. For example, the reference sequence GenBank gi numbers (Table 3) provide the identities of the sequences which can be obtained from GenBank. Alignments can be done using a bioinformatics tool such as BLASTn provided to the public by NCBI (Bethesda, MD). Alternatively, a relevant GenBank sequence may be downloaded and imported into custom programmed or commercially available bioinformatics programs wherein the alignment can be carried out to determine the primer hybridization coordinates and the sequences, molecular masses and base compositions of the amplification product. For example, to obtain the hybridization coordinates of primer pair number 2095 (SEQ ID NOs: 456:1261), First the forward primer (SEQ ID NO: 456) is subjected to a BLASTn search on the publicly available NCBI BLAST website. "RefSeq_Genomic" is chosen as the BLAST database since the gi numbers refer to genomic sequences. The BLAST query is then performed. Among the top results returned is a match to GenBank gi number 21281729 (Accession Number NC_003923). The result shown below, indicates that the forward primer hybridizes to positions 1530282..1530307 of the genomic sequence of *Staphylococcus aureus* subsp. aureus MW2 (represented by gi number 21281729).

Staphylococcus aureus subsp. aureus MW2, complete genome
Length=2820462

Features in this part of subject sequence:

Panton-Valentine leukocidin chain F precursor

Score = 52.0 bits (26), Expect = 2e-05
Identities = 26/26 (100%), Gaps = 0/26 (0%)

VALS_EC	vals (Valyl-tRNA synthetase)	<i>Escherichia coli</i>	16127994
ASPS_EC	aspS (Aspartyl-tRNA synthetase)	<i>Escherichia coli</i>	16127994
CAFI_AF053947	cafi (capsular protein cafi)	<i>Yersinia pestis</i>	2996286
INV_U22457	inv (invasin)	<i>Yersinia pestis</i>	1256565
LL_NC003143	<i>Y. pestis</i> specific chromosomal genes - difference region	<i>Yersinia pestis</i>	16120353
BONTA_X52066	BoNT/A (neurotoxin type A)	<i>Clostridium botulinum</i>	40381
MECA_Y14051	mecA methicillin resistance gene	<i>Staphylococcus aureus</i>	2791983
TRPE_AY094355	trpE (anthranilate synthase (large component))	<i>Acinetobacter baumannii</i>	20853695
RECA_AF251469	recA (recombinase A)	<i>Acinetobacter baumannii</i>	9965210
GYRA_AF100557	gyrA (DNA gyrase subunit A)	<i>Acinetobacter baumannii</i>	4240540
GYRB_AB008700	gyrB (DNA gyrase subunit B)	<i>Acinetobacter baumannii</i>	4514436
WAAA_Z96925	waaA (3-deoxy-D-manno-octulosonic-acid transferase)	<i>Acinetobacter baumannii</i>	2765828
CJST_CJ	Artificial Sequence Concatenation comprising: tkt (transketolase) glyA (serine hydroxymethyltransferase) gltA (citrate synthase) aspA (aspartate ammonia lyase) glnA (glutamine synthase) pgm (phosphoglycerate mutase) uncA (ATP synthetase alpha chain)	Artificial Sequence* - partial gene sequences of <i>Campylobacter jejuni</i>	15791399
RNASEP_BDP	RNase P (ribonuclease P)	<i>Bordetella pertussis</i>	33591275
RNASEP_BKM	RNase P (ribonuclease P)	<i>Burkholderia mallei</i>	53723370
RNASEP_BS	RNase P (ribonuclease P)	<i>Bacillus subtilis</i>	16077068
RNASEP_CLB	RNase P (ribonuclease P)	<i>Clostridium perfringens</i>	18308982
RNASEP_EC	RNase P (ribonuclease P)	<i>Escherichia coli</i>	16127994
RNASEP_RKP	RNase P (ribonuclease P)	<i>Rickettsia prowazekii</i>	15603881
RNASEP_SA	RNase P (ribonuclease P)	<i>Staphylococcus aureus</i>	15922990
RNASEP_VBC	RNase P (ribonuclease P)	<i>Vibrio cholerae</i>	15640032
ICD_CXB	icd (isocitrate dehydrogenase)	<i>Coxiella burnetii</i>	29732244
IS1111A	multi-locus IS1111A insertion element	<i>Acinetobacter baumannii</i>	29732244
OMPA_AY485227	ompA (outer membrane protein A)	<i>Rickettsia prowazekii</i>	40287451
OMP_B_RKP	ompB (outer membrane protein B)	<i>Rickettsia prowazekii</i>	15603881
GLTA_RKP	gltA (citrate synthase)	<i>Vibrio cholerae</i>	15603881
TOXR_VBC	toxR (transcription regulator toxR)	<i>Francisella tularensis</i>	15640032
ASD_FRT	asd (Aspartate semialdehyde dehydrogenase)	<i>Francisella tularensis</i>	56707187
GALE_FRT	galE (UDP-glucose 4-epimerase)	<i>Shigella flexneri</i>	56707187
IPAH_SGF	ipaH (invasion plasmid antigen)	<i>Campylobacter jejuni</i>	30061571
HUPB_CJ	hupB (DNA-binding protein Hu-beta)	<i>Coxiella burnetii</i>	15791399
AB_MLST	Artificial Sequence Concatenation comprising: trpE (anthranilate synthase component)	Artificial Sequence* - partial gene	Sequenced in-house (SEQ ID NO: 1444)

	I)) adk (adenylate kinase) mutY (adenine glycosylase) fumC (fumarate hydratase) efp (elongation factor p) ppa (pyrophosphate phospho- hydratase)	sequences of Acinetobacter baumannii	
MUPR X75439	mupR (mupriocin resistance gene)	Staphylococcus aureus	438226
PARC X95819	parC (topoisomerase IV)	Acinetobacter baumannii	1212748
SED M28521	sed (enterotoxin D)	Staphylococcus aureus	1492109
PLA AF053945	pla (plasminogen activator)	Yersinia pestis	2996216
SEJ AF053140	sej (enterotoxin J)	Staphylococcus aureus	3372540
GYRA NC000912	gyrA (DNA gyrase subunit A)	Mycoplasma pneumoniae	13507739
ACS NC002516	acsA (Acetyl CoA Synthase)	Pseudomonas aeruginosa	15595198
ARO NC002516	aroE (shikimate 5-dehydrogenase)	Pseudomonas aeruginosa	15595198
GUA NC002516	guaA (GMP synthase)	Pseudomonas aeruginosa	15595198
MUT NC002516	mutL (DNA mismatch repair protein)	Pseudomonas aeruginosa	15595198
NUO NC002516	nuoD (NADH dehydrogenase I chain C, D)	Pseudomonas aeruginosa	15595198
PPS NC002516	ppsA (Phosphoenolpyruvate synthase)	Pseudomonas aeruginosa	15595198
TRP NC002516	trpE (Anthranilate synthetase component I)	Pseudomonas aeruginosa	15595198
OMP2 NC000117	ompB (outer membrane protein B)	Chlamydia trachomatis	15604717
OMPA NC000117	ompA (outer membrane protein B)	Chlamydia trachomatis	15604717
GYRA NC000117	gyrA (DNA gyrase subunit A)	Chlamydia trachomatis	15604717
CTXA NC002505	ctxA (Cholera toxin A subunit)	Vibrio cholerae	15640032
CTXB NC002505	ctxB (Cholera toxin B subunit)	Vibrio cholerae	15640032
FUR NC002505	fur (ferric uptake regulator protein)	Vibrio cholerae	15640032
GAPA NC 002505	gapA (glyceraldehyde-3-phosphate dehydrogenase)	Vibrio cholerae	15640032
GYRB NC002505	gyrB (DNA gyrase subunit B)	Vibrio cholerae	15640032
OMPU NC002505	ompU (outer membrane protein)	Vibrio cholerae	15640032
TCPA NC002505	tcpA (toxin-coregulated pilus)	Vibrio cholerae	15640032
ASPA NC002163	aspA (aspartate ammonia lyase)	Campylobacter jejuni	15791399
GLNA NC002163	glnA (glutamine synthetase)	Campylobacter jejuni	15791399
GLTA NC002163	gltA (glutamate synthase)	Campylobacter jejuni	15791399
GLYA NC002163	glyA (serine hydroxymethyltransferase)	Campylobacter jejuni	15791399
PGM NC002163	pgm (phosphoglyceromutase)	Campylobacter jejuni	15791399
TKT NC002163	tkt (transketolase)	Campylobacter jejuni	15791399
UNCA NC002163	unca (ATP synthetase alpha chain)	Campylobacter jejuni	15791399
AGR-III NC003923	agr-III (accessory gene regulator-III)	Staphylococcus aureus	21281729
ARCC NC003923	arcC (carbamate kinase)	Staphylococcus aureus	21281729
ARO E NC003923	aroE (shikimate 5-dehydrogenase)	Staphylococcus	21281729

		<i>aureus</i>	
BSA-A NC003923	bsa-a (glutathione peroxidase)	<i>Staphylococcus aureus</i>	21281729
BSA-B NC003923	bsa-b (epidermin biosynthesis protein EpiB)	<i>Staphylococcus aureus</i>	21281729
GLPF NC003923	glpF (glycerol transporter)	<i>Staphylococcus aureus</i>	21281729
GMK NC003923	gmK (guanylate kinase)	<i>Staphylococcus aureus</i>	21281729
MECI-R NC003923	mecR1 (truncated methicillin resistance protein)	<i>Staphylococcus aureus</i>	21281729
PTA NC003923	pta (phosphate acetyltransferase)	<i>Staphylococcus aureus</i>	21281729
PVLUK NC003923	pvluk (Panton-Valentine leukocidin chain F precursor)	<i>Staphylococcus aureus</i>	21281729
SA442 NC003923	sa442 gene	<i>Staphylococcus aureus</i>	21281729
SEA NC003923	sea (staphylococcal enterotoxin A precursor)	<i>Staphylococcus aureus</i>	21281729
SEC NC003923	sec4 (enterotoxin type C precursor)	<i>Staphylococcus aureus</i>	21281729
TPI NC003923	tpi (triosephosphate isomerase)	<i>Staphylococcus aureus</i>	21281729
YQI NC003923	yqi (acetyl-CoA C-acetyltransferase homologue)	<i>Staphylococcus aureus</i>	21281729
GALE AF513299	galE (galactose epimerase)	<i>Francisella tularensis</i>	23506418
VVHA NC004460	vVhA (cytotoxin, cytolysin precursor)	<i>Vibrio vulnificus</i>	27366463
TDH NC004605	tdh (thermostable direct hemolysin A)	<i>Vibrio parahaemolyticus</i>	28899855
AGR-II NC002745	agr-II (accessory gene regulator-II)	<i>Staphylococcus aureus</i>	29165615
PARC NC003997	parC (topoisomerase IV)	<i>Bacillus anthracis</i>	30260195
GYRA AY291534	gyrA (DNA gyrase subunit A)	<i>Bacillus anthracis</i>	31323274
AGR-I AJ617706	agr-I (accessory gene regulator-I)	<i>Staphylococcus aureus</i>	46019543
AGR-IV AJ617711	agr-IV (accessory gene regulator-III)	<i>Staphylococcus aureus</i>	46019563
BLAZ NC002952	blaZ (beta lactamase III)	<i>Staphylococcus aureus</i>	49482253
ERMA NC002952	ermA (rRNA methyltransferase A)	<i>Staphylococcus aureus</i>	49482253
ERMB Y13600	ermB (rRNA methyltransferase B)	<i>Staphylococcus aureus</i>	49482253
SEA-SEE NC002952	sea (staphylococcal enterotoxin A precursor)	<i>Staphylococcus aureus</i>	49482253
SEA-SEE NC002952	sea (staphylococcal enterotoxin A precursor)	<i>Staphylococcus aureus</i>	49482253
SEE NC002952	sea (staphylococcal enterotoxin A precursor)	<i>Staphylococcus aureus</i>	49482253
SEH NC002953	seh (staphylococcal enterotoxin H)	<i>Staphylococcus aureus</i>	49484912
ERMC NC005908	ermC (rRNA methyltransferase C)	<i>Staphylococcus aureus</i>	49489772
MUTS AY698802	mutS (DNA mismatch repair protein)	<i>Shigella boydii</i>	52698233
NUC NC002758	nuc (staphylococcal nuclease)	<i>Staphylococcus aureus</i>	57634611
SEB NC002758	seb (enterotoxin type B precursor)	<i>Staphylococcus aureus</i>	57634611
SEG NC002758	seg (staphylococcal enterotoxin G)	<i>Staphylococcus aureus</i>	57634611
SEI NC002758	sei (staphylococcal enterotoxin I)	<i>Staphylococcus aureus</i>	57634611
TSST NC002758	tsst (toxic shock syndrome toxin-1)	<i>Staphylococcus aureus</i>	57634611
TUFB NC002758	tufB (Elongation factor Tu)	<i>Staphylococcus aureus</i>	57634611

[373] Note: artificial reference sequences represent concatenations of partial gene extractions from the indicated reference gi number. Partial sequences were used to create the concatenated sequence because complete gene sequences were not necessary for primer design.

Example 2: Sample Preparation and PCR

[374] Genomic DNA was prepared from samples using the DNeasy Tissue Kit (Qiagen, Valencia, CA) according to the manufacturer's protocols.

[375] All PCR reactions were assembled in 50 μ L reaction volumes in a 96-well microtiter plate format using a Packard MP11 liquid handling robotic platform and MJ Dyad thermocyclers (MJ research, Waltham, MA) or Eppendorf Mastercycler thermocyclers (Eppendorf, Westbury, NY). The PCR reaction mixture consisted of 4 units of Amplitaq Gold, 1x buffer II (Applied Biosystems, Foster City, CA), 1.5 mM MgCl₂, 0.4 M betaine, 800 μ M dNTP mixture and 250 nM of each primer. The following typical PCR conditions were used: 95°C for 10 min followed by 8 cycles of 95°C for 30 seconds, 48°C for 30 seconds, and 72°C 30 seconds with the 48°C annealing temperature increasing 0.9°C with each of the eight cycles. The PCR was then continued for 37 additional cycles of 95°C for 15 seconds, 56°C for 20 seconds, and 72°C 20 seconds.

Example 3: Purification of PCR Products for Mass Spectrometry with Ion Exchange Resin-Magnetic Beads

[376] For solution capture of nucleic acids with ion exchange resin linked to magnetic beads, 25 μ L of a 2.5 mg/mL suspension of BioClone amine terminated superparamagnetic beads were added to 25 to 50 μ L of a PCR (or RT-PCR) reaction containing approximately 10 pM of a typical PCR amplification product. The above suspension was mixed for approximately 5 minutes by vortexing or pipetting, after which the liquid was removed after using a magnetic separator. The beads containing bound PCR amplification product were then washed three times with 50mM ammonium bicarbonate/50% MeOH or 100mM ammonium bicarbonate/50% MeOH, followed by three more washes with 50% MeOH. The bound PCR amplicon was eluted with a solution of 25mM piperidine, 25mM imidazole, 35% MeOH which included peptide calibration standards.

Example 4: Mass Spectrometry and Base Composition Analysis

[377] The ESI-FTICR mass spectrometer is based on a Bruker Daltonics (Billerica, MA) Apex II 70e electrospray ionization Fourier transform ion cyclotron resonance mass spectrometer that employs an actively shielded 7 Tesla superconducting magnet. The active shielding constrains the majority of the fringing magnetic field from the superconducting magnet to a relatively small volume. Thus,

components that might be adversely affected by stray magnetic fields, such as CRT monitors, robotic components, and other electronics, can operate in close proximity to the FTICR spectrometer. All aspects of pulse sequence control and data acquisition were performed on a 600 MHz Pentium II data station running Bruker's Xmass software under Windows NT 4.0 operating system. Sample aliquots, typically 15 μ l, were extracted directly from 96-well microtiter plates using a CTC HTS PAL autosampler (LEAP Technologies, Carrboro, NC) triggered by the FTICR data station. Samples were injected directly into a 10 μ l sample loop integrated with a fluidics handling system that supplies the 100 μ l/hr flow rate to the ESI source. Ions were formed via electrospray ionization in a modified Analytica (Branford, CT) source employing an off axis, grounded electrospray probe positioned approximately 1.5 cm from the metalized terminus of a glass desolvation capillary. The atmospheric pressure end of the glass capillary was biased at 6000 V relative to the ESI needle during data acquisition. A counter-current flow of dry N₂ was employed to assist in the desolvation process. Ions were accumulated in an external ion reservoir comprised of an rf-only hexapole, a skimmer cone, and an auxiliary gate electrode, prior to injection into the trapped ion cell where they were mass analyzed. Ionization duty cycles greater than 99% were achieved by simultaneously accumulating ions in the external ion reservoir during ion detection. Each detection event consisted of 1M data points digitized over 2.3 s. To improve the signal-to-noise ratio (S/N), 32 scans were co-added for a total data acquisition time of 74 s.

[378] The ESI-TOF mass spectrometer is based on a Bruker Daltonics MicroTOF™. Ions from the ESI source undergo orthogonal ion extraction and are focused in a reflectron prior to detection. The TOF and FTICR are equipped with the same automated sample handling and fluidics described above. Ions are formed in the standard MicroTOF™ ESI source that is equipped with the same off-axis sprayer and glass capillary as the FTICR ESI source. Consequently, source conditions were the same as those described above. External ion accumulation was also employed to improve ionization duty cycle during data acquisition. Each detection event on the TOF was comprised of 75,000 data points digitized over 75 μ s.

[379] The sample delivery scheme allows sample aliquots to be rapidly injected into the electrospray source at high flow rate and subsequently be electrosprayed at a much lower flow rate for improved ESI sensitivity. Prior to injecting a sample, a bolus of buffer was injected at a high flow rate to rinse the transfer line and spray needle to avoid sample contamination/carryover. Following the rinse step, the autosampler injected the next sample and the flow rate was switched to low flow. Following a brief equilibration delay, data acquisition commenced. As spectra were co-added, the autosampler continued rinsing the syringe and picking up buffer to rinse the injector and sample transfer line. In general, two syringe rinses and one injector rinse were required to minimize sample carryover. During a

routine screening protocol a new sample mixture was injected every 106 seconds. More recently a fast wash station for the syringe needle has been implemented which, when combined with shorter acquisition times, facilitates the acquisition of mass spectra at a rate of just under one spectrum/minute.

[380] Raw mass spectra were post-calibrated with an internal mass standard and deconvoluted to monoisotopic molecular masses. Unambiguous base compositions were derived from the exact mass measurements of the complementary single-stranded oligonucleotides. Quantitative results are obtained by comparing the peak heights with an internal PCR calibration standard present in every PCR well at 500 molecules per well. Calibration methods are commonly owned and disclosed in U.S. Provisional Patent Application Serial No. 60/545,425 which is incorporated herein by reference in entirety.

Example 5: *De Novo* Determination of Base Composition of Amplification Products using Molecular Mass Modified Deoxynucleotide Triphosphates

[381] Because the molecular masses of the four natural nucleobases have a relatively narrow molecular mass range (A = 313.058, G = 329.052, C = 289.046, T = 304.046 – See Table 4), a persistent source of ambiguity in assignment of base composition can occur as follows: two nucleic acid strands having different base composition may have a difference of about 1 Da when the base composition difference between the two strands is G ↔ A (-15.994) combined with C ↔ T (+15.000). For example, one 99-mer nucleic acid strand having a base composition of A₂₇G₃₀C₂₁T₂₁ has a theoretical molecular mass of 30779.058 while another 99-mer nucleic acid strand having a base composition of A₂₆G₃₁C₂₂T₂₀ has a theoretical molecular mass of 30780.052. A 1 Da difference in molecular mass may be within the experimental error of a molecular mass measurement and thus, the relatively narrow molecular mass range of the four natural nucleobases imposes an uncertainty factor.

[382] The present invention provides for a means for removing this theoretical 1 Da uncertainty factor through amplification of a nucleic acid with one mass-tagged nucleobase and three natural nucleobases. The term “nucleobase” as used herein is synonymous with other terms in use in the art including “nucleotide,” “deoxynucleotide,” “nucleotide residue,” “deoxynucleotide residue,” “nucleotide triphosphate (NTP),” or deoxynucleotide triphosphate (dNTP).

[383] Addition of significant mass to one of the 4 nucleobases (dNTPs) in an amplification reaction, or in the primers themselves, will result in a significant difference in mass of the resulting amplification product (significantly greater than 1 Da) arising from ambiguities arising from the G ↔ A combined with C ↔ T event (Table 4). Thus, the same the G ↔ A (-15.994) event combined with 5-Iodo-C ↔ T (-110.900) event would result in a molecular mass difference of 126.894. If the molecular mass of the

base composition $A_{27}G_{30}$ **5-Iodo-C** $_2T_{21}$ (33422.958) is compared with $A_{26}G_{31}$ **5-Iodo-C** $_2T_{20}$, (33549.852) the theoretical molecular mass difference is +126.894. The experimental error of a molecular mass measurement is not significant with regard to this molecular mass difference. Furthermore, the only base composition consistent with a measured molecular mass of the 99-mer nucleic acid is $A_{27}G_{30}$ **5-Iodo-C** $_2T_{21}$. In contrast, the analogous amplification without the mass tag has 18 possible base compositions.

Table 4: Molecular Masses of Natural Nucleobases and the Mass-Modified Nucleobase 5-Iodo-C and Molecular Mass Differences Resulting from Transitions

Nucleobase	Molecular Mass	Transition	Δ Molecular Mass
A	313.058	A-->T	-9.012
A	313.058	A-->C	-24.012
A	313.058	A-->5-Iodo-C	101.888
A	313.058	A-->G	15.994
T	304.046	T-->A	9.012
T	304.046	T-->C	-15.000
T	304.046	T-->5-Iodo-C	110.900
T	304.046	T-->G	25.006
C	289.046	C-->A	24.012
C	289.046	C-->T	15.000
C	289.046	C-->G	40.006
5-Iodo-C	414.946	5-Iodo-C-->A	-101.888
5-Iodo-C	414.946	5-Iodo-C-->T	-110.900
5-Iodo-C	414.946	5-Iodo-C-->G	-85.894
G	329.052	G-->A	-15.994
G	329.052	G-->T	-25.006
G	329.052	G-->C	-40.006
G	329.052	G-->5-Iodo-C	85.894

[384] Mass spectra of bioagent-identifying amplicons were analyzed independently using a maximum-likelihood processor, such as is widely used in radar signal processing. This processor, referred to as GenX, first makes maximum likelihood estimates of the input to the mass spectrometer for each primer by running matched filters for each base composition aggregate on the input data. This includes the GenX response to a calibrant for each primer.

[385] The algorithm emphasizes performance predictions culminating in probability-of-detection versus probability-of-false-alarm plots for conditions involving complex backgrounds of naturally occurring organisms and environmental contaminants. Matched filters consist of *a priori* expectations of signal values given the set of primers used for each of the bioagents. A genomic sequence database is

used to define the mass base count matched filters. The database contains the sequences of known bacterial bioagents and includes threat organisms as well as benign background organisms. The latter is used to estimate and subtract the spectral signature produced by the background organisms. A maximum likelihood detection of known background organisms is implemented using matched filters and a running-sum estimate of the noise covariance. Background signal strengths are estimated and used along with the matched filters to form signatures which are then subtracted. The maximum likelihood process is applied to this “cleaned up” data in a similar manner employing matched filters for the organisms and a running-sum estimate of the noise-covariance for the cleaned up data.

[386] The amplitudes of all base compositions of bioagent-identifying amplicons for each primer are calibrated and a final maximum likelihood amplitude estimate per organism is made based upon the multiple single primer estimates. Models of all system noise are factored into this two-stage maximum likelihood calculation. The processor reports the number of molecules of each base composition contained in the spectra. The quantity of amplification product corresponding to the appropriate primer set is reported as well as the quantities of primers remaining upon completion of the amplification reaction.

[387] Base count blurring can be carried out as follows. “Electronic PCR” can be conducted on nucleotide sequences of the desired bioagents to obtain the different expected base counts that could be obtained for each primer pair. See for example, ncbi.nlm.nih.gov/sutils/e-pcr/; Schuler, *Genome Res.* 7:541-50, 1997. In one illustrative embodiment, one or more spreadsheets, such as Microsoft Excel workbooks contain a plurality of worksheets. First in this example, there is a worksheet with a name similar to the workbook name; this worksheet contains the raw electronic PCR data. Second, there is a worksheet named “filtered bioagents base count” that contains bioagent name and base count; there is a separate record for each strain after removing sequences that are not identified with a genus and species and removing all sequences for bioagents with less than 10 strains. Third, there is a worksheet, “Sheet1” that contains the frequency of substitutions, insertions, or deletions for this primer pair. This data is generated by first creating a pivot table from the data in the “filtered bioagents base count” worksheet and then executing an Excel VBA macro. The macro creates a table of differences in base counts for bioagents of the same species, but different strains. One of ordinary skill in the art may understand additional pathways for obtaining similar table differences without undo experimentation.

[388] Application of an exemplary script, involves the user defining a threshold that specifies the fraction of the strains that are represented by the reference set of base counts for each bioagent. The reference set of base counts for each bioagent may contain as many different base counts as are needed

to meet or exceed the threshold. The set of reference base counts is defined by taking the most abundant strain's base type composition and adding it to the reference set and then the next most abundant strain's base type composition is added until the threshold is met or exceeded. The current set of data was obtained using a threshold of 55%, which was obtained empirically.

[389] For each base count not included in the reference base count set for that bioagent, the script then proceeds to determine the manner in which the current base count differs from each of the base counts in the reference set. This difference may be represented as a combination of substitutions, $S_i=X_i$, and insertions, $I_i=Y_i$, or deletions, $D_i=Z_i$. If there is more than one reference base count, then the reported difference is chosen using rules that aim to minimize the number of changes and, in instances with the same number of changes, minimize the number of insertions or deletions. Therefore, the primary rule is to identify the difference with the minimum sum (X_i+Y_i) or (X_i+Z_i) , e.g., one insertion rather than two substitutions. If there are two or more differences with the minimum sum, then the one that will be reported is the one that contains the most substitutions.

[390] Differences between a base count and a reference composition are categorized as one, two, or more substitutions, one, two, or more insertions, one, two, or more deletions, and combinations of substitutions and insertions or deletions. The different classes of nucleobase changes and their probabilities of occurrence have been delineated in U.S. Patent Application Publication No. 2004209260 (U.S. Application Serial No. 10/418,514) which is incorporated herein by reference in entirety.

Example 6: Use of Broad Range Survey and Division Wide Primer Pairs for Identification of Bacteria in an Epidemic Surveillance Investigation

[391] This investigation employed a set of 16 primer pairs which is herein designated the "surveillance primer set" and comprises broad range survey primer pairs, division wide primer pairs and a single *Bacillus* clade primer pair. The surveillance primer set is shown in Table 5 and consists of primer pairs originally listed in Table 2. This surveillance set comprises primers with T modifications (note TMOD designation in primer names) which constitutes a functional improvement with regard to prevention of non-templated adenylation (*vide supra*) relative to originally selected primers which are displayed below in the same row. Primer pair 449 (non-T modified) has been modified twice. Its predecessors are primer pairs 70 and 357, displayed below in the same row. Primer pair 360 has also been modified twice and its predecessors are primer pairs 17 and 118.

Table 5: Bacterial Primer Pairs of the Surveillance Primer Set

Primer Pair	Forward Primer Name	Forward Primer	Reverse Primer Name	Reverse Primer	Target Gene
-------------	---------------------	----------------	---------------------	----------------	-------------

No.		(SEQ ID NO:)		(SEQ ID NO:)	
346	16S_EC_713_732_TMOD_F	202	16S_EC_789_809_TMOD_R	1110	16S rRNA
10	16S_EC_713_732_F	21	16S_EC_789_809	798	16S rRNA
347	16S_EC_785_806_TMOD_F	560	16S_EC_880_897_TMOD_R	1278	16S rRNA
11	16S_EC_785_806_F	118	16S_EC_880_897_R	830	16S rRNA
348	16S_EC_960_981_TMOD_F	706	16S_EC_1054_1073_TMOD_R	895	16S rRNA
14	16S_EC_960_981_F	672	16S_EC_1054_1073_R	735	16S rRNA
349	23S_EC_1826_1843_TMOD_F	401	23S_EC_1906_1924_TMOD_R	1156	23S rRNA
16	23S_EC_1826_1843_F	80	23S_EC_1906_1924_R	805	23S rRNA
352	INFB_EC_1365_1393_TMOD_F	687	INFB_EC_1439_1467_TMOD_R	1411	infB
34	INFB_EC_1365_1393_F	524	INFB_EC_1439_1467_R	1248	infB
354	RPOC_EC_2218_2241_TMOD_F	405	RPOC_EC_2313_2337_TMOD_R	1072	rpoC
52	RPOC_EC_2218_2241_F	81	RPOC_EC_2313_2337_R	790	rpoC
355	SSPE_BA_115_137_TMOD_F	255	SSPE_BA_197_222_TMOD_R	1402	sspE
58	SSPE_BA_115_137_F	45	SSPE_BA_197_222_R	1201	sspE
356	RPLB_EC_650_679_TMOD_F	232	RPLB_EC_739_762_TMOD_R	592	rplB
66	RPLB_EC_650_679_F	98	RPLB_EC_739_762_R	999	rplB
358	VALS_EC_1105_1124_TMOD_F	385	VALS_EC_1195_1218_TMOD_R	1093	valS
71	VALS_EC_1105_1124_F	77	VALS_EC_1195_1218_R	795	valS
359	RPOB_EC_1845_1866_TMOD_F	659	RPOB_EC_1909_1929_TMOD_R	1250	rpoB
72	RPOB_EC_1845_1866_F	233	RPOB_EC_1909_1929_R	825	rpoB
360	23S_EC_2646_2667_TMOD_F	409	23S_EC_2745_2765_TMOD_R	1434	23S rRNA
118	23S_EC_2646_2667_F	84	23S_EC_2745_2765_R	1389	23S rRNA
17	23S_EC_2645_2669_F	408	23S_EC_2744_2761_R	1252	23S rRNA
361	16S_EC_1090_1111_2_TMOD_F	697	16S_EC_1175_1196_TMOD_R	1398	16S rRNA
3	16S_EC_1090_1111_2_F	651	16S_EC_1175_1196_R	1159	16S rRNA
362	RPOB_EC_3799_3821_TMOD_F	581	RPOB_EC_3862_3888_TMOD_R	1325	rpoB
289	RPOB_EC_3799_3821_F	124	RPOB_EC_3862_3888_R	840	rpoB
363	RPOC_EC_2146_2174_TMOD_F	284	RPOC_EC_2227_2245_TMOD_R	898	rpoC
290	RPOC_EC_2146_2174_F	52	RPOC_EC_2227_2245_R	736	rpoC
367	TUFB_EC_957_979_TMOD_F	308	TUFB_EC_1034_1058_TMOD_R	1276	tufB
293	TUFB_EC_957_979_F	55	TUFB_EC_1034_1058_R	829	tufB
449	RPLB_EC_690_710_F	309	RPLB_EC_737_758_R	1336	rplB
357	RPLB_EC_688_710_TMOD_F	296	RPLB_EC_736_757_TMOD_R	1337	rplB
67	RPLB_EC_688_710_F	54	RPLB_EC_736_757_R	842	rplB

[392] The 16 primer pairs of the surveillance set are used to produce bioagent identifying amplicons whose base compositions are sufficiently different amongst all known bacteria at the species level to identify, at a reasonable confidence level, any given bacterium at the species level. As shown in Tables 6A-E, common respiratory bacterial pathogens can be distinguished by the base compositions of bioagent identifying amplicons obtained using the 16 primer pairs of the surveillance set. In some cases, triangulation identification improves the confidence level for species assignment. For example, nucleic acid from *Streptococcus pyogenes* can be amplified by nine of the sixteen surveillance primer pairs and *Streptococcus pneumoniae* can be amplified by ten of the sixteen surveillance primer pairs. The base

compositions of the bioagent identifying amplicons are identical for only one of the analogous bioagent identifying amplicons and differ in all of the remaining analogous bioagent identifying amplicons by up to four bases per bioagent identifying amplicon. The resolving power of the surveillance set was confirmed by determination of base compositions for 120 isolates of respiratory pathogens representing 70 different bacterial species and the results indicated that natural variations (usually only one or two base substitutions per bioagent identifying amplicon) amongst multiple isolates of the same species did not prevent correct identification of major pathogenic organisms at the species level.

[393] *Bacillus anthracis* is a well known biological warfare agent which has emerged in domestic terrorism in recent years. Since it was envisioned to produce bioagent identifying amplicons for identification of *Bacillus anthracis*, additional drill-down analysis primers were designed to target genes present on virulence plasmids of *Bacillus anthracis* so that additional confidence could be reached in positive identification of this pathogenic organism. Three drill-down analysis primers were designed and are listed in Tables 2 and 6. In Table 6, the drill-down set comprises primers with T modifications (note TMOD designation in primer names) which constitutes a functional improvement with regard to prevention of non-templated adenylation (*vide supra*) relative to originally selected primers which are displayed below in the same row.

Table 6: Drill-Down Primer Pairs for Confirmation of Identification of *Bacillus anthracis*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
350	CAPC_BA_274_303_TMOD_F	476	CAPC_BA_349_376_TMOD_R	1314	capC
24	CAPC_BA_274_303_F	109	CAPC_BA_349_376_R	837	capC
351	CYA_BA_1353_1379_TMOD_F	355	CYA_BA_1448_1467_TMOD_R	1423	cyA
30	CYA_BA_1353_1379_F	64	CYA_BA_1448_1467_R	1342	cyA
353	LEF_BA_756_781_TMOD_F	220	LEF_BA_843_872_TMOD_R	1394	lef
37	LEF_BA_756_781_F	26	LEF_BA_843_872_R	1135	lef

[394] Phylogenetic coverage of bacterial space of the sixteen surveillance primers of Table 5 and the three *Bacillus anthracis* drill-down primers of Table 6 is shown in Figure 3 which lists common pathogenic bacteria. Figure 3 is not meant to be comprehensive in illustrating all species identified by the primers. Only pathogenic bacteria are listed as representative examples of the bacterial species that can be identified by the primers and methods of the present invention. Nucleic acid of groups of bacteria enclosed within the polygons of Figure 3 can be amplified to obtain bioagent identifying amplicons using the primer pair numbers listed in the upper right hand corner of each polygon. Primer coverage for polygons within polygons is additive. As an illustrative example, bioagent identifying amplicons can be obtained for *Chlamydia trachomatis* by amplification with, for example, primer pairs 346-349, 360 and

361, but not with any of the remaining primers of the surveillance primer set. On the other hand, bioagent identifying amplicons can be obtained from nucleic acid originating from *Bacillus anthracis* (located within 5 successive polygons) using, for example, any of the following primer pairs: 346-349, 360, 361 (base polygon), 356, 449 (second polygon), 352 (third polygon), 355 (fourth polygon), 350, 351 and 353 (fifth polygon). Multiple coverage of a given organism with multiple primers provides for increased confidence level in identification of the organism as a result of enabling broad triangulation identification.

[395] In Tables 7A-E, base compositions of respiratory pathogens for primer target regions are shown. Two entries in a cell, represent variation in ribosomal DNA operons. The most predominant base composition is shown first and the minor (frequently a single operon) is indicated by an asterisk (*). Entries with NO DATA mean that the primer would not be expected to prime this species due to mismatches between the primer and target region, as determined by theoretical PCR.

Table 7A – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 346, 347 and 348

Organism	Strain	Primer 346 [A G C T]	Primer 347 [A G C T]	Primer 348 [A G C T]
<i>Klebsiella pneumoniae</i>	MGH78578	[29 32 25 13] [29 31 25 13]*	[23 38 28 26] [23 37 28 26]*	[26 32 28 30] [26 31 28 30]*
<i>Yersinia pestis</i>	CO-92 Biovar Orientalis	[29 32 25 13]	[22 39 28 26]	[29 30 28 29] [30 30 27 29]*
<i>Yersinia pestis</i>	KIM5 P12 (Biovar Mediaevalis)	[29 32 25 13]	[22 39 28 26]	[29 30 28 29] [30 30 27 29]*
<i>Yersinia pestis</i>	91001	[29 32 25 13]	[22 39 28 26]	[29 30 28 29] [30 30 27 29]*
<i>Haemophilus influenzae</i>	KW20	[28 31 23 17]	[24 37 25 27]	[29 30 28 29]
<i>Pseudomonas aeruginosa</i>	PAO1	[30 31 23 15]	[26 36 29 24] [27 36 29 23]*	[26 32 29 29]
<i>Pseudomonas fluorescens</i>	Pf0-1	[30 31 23 15]	[26 35 29 25]	[28 31 28 29]
<i>Pseudomonas putida</i>	KT2440	[30 31 23 15]	[28 33 27 27]	[27 32 29 28]
<i>Legionella pneumophila</i>	Philadelphia-1	[30 30 24 15]	[33 33 23 27]	[29 28 28 31]
<i>Francisella tularensis</i>	schu 4	[32 29 22 16]	[28 38 26 26]	[25 32 28 31]
<i>Bordetella pertussis</i>	Tohama I	[30 29 24 16]	[23 37 30 24]	[30 32 30 26]
<i>Burkholderia cepacia</i>	J2315	[29 29 27 14]	[27 32 26 29]	[27 36 31 24] [20 42 35 19]*
<i>Burkholderia pseudomallei</i>	K96243	[29 29 27 14]	[27 32 26 29]	[27 36 31 24]
<i>Neisseria gonorrhoeae</i>	FA 1090, ATCC 700825	[29 28 24 18]	[27 34 26 28]	[24 36 29 27]
<i>Neisseria meningitidis</i>	MC58 (serogroup B)	[29 28 26 16]	[27 34 27 27]	[25 35 30 26]
<i>Neisseria meningitidis</i>	serogroup C, FAM18	[29 28 26 16]	[27 34 27 27]	[25 35 30 26]
<i>Neisseria meningitidis</i>	Z2491 (serogroup A)	[29 28 26 16]	[27 34 27 27]	[25 35 30 26]
<i>Chlamydomphila pneumoniae</i>	TW-183	[31 27 22 19]	NO DATA	[32 27 27 29]

<i>Chlamydophila pneumoniae</i>	AR39	[31 27 22 19]	NO DATA	[32 27 27 29]
<i>Chlamydophila pneumoniae</i>	CWL029	[31 27 22 19]	NO DATA	[32 27 27 29]
<i>Chlamydophila pneumoniae</i>	J138	[31 27 22 19]	NO DATA	[32 27 27 29]
<i>Corynebacterium diphtheriae</i>	NCTC13129	[29 34 21 15]	[22 38 31 25]	[22 33 25 34]
<i>Mycobacterium avium</i>	k10	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
<i>Mycobacterium avium</i>	104	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
<i>Mycobacterium tuberculosis</i>	CSU#93	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
<i>Mycobacterium tuberculosis</i>	CDC 1551	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
<i>Mycobacterium tuberculosis</i>	H37Rv (lab strain)	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
<i>Mycoplasma pneumoniae</i>	M129	[31 29 19 20]	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	MRSA252	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [29 31 30 29] *
<i>Staphylococcus aureus</i>	MSSA476	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30] *
<i>Staphylococcus aureus</i>	COL	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30] *
<i>Staphylococcus aureus</i>	Mu50	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30] *
<i>Staphylococcus aureus</i>	MW2	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30] *
<i>Staphylococcus aureus</i>	N315	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30] *
<i>Staphylococcus aureus</i>	NCTC 8325	[27 30 21 21]	[25 35 30 26] [25 35 31 26] *	[30 29 30 29] [30 29 29 30]
<i>Streptococcus agalactiae</i>	NEM316	[26 32 23 18]	[24 36 31 25] [24 36 30 26] *	[25 32 29 30]
<i>Streptococcus equi</i>	NC_002955	[26 32 23 18]	[23 37 31 25]	[29 30 25 32]
<i>Streptococcus pyogenes</i>	MGAS8232	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
<i>Streptococcus pyogenes</i>	MGAS315	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
<i>Streptococcus pyogenes</i>	SSI-1	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
<i>Streptococcus pyogenes</i>	MGAS10394	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
<i>Streptococcus pyogenes</i>	Manfredo (M5)	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
<i>Streptococcus pyogenes</i>	SF370 (M1)	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
<i>Streptococcus pneumoniae</i>	670	[26 32 23 18]	[25 35 28 28]	[25 32 29 30]
<i>Streptococcus pneumoniae</i>	R6	[26 32 23 18]	[25 35 28 28]	[25 32 29 30]
<i>Streptococcus pneumoniae</i>	TIGR4	[26 32 23 18]	[25 35 28 28]	[25 32 30 29]
<i>Streptococcus gordonii</i>	NCTC7868	[25 33 23 18]	[24 36 31 25]	[25 31 29 31]
<i>Streptococcus mitis</i>	NCTC 12261	[26 32 23 18]	[25 35 30 26]	[25 32 29 30] [24 31 35 29] *
<i>Streptococcus mutans</i>	UA159	[24 32 24 19]	[25 37 30 24]	[28 31 26 31]

Table 7B – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 349, 360, and 356

Organism	Strain	Primer 349	Primer 360	Primer 356
----------	--------	------------	------------	------------

		[A G C T]	[A G C T]	[A G C T]
<i>Klebsiella pneumoniae</i>	MGH78578	[25 31 25 22]	[33 37 25 27]	NO DATA
<i>Yersinia pestis</i>	CO-92 Biovar Orientalis	[25 31 27 20] [25 32 26 20]*	[34 35 25 28]	NO DATA
<i>Yersinia pestis</i>	KIM5 P12 (Biovar Mediaevalis)	[25 31 27 20] [25 32 26 20]*	[34 35 25 28]	NO DATA
<i>Yersinia pestis</i>	91001	[25 31 27 20]	[34 35 25 28]	NO DATA
<i>Haemophilus influenzae</i>	KW20	[28 28 25 20]	[32 38 25 27]	NO DATA
<i>Pseudomonas aeruginosa</i>	PA01	[24 31 26 20]	[31 36 27 27] [31 36 27 28]*	NO DATA
<i>Pseudomonas fluorescens</i>	Pf0-1	NO DATA	[30 37 27 28] [30 37 27 28]	NO DATA
<i>Pseudomonas putida</i>	KT2440	[24 31 26 20]	[30 37 27 28]	NO DATA
<i>Legionella pneumophila</i>	Philadelphia-1	[23 30 25 23]	[30 39 29 24]	NO DATA
<i>Francisella tularensis</i>	schu 4	[26 31 25 19]	[32 36 27 27]	NO DATA
<i>Bordetella pertussis</i>	Tohama I	[21 29 24 18]	[33 36 26 27]	NO DATA
<i>Burkholderia cepacia</i>	J2315	[23 27 22 20]	[31 37 28 26]	NO DATA
<i>Burkholderia pseudomallei</i>	K96243	[23 27 22 20]	[31 37 28 26]	NO DATA
<i>Neisseria gonorrhoeae</i>	FA 1090, ATCC 700825	[24 27 24 17]	[34 37 25 26]	NO DATA
<i>Neisseria meningitidis</i>	MC58 (serogroup B)	[25 27 22 18]	[34 37 25 26]	NO DATA
<i>Neisseria meningitidis</i>	serogroup C, FAM18	[25 26 23 18]	[34 37 25 26]	NO DATA
<i>Neisseria meningitidis</i>	Z2491 (serogroup A)	[25 26 23 18]	[34 37 25 26]	NO DATA
<i>Chlamydomonas pneumoniae</i>	TW-183	[30 28 27 18]	NO DATA	NO DATA
<i>Chlamydomonas pneumoniae</i>	AR39	[30 28 27 18]	NO DATA	NO DATA
<i>Chlamydomonas pneumoniae</i>	CWL029	[30 28 27 18]	NO DATA	NO DATA
<i>Chlamydomonas pneumoniae</i>	J138	[30 28 27 18]	NO DATA	NO DATA
<i>Corynebacterium diphtheriae</i>	NCTC13129	NO DATA	[29 40 28 25]	NO DATA
<i>Mycobacterium avium</i>	k10	NO DATA	[33 35 32 22]	NO DATA
<i>Mycobacterium avium</i>	104	NO DATA	[33 35 32 22]	NO DATA
<i>Mycobacterium tuberculosis</i>	CSU#93	NO DATA	[30 36 34 22]	NO DATA
<i>Mycobacterium tuberculosis</i>	CDC 1551	NO DATA	[30 36 34 22]	NO DATA
<i>Mycobacterium tuberculosis</i>	H37Rv (lab strain)	NO DATA	[30 36 34 22]	NO DATA
<i>Mycoplasma pneumoniae</i>	M129	[28 30 24 19]	[34 31 29 28]	NO DATA
<i>Staphylococcus aureus</i>	MRSA252	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
<i>Staphylococcus aureus</i>	MSSA476	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
<i>Staphylococcus aureus</i>	COL	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
<i>Staphylococcus aureus</i>	Mu50	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
<i>Staphylococcus aureus</i>	MW2	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
<i>Staphylococcus aureus</i>	N315	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
<i>Staphylococcus</i>	NCTC 8325	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]

<i>aureus</i>				
<i>Streptococcus agalactiae</i>	NEM316	[28 31 22 20]	[33 37 24 28]	[37 30 28 26]
<i>Streptococcus equi</i>	NC 002955	[28 31 23 19]	[33 38 24 27]	[37 31 28 25]
<i>Streptococcus pyogenes</i>	MGAS8232	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
<i>Streptococcus pyogenes</i>	MGAS315	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
<i>Streptococcus pyogenes</i>	SSI-1	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
<i>Streptococcus pyogenes</i>	MGAS10394	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
<i>Streptococcus pyogenes</i>	Manfredo (M5)	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
<i>Streptococcus pyogenes</i>	SF370 (M1)	[28 31 22 20]*	[33 37 24 28]	[38 31 29 23]
<i>Streptococcus pneumoniae</i>	670	[28 31 22 20]	[34 36 24 28]	[37 30 29 25]
<i>Streptococcus pneumoniae</i>	R6	[28 31 22 20]	[34 36 24 28]	[37 30 29 25]
<i>Streptococcus pneumoniae</i>	TIGR4	[28 31 22 20]	[34 36 24 28]	[37 30 29 25]
<i>Streptococcus gordonii</i>	NCTC7868	[28 32 23 20]	[34 36 24 28]	[36 31 29 25]
<i>Streptococcus mitis</i>	NCTC 12261	[28 31 22 20] [29 30 22 20]*	[34 36 24 28]	[37 30 29 25]
<i>Streptococcus mutans</i>	UA159	[26 32 23 22]	[34 37 24 27]	NO DATA

Table 7C – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 449, 354, and 352

Organism	Strain	Primer 449 [A G C T]	Primer 354 [A G C T]	Primer 352 [A G C T]
<i>Klebsiella pneumoniae</i>	MGH78578	NO DATA	[27 33 36 26]	NO DATA
<i>Yersinia pestis</i>	CO-92 Biovar Orientalis	NO DATA	[29 31 33 29]	[32 28 20 25]
<i>Yersinia pestis</i>	KIM5 P12 (Biovar Mediaevalis)	NO DATA	[29 31 33 29]	[32 28 20 25]
<i>Yersinia pestis</i>	91001	NO DATA	[29 31 33 29]	NO DATA
<i>Haemophilus influenzae</i>	KW20	NO DATA	[30 29 31 32]	NO DATA
<i>Pseudomonas aeruginosa</i>	PAO1	NO DATA	[26 33 39 24]	NO DATA
<i>Pseudomonas fluorescens</i>	Pf0-1	NO DATA	[26 33 34 29]	NO DATA
<i>Pseudomonas putida</i>	KT2440	NO DATA	[25 34 36 27]	NO DATA
<i>Legionella pneumophila</i>	Philadelphia-1	NO DATA	NO DATA	NO DATA
<i>Francisella tularensis</i>	schu 4	NO DATA	[33 32 25 32]	NO DATA
<i>Bordetella pertussis</i>	Tohama I	NO DATA	[26 33 39 24]	NO DATA
<i>Burkholderia cepacia</i>	J2315	NO DATA	[25 37 33 27]	NO DATA
<i>Burkholderia pseudomallei</i>	K96243	NO DATA	[25 37 34 26]	NO DATA
<i>Neisseria gonorrhoeae</i>	FA 1090, ATCC 700825	[17 23 22 10]	[29 31 32 30]	NO DATA
<i>Neisseria meningitidis</i>	MC58 (serogroup B)	NO DATA	[29 30 32 31]	NO DATA
<i>Neisseria meningitidis</i>	serogroup C, FAM18	NO DATA	[29 30 32 31]	NO DATA

<i>Neisseria meningitidis</i>	Z2491 (serogroup A)	NO DATA	[29 30 32 31]	NO DATA
<i>Chlamydophila pneumoniae</i>	TW-183	NO DATA	NO DATA	NO DATA
<i>Chlamydophila pneumoniae</i>	AR39	NO DATA	NO DATA	NO DATA
<i>Chlamydophila pneumoniae</i>	CWL029	NO DATA	NO DATA	NO DATA
<i>Chlamydophila pneumoniae</i>	J138	NO DATA	NO DATA	NO DATA
<i>Corynebacterium diphtheriae</i>	NCTC13129	NO DATA	NO DATA	NO DATA
<i>Mycobacterium avium</i>	k10	NO DATA	NO DATA	NO DATA
<i>Mycobacterium avium</i>	104	NO DATA	NO DATA	NO DATA
<i>Mycobacterium tuberculosis</i>	CSU#93	NO DATA	NO DATA	NO DATA
<i>Mycobacterium tuberculosis</i>	CDC 1551	NO DATA	NO DATA	NO DATA
<i>Mycobacterium tuberculosis</i>	H37Rv (lab strain)	NO DATA	NO DATA	NO DATA
<i>Mycoplasma pneumoniae</i>	M129	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	MRSA252	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
<i>Staphylococcus aureus</i>	MSSA476	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
<i>Staphylococcus aureus</i>	COL	[17 20 21 17]	[30 27 30 35]	[35 24 19 27]
<i>Staphylococcus aureus</i>	Mu50	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
<i>Staphylococcus aureus</i>	MW2	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
<i>Staphylococcus aureus</i>	N315	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
<i>Staphylococcus aureus</i>	NCTC 8325	[17 20 21 17]	[30 27 30 35]	[35 24 19 27]
<i>Streptococcus agalactiae</i>	NEM316	[22 20 19 14]	[26 31 27 38]	[29 26 22 28]
<i>Streptococcus equi</i>	NC_002955	[22 21 19 13]	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	MGAS8232	[23 21 19 12]	[24 32 30 36]	NO DATA
<i>Streptococcus pyogenes</i>	MGAS315	[23 21 19 12]	[24 32 30 36]	NO DATA
<i>Streptococcus pyogenes</i>	SSI-1	[23 21 19 12]	[24 32 30 36]	NO DATA
<i>Streptococcus pyogenes</i>	MGAS10394	[23 21 19 12]	[24 32 30 36]	NO DATA
<i>Streptococcus pyogenes</i>	Manfredo (M5)	[23 21 19 12]	[24 32 30 36]	NO DATA
<i>Streptococcus pyogenes</i>	SF370 (M1)	[23 21 19 12]	[24 32 30 36]	NO DATA
<i>Streptococcus pneumoniae</i>	670	[22 20 19 14]	[25 33 29 35]	[30 29 21 25]
<i>Streptococcus pneumoniae</i>	R6	[22 20 19 14]	[25 33 29 35]	[30 29 21 25]
<i>Streptococcus pneumoniae</i>	TIGR4	[22 20 19 14]	[25 33 29 35]	[30 29 21 25]
<i>Streptococcus gordonii</i>	NCTC7868	[21 21 19 14]	NO DATA	[29 26 22 28]
<i>Streptococcus mitis</i>	NCTC 12261	[22 20 19 14]	[26 30 32 34]	NO DATA
<i>Streptococcus mutans</i>	UA159	NO DATA	NO DATA	NO DATA

Table 7D – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 355, 358, and 359

Organism	Strain	Primer 355 [A G C T]	Primer 358 [A G C T]	Primer 359 [A G C T]
<i>Klebsiella pneumoniae</i>	MGH78578	NO DATA	[24 39 33 20]	[25 21 24 17]
<i>Yersinia pestis</i>	CO-92 Biovar Orientalis	NO DATA	[26 34 35 21]	[23 23 19 22]
<i>Yersinia pestis</i>	KIM5 P12 (Biovar Mediaevalis)	NO DATA	[26 34 35 21]	[23 23 19 22]
<i>Yersinia pestis</i>	91001	NO DATA	[26 34 35 21]	[23 23 19 22]
<i>Haemophilus influenzae</i>	KW20	NO DATA	NO DATA	NO DATA
<i>Pseudomonas aeruginosa</i>	PAO1	NO DATA	NO DATA	NO DATA
<i>Pseudomonas fluorescens</i>	Pf0-1	NO DATA	NO DATA	NO DATA
<i>Pseudomonas putida</i>	KT2440	NO DATA	[21 37 37 21]	NO DATA
<i>Legionella pneumophila</i>	Philadelphia-1	NO DATA	NO DATA	NO DATA
<i>Francisella tularensis</i>	schu 4	NO DATA	NO DATA	NO DATA
<i>Bordetella pertussis</i>	Tohama I	NO DATA	NO DATA	NO DATA
<i>Burkholderia cepacia</i>	J2315	NO DATA	NO DATA	NO DATA
<i>Burkholderia pseudomallei</i>	K96243	NO DATA	NO DATA	NO DATA
<i>Neisseria gonorrhoeae</i>	FA 1090, ATCC 700825	NO DATA	NO DATA	NO DATA
<i>Neisseria meningitidis</i>	MC58 (serogroup B)	NO DATA	NO DATA	NO DATA
<i>Neisseria meningitidis</i>	serogroup C, FAM18	NO DATA	NO DATA	NO DATA
<i>Neisseria meningitidis</i>	Z2491 (serogroup A)	NO DATA	NO DATA	NO DATA
<i>Chlamydophila pneumoniae</i>	TW-183	NO DATA	NO DATA	NO DATA
<i>Chlamydophila pneumoniae</i>	AR39	NO DATA	NO DATA	NO DATA
<i>Chlamydophila pneumoniae</i>	CWL029	NO DATA	NO DATA	NO DATA
<i>Chlamydophila pneumoniae</i>	J138	NO DATA	NO DATA	NO DATA
<i>Corynebacterium diphtheriae</i>	NCTC13129	NO DATA	NO DATA	NO DATA
<i>Mycobacterium avium</i>	k10	NO DATA	NO DATA	NO DATA
<i>Mycobacterium avium</i>	104	NO DATA	NO DATA	NO DATA
<i>Mycobacterium tuberculosis</i>	CSU#93	NO DATA	NO DATA	NO DATA
<i>Mycobacterium tuberculosis</i>	CDC 1551	NO DATA	NO DATA	NO DATA
<i>Mycobacterium tuberculosis</i>	H37Rv (lab strain)	NO DATA	NO DATA	NO DATA
<i>Mycoplasma pneumoniae</i>	M129	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	MRSA252	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	MSSA476	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	COL	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	Mu50	NO DATA	NO DATA	NO DATA

<i>Staphylococcus aureus</i>	MW2	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	N315	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	NCTC 8325	NO DATA	NO DATA	NO DATA
<i>Streptococcus agalactiae</i>	NEM316	NO DATA	NO DATA	NO DATA
<i>Streptococcus equi</i>	NC 002955	NO DATA	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	MGAS8232	NO DATA	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	MGAS315	NO DATA	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	SSI-1	NO DATA	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	MGAS10394	NO DATA	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	Manfredo (M5)	NO DATA	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	SF370 (M1)	NO DATA	NO DATA	NO DATA
<i>Streptococcus pneumoniae</i>	670	NO DATA	NO DATA	NO DATA
<i>Streptococcus pneumoniae</i>	R6	NO DATA	NO DATA	NO DATA
<i>Streptococcus pneumoniae</i>	TIGR4	NO DATA	NO DATA	NO DATA
<i>Streptococcus gordonii</i>	NCTC7868	NO DATA	NO DATA	NO DATA
<i>Streptococcus mitis</i>	NCTC 12261	NO DATA	NO DATA	NO DATA
<i>Streptococcus mutans</i>	UA159	NO DATA	NO DATA	NO DATA

Table 7E – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 362, 363, and 367

Organism	Strain	Primer 362 [A G C T]	Primer 363 [A G C T]	Primer 367 [A G C T]
<i>Klebsiella pneumoniae</i>	MGH78578	[21 33 22 16]	[16 34 26 26]	NO DATA
<i>Yersinia pestis</i>	CO-92 Biovar Orientalis	[20 34 18 20]	NO DATA	NO DATA
<i>Yersinia pestis</i>	KIM5 P12 (Biovar Mediaevalis)	[20 34 18 20]	NO DATA	NO DATA
<i>Yersinia pestis</i>	91001	[20 34 18 20]	NO DATA	NO DATA
<i>Haemophilus influenzae</i>	KW20	NO DATA	NO DATA	NO DATA
<i>Pseudomonas aeruginosa</i>	PAO1	[19 35 21 17]	[16 36 28 22]	NO DATA
<i>Pseudomonas fluorescens</i>	Pf0-1	NO DATA	[18 35 26 23]	NO DATA
<i>Pseudomonas putida</i>	KT2440	NO DATA	[16 35 28 23]	NO DATA
<i>Legionella pneumophila</i>	Philadelphia-1	NO DATA	NO DATA	NO DATA
<i>Francisella tularensis</i>	schu 4	NO DATA	NO DATA	NO DATA
<i>Bordetella pertussis</i>	Tohama I	[20 31 24 17]	[15 34 32 21]	[26 25 34 19]
<i>Burkholderia cepacia</i>	J2315	[20 33 21 18]	[15 36 26 25]	[25 27 32 20]
<i>Burkholderia pseudomallei</i>	K96243	[19 34 19 20]	[15 37 28 22]	[25 27 32 20]
<i>Neisseria gonorrhoeae</i>	FA 1090, ATCC 700825	NO DATA	NO DATA	NO DATA

<i>Neisseria meningitidis</i>	MC58 (serogroup B)	NO DATA	NO DATA	NO DATA
<i>Neisseria meningitidis</i>	serogroup C, FAM18	NO DATA	NO DATA	NO DATA
<i>Neisseria meningitidis</i>	Z2491 (serogroup A)	NO DATA	NO DATA	NO DATA
<i>Chlamydomydia pneumoniae</i>	TW-183	NO DATA	NO DATA	NO DATA
<i>Chlamydomydia pneumoniae</i>	AR39	NO DATA	NO DATA	NO DATA
<i>Chlamydomydia pneumoniae</i>	CWL029	NO DATA	NO DATA	NO DATA
<i>Chlamydomydia pneumoniae</i>	J138	NO DATA	NO DATA	NO DATA
<i>Corynebacterium diphtheriae</i>	NCTC13129	NO DATA	NO DATA	NO DATA
<i>Mycobacterium avium</i>	k10	[19 34 23 16]	NO DATA	[24 26 35 19]
<i>Mycobacterium avium</i>	104	[19 34 23 16]	NO DATA	[24 26 35 19]
<i>Mycobacterium tuberculosis</i>	CSU#93	[19 31 25 17]	NO DATA	[25 25 34 20]
<i>Mycobacterium tuberculosis</i>	CDC 1551	[19 31 24 18]	NO DATA	[25 25 34 20]
<i>Mycobacterium tuberculosis</i>	H37Rv (lab strain)	[19 31 24 18]	NO DATA	[25 25 34 20]
<i>Mycoplasma pneumoniae</i>	M129	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	MRSA252	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	MSSA476	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	COL	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	Mu50	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	MW2	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	N315	NO DATA	NO DATA	NO DATA
<i>Staphylococcus aureus</i>	NCTC 8325	NO DATA	NO DATA	NO DATA
<i>Streptococcus agalactiae</i>	NEM316	NO DATA	NO DATA	NO DATA
<i>Streptococcus equi</i>	NC 002955	NO DATA	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	MGAS8232	NO DATA	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	MGAS315	NO DATA	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	SSI-1	NO DATA	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	MGAS10394	NO DATA	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	Manfredo (M5)	NO DATA	NO DATA	NO DATA
<i>Streptococcus pyogenes</i>	SF370 (M1)	NO DATA	NO DATA	NO DATA
<i>Streptococcus pneumoniae</i>	670	NO DATA	NO DATA	NO DATA
<i>Streptococcus pneumoniae</i>	R6	[20 30 19 23]	NO DATA	NO DATA
<i>Streptococcus pneumoniae</i>	TIGR4	[20 30 19 23]	NO DATA	NO DATA
<i>Streptococcus gordonii</i>	NCTC7868	NO DATA	NO DATA	NO DATA
<i>Streptococcus mitis</i>	NCTC 12261	NO DATA	NO DATA	NO DATA
<i>Streptococcus</i>	UA159	NO DATA	NO DATA	NO DATA

mutans				
--------	--	--	--	--

[396] Four sets of throat samples from military recruits at different military facilities taken at different time points were analyzed using the primers of the present invention. The first set was collected at a military training center from November 1 to December 20, 2002 during one of the most severe outbreaks of pneumonia associated with group A *Streptococcus* in the United States since 1968. During this outbreak, fifty-one throat swabs were taken from both healthy and hospitalized recruits and plated on blood agar for selection of putative group A *Streptococcus* colonies. A second set of 15 original patient specimens was taken during the height of this group A *Streptococcus* -associated respiratory disease outbreak. The third set were historical samples, including twenty-seven isolates of group A *Streptococcus*, from disease outbreaks at this and other military training facilities during previous years. The fourth set of samples was collected from five geographically separated military facilities in the continental U.S. in the winter immediately following the severe November/December 2002 outbreak.

[397] Pure colonies isolated from group A *Streptococcus*-selective media from all four collection periods were analyzed with the surveillance primer set. All samples showed base compositions that precisely matched the four completely sequenced strains of *Streptococcus pyogenes*. Shown in Figure 4 is a 3D diagram of base composition (axes A, G and C) of bioagent identifying amplicons obtained with primer pair number 14 (a precursor of primer pair number 348 which targets 16S rRNA). The diagram indicates that the experimentally determined base compositions of the clinical samples closely match the base compositions expected for *Streptococcus pyogenes* and are distinct from the expected base compositions of other organisms.

[398] In addition to the identification of *Streptococcus pyogenes*, other potentially pathogenic organisms were identified concurrently. Mass spectral analysis of a sample whose nucleic acid was amplified by primer pair number 349 (SEQ ID NOs: 401:1156) exhibited signals of bioagent identifying amplicons with molecular masses that were found to correspond to analogous base compositions of bioagent identifying amplicons of *Streptococcus pyogenes* (A27 G32 C24 T18), *Neisseria meningitidis* (A25 G27 C22 T18), and *Haemophilus influenzae* (A28 G28 C25 T20) (see Figure 5 and Table 7B). These organisms were present in a ratio of 4:5:20 as determined by comparison of peak heights with peak height of an internal PCR calibration standard as described in commonly owned U.S. Patent Application Serial No: 60/545,425 which is incorporated herein by reference in its entirety.

[399] Since certain division-wide primers that target housekeeping genes are designed to provide coverage of specific divisions of bacteria to increase the confidence level for identification of bacterial species, they are not expected to yield bioagent identifying amplicons for organisms outside of the specific divisions. For example, primer pair number 356 (SEQ ID NOs: 449:1380) primarily amplifies the nucleic acid of members of the classes *Bacilli* and *Clostridia* and is not expected to amplify proteobacteria such as *Neisseria meningitidis* and *Haemophilus influenzae*. As expected, analysis of the mass spectrum of amplification products obtained with primer pair number 356 does not indicate the presence of *Neisseria meningitidis* and *Haemophilus influenzae* but does indicate the presence of *Streptococcus pyogenes* (Figures 3 and 6, Table 7B). Thus, these primers or types of primers can confirm the absence of particular bioagents from a sample.

[400] The 15 throat swabs from military recruits were found to contain a relatively small set of microbes in high abundance. The most common were *Haemophilus influenza*, *Neisseria meningitidis*, and *Streptococcus pyogenes*. *Staphylococcus epidermidis*, *Moraxella catarrhalis*, *Corynebacterium pseudodiphtheriticum*, and *Staphylococcus aureus* were present in fewer samples. An equal number of samples from healthy volunteers from three different geographic locations, were identically analyzed. Results indicated that the healthy volunteers have bacterial flora dominated by multiple, commensal non-beta-hemolytic *Streptococcal* species, including the viridans group *streptococci* (*S. parasanguis*, *S. vestibularis*, *S. mitis*, *S. oralis* and *S. pneumoniae*; data not shown), and none of the organisms found in the military recruits were found in the healthy controls at concentrations detectable by mass spectrometry. Thus, the military recruits in the midst of a respiratory disease outbreak had a dramatically different microbial population than that experienced by the general population in the absence of epidemic disease.

Example 7: Triangulation Genotyping Analysis for Determination of emm-Type of *Streptococcus pyogenes* in Epidemic Surveillance

[401] As a continuation of the epidemic surveillance investigation of Example 6, determination of sub-species characteristics (genotyping) of *Streptococcus pyogenes*, was carried out based on a strategy that generates strain-specific signatures according to the rationale of Multi-Locus Sequence Typing (MLST). In classic MLST analysis, internal fragments of several housekeeping genes are amplified and sequenced (Enright et al. Infection and Immunity, 2001, 69, 2416-2427). In classic MLST analysis, internal fragments of several housekeeping genes are amplified and sequenced. In the present investigation, bioagent identifying amplicons from housekeeping genes were produced using drill-down primers and analyzed by mass spectrometry. Since mass spectral analysis results in molecular mass,

from which base composition can be determined, the challenge was to determine whether resolution of *emm* classification of strains of *Streptococcus pyogenes* could be determined.

[402] For the purpose of development of a triangulation genotyping assay, an alignment was constructed of concatenated alleles of seven MLST housekeeping genes (glucose kinase (*gki*), glutamine transporter protein (*gtr*), glutamate racemase (*murI*), DNA mismatch repair protein (*mutS*), xanthine phosphoribosyl transferase (*xpt*), and acetyl-CoA acetyl transferase (*yqiL*)) from each of the 212 previously *emm*-typed strains of *Streptococcus pyogenes*. From this alignment, the number and location of primer pairs that would maximize strain identification via base composition was determined. As a result, 6 primer pairs were chosen as standard drill-down primers for determination of *emm*-type of *Streptococcus pyogenes*. These six primer pairs are displayed in Table 8. This drill-down set comprises primers with T modifications (note TMOD designation in primer names) which constitutes a functional improvement with regard to prevention of non-templated adenylation (*vide supra*) relative to originally selected primers which are displayed below in the same row.

Table 8: Triangulation Genotyping Analysis Primer Pairs for Group A *Streptococcus* Drill-Down

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
442	SP101_SPET11_358_387_TMOD_F	588	SP101_SPET11_448_473_TMOD_R	998	<i>gki</i>
80	SP101_SPET11_358_387_F	126	SP101_SPET11_448_473_TMOD_R	766	<i>gki</i>
443	SP101_SPET11_600_629_TMOD_F	348	SP101_SPET11_686_714_TMOD_R	1018	<i>gtr</i>
81	SP101_SPET11_600_629_F	62	SP101_SPET11_686_714_R	772	<i>gtr</i>
426	SP101_SPET11_1314_1336_TMOD_F	363	SP101_SPET11_1403_1431_TMOD_R	849	<i>murI</i>
86	SP101_SPET11_1314_1336_F	68	SP101_SPET11_1403_1431_R	711	<i>murI</i>
430	SP101_SPET11_1807_1835_TMOD_F	235	SP101_SPET11_1901_1927_TMOD_R	1439	<i>mutS</i>
90	SP101_SPET11_1807_1835_F	33	SP101_SPET11_1901_1927_R	1412	<i>mutS</i>
438	SP101_SPET11_3075_3103_TMOD_F	473	SP101_SPET11_3168_3196_TMOD_R	875	<i>xpt</i>
96	SP101_SPET11_3075_3103_F	108	SP101_SPET11_3168_3196_R	715	<i>xpt</i>
441	SP101_SPET11_3511_3535_TMOD_F	531	SP101_SPET11_3605_3629_TMOD_R	1294	<i>yqiL</i>
98	SP101_SPET11_3511_3535_F	116	SP101_SPET11_3605_3629_R	832	<i>yqiL</i>

[403] The primers of Table 8 were used to produce bioagent identifying amplicons from nucleic acid present in the clinical samples. The bioagent identifying amplicons which were subsequently analyzed by mass spectrometry and base compositions corresponding to the molecular masses were calculated.

[404] Of the 51 samples taken during the peak of the November/December 2002 epidemic (Table 9A-C rows 1-3), all except three samples were found to represent *emm3*, a Group A *Streptococcus* genotype previously associated with high respiratory virulence. The three outliers were from samples obtained from healthy individuals and probably represent non-epidemic strains. Archived samples (Tables 9A-C rows 5-13) from historical collections showed a greater heterogeneity of base compositions and *emm* types as would be expected from different epidemics occurring at different places and dates. The results of the mass spectrometry analysis and *emm* gene sequencing were found to be concordant for the epidemic and historical samples.

Table 9A: Base Composition Analysis of Bioagent Identifying Amplicons of Group A *Streptococcus* samples from Six Military Installations Obtained with Primer Pair Nos. 426 and 430

# of Instances	emm-type by Mass Spectrometry	emm-Gene Sequencing	Location (sample)	Year	murI (Primer Pair No. 426)	mutS (Primer Pair No. 430)
48	3	3	MCRD San Diego (Cultured)	2002	A39 G25 C20 T34	A38 G27 C23 T33
2	6	6			A40 G24 C20 T34	A38 G27 C23 T33
1	28	28			A39 G25 C20 T34	A38 G27 C23 T33
15	3	ND			A39 G25 C20 T34	A38 G27 C23 T33
6	3	3	NHRC San Diego-Archive (Cultured)	2003	A39 G25 C20 T34	A38 G27 C23 T33
3	5,58	5			A40 G24 C20 T34	A38 G27 C23 T33
6	6	6			A40 G24 C20 T34	A38 G27 C23 T33
1	11	11			A39 G25 C20 T34	A38 G27 C23 T33
3	12	12			A40 G24 C20 T34	A38 G26 C24 T33
1	22	22			A39 G25 C20 T34	A38 G27 C23 T33
3	25,75	75			A39 G25 C20 T34	A38 G27 C23 T33
4	44/61,82,9	44/61			A40 G24 C20 T34	A38 G26 C24 T33
2	53,91	91			A39 G25 C20 T34	A38 G27 C23 T33
1	2	2			A39 G25 C20 T34	A38 G27 C24 T32
2	3	3	Ft. Leonard Wood (Cultured)	2003	A39 G25 C20 T34	A38 G27 C23 T33
1	4	4			A39 G25 C20 T34	A38 G27 C23 T33
1	6	6			A40 G24 C20 T34	A38 G27 C23 T33
11	25 or 75	75			A39 G25 C20 T34	A38 G27 C23 T33
1	25,75, 33, 34,4,52,84	75			A39 G25 C20 T34	A38 G27 C23 T33
1	44/61 or 82 or 9	44/61			A40 G24 C20 T34	A38 G26 C24 T33
2	5 or 58	5			A40 G24 C20 T34	A38 G27 C23 T33
3	1	1			A40 G24 C20 T34	A38 G27 C23 T33
2	3	3	Ft. Sill (Cultured)	2003	A39 G25 C20 T34	A38 G27 C23 T33
1	4	4			A39 G25 C20 T34	A38 G27 C23 T33
1	28	28			A39 G25 C20 T34	A38 G27 C23 T33
1	3	3	Ft.	2003	A39 G25 C20 T34	A38 G27 C23 T33

1	4	4	Benning (Cultured)		A39 G25 C20 T34	A38 G27 C23 T33
3	6	6			A40 G24 C20 T34	A38 G27 C23 T33
1	11	11			A39 G25 C20 T34	A38 G27 C23 T33
1	13	94**			A40 G24 C20 T34	A38 G27 C23 T33
	44/61 or 82 or 9					
1		82			A40 G24 C20 T34	A38 G26 C24 T33
1	5 or 58	58			A40 G24 C20 T34	A38 G27 C23 T33
1	78 or 89	89			A39 G25 C20 T34	A38 G27 C23 T33
2	5 or 58	ND	Lackland AFB (Throat Swabs)	2003	A40 G24 C20 T34	A38 G27 C23 T33
1	2				A39 G25 C20 T34	A38 G27 C24 T32
1	81 or 90				A40 G24 C20 T34	A38 G27 C23 T33
1	78				A38 G26 C20 T34	A38 G27 C23 T33
3***	No detection				No detection	No detection
7	3	ND	MCRD San Diego (Throat Swabs)	2002	A39 G25 C20 T34	A38 G27 C23 T33
1	3	ND			No detection	A38 G27 C23 T33
1	3	ND			No detection	No detection
1	3	ND			No detection	No detection
2	3	ND			No detection	A38 G27 C23 T33
3	No detection	ND			No detection	No detection

**Table 9B: Base Composition Analysis of Bioagent Identifying Amplicons of Group A
Streptococcus samples from Six Military Installations Obtained with Primer Pair Nos. 438 and 441**

# of Instances	emm-type by Mass Spectrometry	emm-Gene Sequencing	Location (sample)	Year	xpt (Primer Pair No. 438)	yqiL (Primer Pair No. 441)
48	3	3	MCRD San Diego (Cultured)	2002	A30 G36 C20 T36	A40 G29 C19 T31
2	6	6			A30 G36 C20 T36	A40 G29 C19 T31
1	28	28			A30 G36 C20 T36	A41 G28 C18 T32
15	3	ND			A30 G36 C20 T36	A40 G29 C19 T31
6	3	3			A30 G36 C20 T36	A40 G29 C19 T31
3	5,58	5	NHRC San Diego- Archive (Cultured)	2003	A30 G36 C20 T36	A40 G29 C19 T31
6	6	6			A30 G36 C20 T36	A40 G29 C19 T31
1	11	11			A30 G36 C20 T36	A40 G29 C19 T31
3	12	12			A30 G36 C19 T37	A40 G29 C19 T31
1	22	22			A30 G36 C20 T36	A40 G29 C19 T31
3	25, 75	75			A30 G36 C20 T36	A40 G29 C19 T31
4	44/61, 82, 9	44/61			A30 G36 C20 T36	A41 G28 C19 T31
2	53, 91	91			A30 G36 C19 T37	A40 G29 C19 T31
1	2	2	Ft. Leonard Wood (Cultured)	2003	A30 G36 C20 T36	A40 G29 C19 T31
2	3	3			A30 G36 C20 T36	A40 G29 C19 T31
1	4	4			A30 G36 C19 T37	A41 G28 C19 T31
1	6	6			A30 G36 C20 T36	A40 G29 C19 T31
11	25 or 75	75			A30 G36 C20 T36	A40 G29 C19 T31
1	25, 75, 33, 34, 4, 52, 84	75			A30 G36 C19 T37	A40 G29 C19 T31
1	44/61 or 82 or 9	44/61			A30 G36 C20 T36	A41 G28 C19 T31
2	5 or 58	5			A30 G36 C20 T36	A40 G29 C19 T31
3	1	1	Ft. Sill (Cultured)	2003	A30 G36 C19 T37	A40 G29 C19 T31
2	3	3			A30 G36 C20 T36	A40 G29 C19 T31
1	4	4			A30 G36 C19 T37	A41 G28 C19 T31

1	28	28			A30 G36 C20 T36	A41 G28 C18 T32
1	3	3	Ft. Benning (Cultured)	2003	A30 G36 C20 T36	A40 G29 C19 T31
1	4	4			A30 G36 C19 T37	A41 G28 C19 T31
3	6	6			A30 G36 C20 T36	A40 G29 C19 T31
1	11	11			A30 G36 C20 T36	A40 G29 C19 T31
1	13	94**			A30 G36 C20 T36	A41 G28 C19 T31
1	44/61 or 82 or 9	82			A30 G36 C20 T36	A41 G28 C19 T31
1	5 or 58	58			A30 G36 C20 T36	A40 G29 C19 T31
1	78 or 89	89			A30 G36 C20 T36	A41 G28 C19 T31
2	5 or 58	ND	Lackland AFB (Throat Swabs)	2003	A30 G36 C20 T36	A40 G29 C19 T31
1	2				A30 G36 C20 T36	A40 G29 C19 T31
1	81 or 90				A30 G36 C20 T36	A40 G29 C19 T31
1	78				A30 G36 C20 T36	A41 G28 C19 T31
3***	No detection				No detection	No detection
7	3	ND	MCRD San Diego (Throat Swabs)	2002	A30 G36 C20 T36	A40 G29 C19 T31
1	3	ND			A30 G36 C20 T36	A40 G29 C19 T31
1	3	ND			A30 G36 C20 T36	No detection
1	3	ND			No detection	A40 G29 C19 T31
2	3	ND			A30 G36 C20 T36	A40 G29 C19 T31
3	No detection	ND			No detection	No detection

Table 9C: Base Composition Analysis of Bioagent Identifying Amplicons of Group A *Streptococcus* samples from Six Military Installations Obtained with Primer Pair Nos. 438 and 441

# of Instances	emm-type by Mass Spectrometry	emm-Gene Sequencing	Location (sample)	Year	gki (Primer Pair No. 442)	gtr ((Primer Pair No. 443)
48	3	3	MCRD San Diego (Cultured)	2002	A32 G35 C17 T32	A39 G28 C16 T32
2	6	6			A31 G35 C17 T33	A39 G28 C15 T33
1	28	28			A30 G36 C17 T33	A39 G28 C16 T32
15	3	ND			A32 G35 C17 T32	A39 G28 C16 T32
6	3	3	NHRC San Diego-Archive (Cultured)	2003	A32 G35 C17 T32	A39 G28 C16 T32
3	5,58	5			A30 G36 C20 T30	A39 G28 C15 T33
6	6	6			A31 G35 C17 T33	A39 G28 C15 T33
1	11	11			A30 G36 C20 T30	A39 G28 C16 T32
3	12	12			A31 G35 C17 T33	A39 G28 C15 T33
1	22	22			A31 G35 C17 T33	A38 G29 C15 T33
3	25,75	75			A30 G36 C17 T33	A39 G28 C15 T33
4	44/61,82,9	44/61			A30 G36 C18 T32	A39 G28 C15 T33
2	53,91	91			A32 G35 C17 T32	A39 G28 C16 T32
1	2	2	Ft. Leonard Wood (Cultured)	2003	A30 G36 C17 T33	A39 G28 C15 T33
2	3	3			A32 G35 C17 T32	A39 G28 C16 T32
1	4	4			A31 G35 C17 T33	A39 G28 C15 T33
1	6	6			A31 G35 C17 T33	A39 G28 C15 T33
11	25 or 75	75			A30 G36 C17 T33	A39 G28 C15 T33
1	25,75, 33, 34,4,52,84	75			A30 G36 C17 T33	A39 G28 C15 T33
1	44/61 or 82 or 9	44/61			A30 G36 C18 T32	A39 G28 C15 T33
2	5 or 58	5			A30 G36 C20 T30	A39 G28 C15 T33
3	1	1	Ft. Sill	2003	A30 G36 C18 T32	A39 G28 C15 T33
2	3	3			A32 G35 C17 T32	A39 G28 C16 T32

1	4	4	(Cultured)		A31 G35 C17 T33	A39 G28 C15 T33
1	28	28			A30 G36 C17 T33	A39 G28 C16 T32
1	3	3			A32 G35 C17 T32	A39 G28 C16 T32
1	4	4			A31 G35 C17 T33	A39 G28 C15 T33
3	6	6			A31 G35 C17 T33	A39 G28 C15 T33
1	11	11			A30 G36 C20 T30	A39 G28 C16 T32
1	13	94**			A30 G36 C19 T31	A39 G28 C15 T33
	44/61 or 82 or 9	82	(Cultured)		A30 G36 C18 T32	A39 G28 C15 T33
1	5 or 58	58			A30 G36 C20 T30	A39 G28 C15 T33
1	78 or 89	89			A30 G36 C18 T32	A39 G28 C15 T33
2	5 or 58				A30 G36 C20 T30	A39 G28 C15 T33
1	2				A30 G36 C17 T33	A39 G28 C15 T33
1	81 or 90	ND			A30 G36 C17 T33	A39 G28 C15 T33
1	78				A30 G36 C18 T32	A39 G28 C15 T33
3***	No detection				No detection	No detection
7	3	ND			A32 G35 C17 T32	A39 G28 C16 T32
1	3	ND			No detection	No detection
1	3	ND			A32 G35 C17 T32	A39 G28 C16 T32
1	3	ND			A32 G35 C17 T32	No detection
2	3	ND			A32 G35 C17 T32	No detection
3	No detection	ND			No detection	No detection

Example 8: Design of Calibrant Polynucleotides based on Bioagent Identifying Amplicons for Identification of Species of Bacteria (Bacterial Bioagent Identifying Amplicons)

[405] This example describes the design of 19 calibrant polynucleotides based on bacterial bioagent identifying amplicons corresponding to the primers of the broad surveillance set (Table 5) and the *Bacillus anthracis* drill-down set (Table 6).

[406] Calibration sequences were designed to simulate bacterial bioagent identifying amplicons produced by the T modified primer pairs shown in Tables 5 and 6 (primer names have the designation "TMOD"). The calibration sequences were chosen as a representative member of the section of bacterial genome from specific bacterial species which would be amplified by a given primer pair. The model bacterial species upon which the calibration sequences are based are also shown in Table 10. For example, the calibration sequence chosen to correspond to an amplicon produced by primer pair no. 361 is SEQ ID NO: 1445. In Table 10, the forward (_F) or reverse (_R) primer name indicates the coordinates of an extraction representing a gene of a standard reference bacterial genome to which the primer hybridizes e.g.: the forward primer name 16S_EC_713_732_TMOD_F indicates that the forward primer hybridizes to residues 713-732 of the gene encoding 16S ribosomal RNA in an *E. coli* reference sequence (in this case, the reference sequence is an extraction consisting of residues 4033120-4034661 of the genomic sequence of *E. coli* K12 (GenBank gi number 16127994). Additional gene coordinate reference information is shown in Table 11. The designation "TMOD" in the primer names indicates that the 5' end of the primer has been modified with a non-matched template T residue which

prevents the PCR polymerase from adding non-templated adenosine residues to the 5' end of the amplification product, an occurrence which may result in miscalculation of base composition from molecular mass data (*vide supra*).

[0143] The 19 calibration sequences described in Tables 10 and 11 were combined into a single calibration polynucleotide sequence (SEQ ID NO: 1464 - which is herein designated a "combination calibration polynucleotide") which was then cloned into a pCR®-Blunt vector (Invitrogen, Carlsbad, CA). This combination calibration polynucleotide can be used in conjunction with the primers of Tables 5 or 6 as an internal standard to produce calibration amplicons for use in determination of the quantity of any bacterial bioagent. Thus, for example, when the combination calibration polynucleotide vector is present in an amplification reaction mixture, a calibration amplicon based on primer pair 346 (16S rRNA) will be produced in an amplification reaction with primer pair 346 and a calibration amplicon based on primer pair 363 (rpoC) will be produced with primer pair 363. Coordinates of each of the 19 calibration sequences within the calibration polynucleotide (SEQ ID NO: 1464) are indicated in Table 11.

Table 10: Bacterial Primer Pairs for Production of Bacterial Bioagent Identifying Amplicons and Corresponding Representative Calibration Sequences

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Calibration Sequence Model Species	Calibration Sequence (SEQ ID NO:)
361	16S_EC_1090_1111_2_T MOD_F	697	16S_EC_1175_1196_TMOD_R	1398	<i>Bacillus anthracis</i>	1445
346	16S_EC_713_732_TMOD_F	202	16S_EC_789_809_TMOD_R	1110	<i>Bacillus anthracis</i>	1446
347	16S_EC_785_806_TMOD_F	560	16S_EC_880_897_TMOD_R	1278	<i>Bacillus anthracis</i>	1447
348	16S_EC_960_981_TMOD_F	706	16S_EC_1054_1073_TMOD_R	895	<i>Bacillus anthracis</i>	1448
349	23S_EC_1826_1843_TMO D_F	401	23S_EC_1906_1924_TMOD_R	1156	<i>Bacillus anthracis</i>	1449
360	23S_EC_2646_2667_TMO D_F	409	23S_EC_2745_2765_TMOD_R	1434	<i>Bacillus anthracis</i>	1450
350	CAPC_BA_274_303_TMOD_F	476	CAPC_BA_349_376_TMOD_R	1314	<i>Bacillus anthracis</i>	1451
351	CYA_BA_1353_1379_TMO D_F	355	CYA_BA_1448_1467_TMOD_R	1423	<i>Bacillus anthracis</i>	1452
352	INFB_EC_1365_1393_TM OD_F	687	INFB_EC_1439_1467_TMOD_R	1411	<i>Bacillus anthracis</i>	1453
353	LEF_BA_756_781_TMOD_F	220	LEF_BA_843_872_TMOD_R	1394	<i>Bacillus anthracis</i>	1454
356	RPLB_EC_650_679_TMOD_F	449	RPLB_EC_739_762_TMOD_R	1380	<i>Clostridium botulinum</i>	1455
449	RPLB_EC_690_710_F	309	RPLB_EC_737_758_R	1336	<i>Clostridium botulinum</i>	1456
359	RPOB_EC_1845_1866_TM OD_F	659	RPOB_EC_1909_1929_TMOD_R	1250	<i>Yersinia Pestis</i>	1457
362	RPOB_EC_3799_3821_TM OD_F	581	RPOB_EC_3862_3888_TMOD_R	1325	<i>Burkholderia mallei</i>	1458
363	RPOC_EC_2146_2174_TM OD_F	284	RPOC_EC_2227_2245_TMOD_R	898	<i>Burkholderia mallei</i>	1459

354	RPOC_EC_2218_2241_TM OD_F	405	RPOC_EC_2313_2337_TM OD_R	1072	<i>Bacillus anthracis</i>	1460
355	SSPE_BA_115_137_TM OD_F	255	SSPE_BA_197_222_TM OD_R	1402	<i>Bacillus anthracis</i>	1461
367	TUFB_EC_957_979_TM OD_F	308	TUFB_EC_1034_1058_TM OD_R	1276	<i>Burkholderia mallei</i>	1462
358	VALS_EC_1105_1124_TM OD_F	385	VALS_EC_1195_1218_TM OD_R	1093	<i>Yersinia Pestis</i>	1463

Table 11: Primer Pair Gene Coordinate References and Calibration Polynucleotide Sequence
Coordinates within the Combination Calibration Polynucleotide

Bacterial Gene and Species	Gene Extraction Coordinates of Genomic or Plasmid Sequence	Reference GenBank GI No. of Genomic (G) or Plasmid (P) Sequence	Primer Pair No.	Coordinates of Calibration Sequence in Combination Calibration Polynucleotide (SEQ ID NO: 1464)
16S <i>E. coli</i>	4033120..4034661	16127994 (G)	346	16..109
16S <i>E. coli</i>	4033120..4034661	16127994 (G)	347	83..190
16S <i>E. coli</i>	4033120..4034661	16127994 (G)	348	246..353
16S <i>E. coli</i>	4033120..4034661	16127994 (G)	361	368..469
23S <i>E. coli</i>	4166220..4169123	16127994 (G)	349	743..837
23S <i>E. coli</i>	4166220..4169123	16127994 (G)	360	865..981
rpoB <i>E. coli</i>	4178823..4182851 (complement strand)	16127994 (G)	359	1591..1672
rpoB <i>E. coli</i>	4178823..4182851 (complement strand)	16127994 (G)	362	2081..2167
rpoC <i>E. coli</i>	4182928..4187151	16127994 (G)	354	1810..1926
rpoC <i>E. coli</i>	4182928..4187151	16127994 (G)	363	2183..2279
infB <i>E. coli</i>	3313655..3310983 (complement strand)	16127994 (G)	352	1692..1791
tufB <i>E. coli</i>	4173523..4174707	16127994 (G)	367	2400..2498
rplB <i>E. coli</i>	3449001..3448180	16127994 (G)	356	1945..2060
rplB <i>E. coli</i>	3449001..3448180	16127994 (G)	449	1986..2055
valS <i>E. coli</i>	4481405..4478550 (complement strand)	16127994 (G)	353	1462..1572
capC <i>B. anthracis</i>	56074..55628 (complement strand)	6470151 (P)	350	2517..2616
cya <i>B. anthracis</i>	156626..154288 (complement strand)	4894216 (P)	351	1338..1449
lef <i>B. anthracis</i>	127442..129921	4894216 (P)	353	1121..1234
sspE <i>B. anthracis</i>	226496..226783	30253828 (G)	355	1007..1104

Example 9: Use of a Calibration Polynucleotide for Determining the Quantity of *Bacillus Anthracis* in a Sample Containing a Mixture of Microbes

[407] The process described in this example is shown in Figure 2. The capC gene is a gene involved in capsule synthesis which resides on the pX02 plasmid of *Bacillus anthracis*. Primer pair number 350 (see Tables 10 and 11) was designed to identify *Bacillus anthracis* via production of a bacterial bioagent identifying amplicon. Known quantities of the combination calibration polynucleotide vector described in Example 8 were added to amplification mixtures containing bacterial bioagent nucleic acid from a mixture of microbes which included the Ames strain of *Bacillus anthracis*. Upon amplification of the bacterial bioagent nucleic acid and the combination calibration polynucleotide vector with primer pair no. 350, bacterial bioagent identifying amplicons and calibration amplicons were obtained and characterized by mass spectrometry. A mass spectrum measured for the amplification reaction is shown in Figure 7. The molecular masses of the bioagent identifying amplicons provided the means for identification of the bioagent from which they were obtained (Ames strain of *Bacillus*

anthracis) and the molecular masses of the calibration amplicons provided the means for their identification as well. The relationship between the abundance (peak height) of the calibration amplicon signals and the bacterial bioagent identifying amplicon signals provides the means of calculation of the copies of the pX02 plasmid of the Ames strain of *Bacillus anthracis*. Methods of calculating quantities of molecules based on internal calibration procedures are well known to those of ordinary skill in the art.

[408] Averaging the results of 10 repetitions of the experiment described above, enabled a calculation that indicated that the quantity of Ames strain of *Bacillus anthracis* present in the sample corresponds to approximately 10 copies of pX02 plasmid.

Example 10: Triangulation Genotyping Analysis of *Campylobacter* Species

[409] A series of triangulation genotyping analysis primers were designed as described in Example 1 with the objective of identification of different strains of *Campylobacter jejuni*. The primers are listed in Table 12 with the designation "CJST_CJ." Housekeeping genes to which the primers hybridize and produce bioagent identifying amplicons include: tkt (transketolase), glyA (serine hydroxymethyltransferase), gltA (citrate synthase), aspA (aspartate ammonia lyase), glnA (glutamine synthase), pgm (phosphoglycerate mutase), and uncA (ATP synthetase alpha chain).

Table 12: *Campylobacter* Genotyping Primer Pairs

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
1053	CJST CJ 1080 1110 F	681	CJST CJ 1166 1198 R	1022	gltA
1047	CJST CJ 584 616 F	315	CJST CJ 663 692 R	1379	glnA
1048	CJST CJ 360 394 F	346	CJST CJ 442 476 R	955	aspA
1049	CJST CJ 2636 2668 F	504	CJST CJ 2753 2777 R	1409	tkt
1054	CJST CJ 2060 2090 F	323	CJST CJ 2148 2174 R	1068	pgm
1064	CJST CJ 1680 1713 F	479	CJST CJ 1795 1822 R	938	glyA

[410] The primers were used to amplify nucleic acid from 50 food product samples provided by the USDA, 25 of which contained *Campylobacter jejuni* and 25 of which contained *Campylobacter coli*. Primers used in this study were developed primarily for the discrimination of *Campylobacter jejuni* clonal complexes and for distinguishing *Campylobacter jejuni* from *Campylobacter coli*. Finer discrimination between *Campylobacter coli* types is also possible by using specific primers targeted to loci where closely-related *Campylobacter coli* isolates demonstrate polymorphisms between strains. The conclusions of the comparison of base composition analysis with sequence analysis are shown in Tables 13A-C.

**Table 13A – Results of Base Composition Analysis of 50 *Campylobacter* Samples with Drill-down
MLST Primer Pair Nos: 1048 and 1047**

Group	Species	Isolate origin	MLST type or Clonal Complex by Base Composition analysis	MLST Type or Clonal Complex by Sequence analysis	Strain	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1048 (aspA)	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1047 (glnA)
J-1	<i>C. jejuni</i>	Goose	ST 690 /692/707/991	ST 991	RM3673	A30 G25 C16 T46	A47 G21 C16 T25
J-2	<i>C. jejuni</i>	Human	Complex 206/48/353	ST 356, complex 353	RM4192	A30 G25 C16 T46	A48 G21 C17 T23
J-3	<i>C. jejuni</i>	Human	Complex 354/179	ST 436	RM4194	A30 G25 C15 T47	A48 G21 C18 T22
J-4	<i>C. jejuni</i>	Human	Complex 257	ST 257, complex 257	RM4197	A30 G25 C16 T46	A48 G21 C18 T22
J-5	<i>C. jejuni</i>	Human	Complex 52	ST 52, complex 52	RM4277	A30 G25 C16 T46	A48 G21 C17 T23
J-6	<i>C. jejuni</i>	Human	Complex 443	ST 51, complex 443	RM4275	A30 G25 C15 T47	A48 G21 C17 T23
					RM4279	A30 G25 C15 T47	A48 G21 C17 T23
J-7	<i>C. jejuni</i>	Human	Complex 42	ST 604, complex 42	RM1864	A30 G25 C15 T47	A48 G21 C18 T22
J-8	<i>C. jejuni</i>	Human	Complex 42/49/362	ST 362, complex 362	RM3193	A30 G25 C15 T47	A48 G21 C18 T22
J-9	<i>C. jejuni</i>	Human	Complex 45/283	ST 147, Complex 45	RM3203	A30 G25 C15 T47	A47 G21 C18 T23
	<i>C. jejuni</i>	Human	Consistent with 74 closely related sequence types (none belong to a clonal complex)	ST 828	RM4183	A31 G27 C20 T39	A48 G21 C16 T24
C-1	<i>C. coli</i>			ST 832	RM1169	A31 G27 C20 T39	A48 G21 C16 T24
		ST 1056		RM1857	A31 G27 C20 T39	A48 G21 C16 T24	
		ST 889		RM1166	A31 G27 C20 T39	A48 G21 C16 T24	
		ST 829		RM1182	A31 G27 C20 T39	A48 G21 C16 T24	
		ST 1050		RM1518	A31 G27 C20 T39	A48 G21 C16 T24	
		ST 1051		RM1521	A31 G27 C20 T39	A48 G21 C16 T24	
		ST 1053		RM1523	A31 G27 C20 T39	A48 G21 C16 T24	
		ST 1055		RM1527	A31 G27 C20 T39	A48 G21 C16 T24	
		ST 1017		RM1529	A31 G27 C20 T39	A48 G21 C16 T24	
		ST 860		RM1840	A31 G27 C20 T39	A48 G21 C16 T24	
		ST 1063		RM2219	A31 G27 C20 T39	A48 G21 C16 T24	
		ST 1066		RM2241	A31 G27 C20 T39	A48 G21 C16 T24	
		ST 1067		RM2243	A31 G27 C20 T39	A48 G21 C16 T24	
		ST 1068		RM2439	A31 G27 C20 T39	A48 G21 C16 T24	
		Swine		ST 1016	RM3230	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1069	RM3231	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1061	RM1904	A31 G27 C20 T39	A48 G21 C16 T24
				Unknown	ST 825	RM1534	A31 G27 C20 T39
ST 901	RM1505	A31 G27 C20 T39			A48 G21 C16 T24		
C-2	<i>C. coli</i>	Human	ST 895	ST 895	RM1532	A31 G27 C19 T40	A48 G21 C16 T24
C-3	<i>C. coli</i>	Poultry	Consistent	ST 1064	RM2223	A31 G27 C20 T39	A48 G21 C16 T24

		Marmoset	with 63 closely related sequence types (none belong to a clonal complex)	ST 1082	RM1178	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1054	RM1525	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1049	RM1517	A31 G27 C20 T39	A48 G21 C16 T24
				ST 891	RM1531	A31 G27 C20 T39	A48 G21 C16 T24

Table 13B – Results of Base Composition Analysis of 50 *Campylobacter* Samples with Drill-down MLST Primer Pair Nos: 1053 and 1064

Group	Species	Isolate origin	MLST type or Clonal Complex by Base Composition analysis	MLST Type or Clonal Complex by Sequence analysis	Strain	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1053 (gltA)	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1064 (glyA)
J-1	<i>C. jejuni</i>	Goose	ST 690 /692/707/991	ST 991	RM3673	A24 G25 C23 T47	A40 G29 C29 T45
J-2	<i>C. jejuni</i>	Human	Complex 206/48/353	ST 356, complex 353	RM4192	A24 G25 C23 T47	A40 G29 C29 T45
J-3	<i>C. jejuni</i>	Human	Complex 354/179	ST 436	RM4194	A24 G25 C23 T47	A40 G29 C29 T45
J-4	<i>C. jejuni</i>	Human	Complex 257	ST 257, complex 257	RM4197	A24 G25 C23 T47	A40 G29 C29 T45
J-5	<i>C. jejuni</i>	Human	Complex 52	ST 52, complex 52	RM4277	A24 G25 C23 T47	A39 G30 C26 T48
J-6	<i>C. jejuni</i>	Human	Complex 443	ST 51, complex 443	RM4275	A24 G25 C23 T47	A39 G30 C28 T46
					RM4279	A24 G25 C23 T47	A39 G30 C28 T46
J-7	<i>C. jejuni</i>	Human	Complex 42	ST 604, complex 42	RM1864	A24 G25 C23 T47	A39 G30 C26 T48
J-8	<i>C. jejuni</i>	Human	Complex 42/49/362	ST 362, complex 362	RM3193	A24 G25 C23 T47	A38 G31 C28 T46
J-9	<i>C. jejuni</i>	Human	Complex 45/283	ST 147, Complex 45	RM3203	A24 G25 C23 T47	A38 G31 C28 T46
	<i>C. jejuni</i>	Human	Consistent with 74 closely related sequence types (none belong to a clonal complex)	ST 828	RM4183	A23 G24 C26 T46	A39 G30 C27 T47
C-1	<i>C. coli</i>			ST 832	RM1169	A23 G24 C26 T46	A39 G30 C27 T47
		ST 1056		RM1857	A23 G24 C26 T46	A39 G30 C27 T47	
		ST 889		RM1166	A23 G24 C26 T46	A39 G30 C27 T47	
		ST 829		RM1182	A23 G24 C26 T46	A39 G30 C27 T47	
		ST 1050		RM1518	A23 G24 C26 T46	A39 G30 C27 T47	
		ST 1051		RM1521	A23 G24 C26 T46	A39 G30 C27 T47	
		ST 1053		RM1523	A23 G24 C26 T46	A39 G30 C27 T47	
		ST 1055		RM1527	A23 G24 C26 T46	A39 G30 C27 T47	
		ST 1017		RM1529	A23 G24 C26 T46	A39 G30 C27 T47	
		ST 860		RM1840	A23 G24 C26 T46	A39 G30 C27 T47	
		ST 1063		RM2219	A23 G24 C26 T46	A39 G30 C27 T47	
		ST 1066		RM2241	A23 G24 C26 T46	A39 G30 C27 T47	
		ST 1067		RM2243	A23 G24 C26 T46	A39 G30 C27 T47	
		ST 1068		RM2439	A23 G24 C26 T46	A39 G30 C27 T47	
	Swine			ST 1016	RM3230	A23 G24 C26 T46	A39 G30 C27 T47

				ST 1069	RM3231	A23 G24 C26 T46	NO DATA
				ST 1061	RM1904	A23 G24 C26 T46	A39 G30 C27 T47
		Unknown		ST 825	RM1534	A23 G24 C26 T46	A39 G30 C27 T47
				ST 901	RM1505	A23 G24 C26 T46	A39 G30 C27 T47
C-2	<i>C. coli</i>	Human	ST 895	ST 895	RM1532	A23 G24 C26 T46	A39 G30 C27 T47
C-3	<i>C. coli</i>	Poultry	Consistent with 63 closely related sequence types (none belong to a clonal complex)	ST 1064	RM2223	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1082	RM1178	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1054	RM1525	A23 G24 C25 T47	A39 G30 C27 T47
				ST 1049	RM1517	A23 G24 C26 T46	A39 G30 C27 T47
		Marmoset		ST 891	RM1531	A23 G24 C26 T46	A39 G30 C27 T47

Table 13C – Results of Base Composition Analysis of 50 *Campylobacter* Samples with Drill-down MLST Primer Pair Nos: 1054 and 1049

Group	Species	Isolate origin	MLST type or Clonal Complex by Base Composition analysis	MLST Type or Clonal Complex by Sequence analysis	Strain	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1054 (pgm)	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1049 (tkk)
J-1	<i>C. jejuni</i>	Goose	ST 690 /692/707/991	ST 991	RM3673	A26 G33 C18 T38	A41 G28 C35 T38
J-2	<i>C. jejuni</i>	Human	Complex 206/48/353	ST 356, complex 353	RM4192	A26 G33 C19 T37	A41 G28 C36 T37
J-3	<i>C. jejuni</i>	Human	Complex 354/179	ST 436	RM4194	A27 G32 C19 T37	A42 G28 C36 T36
J-4	<i>C. jejuni</i>	Human	Complex 257	ST 257, complex 257	RM4197	A27 G32 C19 T37	A41 G29 C35 T37
J-5	<i>C. jejuni</i>	Human	Complex 52	ST 52, complex 52	RM4277	A26 G33 C18 T38	A41 G28 C36 T37
J-6	<i>C. jejuni</i>	Human	Complex 443	ST 51, complex 443	RM4275	A27 G31 C19 T38	A41 G28 C36 T37
					RM4279	A27 G31 C19 T38	A41 G28 C36 T37
J-7	<i>C. jejuni</i>	Human	Complex 42	ST 604, complex 42	RM1864	A27 G32 C19 T37	A42 G28 C35 T37
J-8	<i>C. jejuni</i>	Human	Complex 42/49/362	ST 362, complex 362	RM3193	A26 G33 C19 T37	A42 G28 C35 T37
J-9	<i>C. jejuni</i>	Human	Complex 45/283	ST 147, Complex 45	RM3203	A28 G31 C19 T37	A43 G28 C36 T35
	<i>C. jejuni</i>	Human <					

				ST 860	RM1840	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1063	RM2219	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1066	RM2241	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1067	RM2243	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1068	RM2439	A27 G30 C19 T39	A46 G28 C32 T36
		Swine		ST 1016	RM3230	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1069	RM3231	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1061	RM1904	A27 G30 C19 T39	A46 G28 C32 T36
		Unknown		ST 825	RM1534	A27 G30 C19 T39	A46 G28 C32 T36
				ST 901	RM1505	A27 G30 C19 T39	A46 G28 C32 T36
C-2	C. coli	Human	ST 895	ST 895	RM1532	A27 G30 C19 T39	A45 G29 C32 T36
C-3	C. coli	Poultry	Consistent with 63 closely related sequence types (none belong to a clonal complex)	ST 1064	RM2223	A27 G30 C19 T39	A45 G29 C32 T36
				ST 1082	RM1178	A27 G30 C19 T39	A45 G29 C32 T36
				ST 1054	RM1525	A27 G30 C19 T39	A45 G29 C32 T36
				ST 1049	RM1517	A27 G30 C19 T39	A45 G29 C32 T36
		Marmoset		ST 891	RM1531	A27 G30 C19 T39	A45 G29 C32 T36

[411] The base composition analysis method was successful in identification of 12 different strain groups. *Campylobacter jejuni* and *Campylobacter coli* are generally differentiated by all loci. Ten clearly differentiated *Campylobacter jejuni* isolates and 2 major *Campylobacter coli* groups were identified even though the primers were designed for strain typing of *Campylobacter jejuni*. One isolate (RM4183) which was designated as *Campylobacter jejuni* was found to group with *Campylobacter coli* and also appears to actually be *Campylobacter coli* by full MLST sequencing.

Example 11: Identification of *Acinetobacter baumannii* Using Broad Range Survey and Division-Wide Primers in Epidemiological Surveillance

[412] To test the capability of the broad range survey and division-wide primer sets of Table 5 in identification of *Acinetobacter* species, 183 clinical samples were obtained from individuals participating in, or in contact with individuals participating in Operation Iraqi Freedom (including US service personnel, US civilian patients at the Walter Reed Army Institute of Research (WRAIR), medical staff, Iraqi civilians and enemy prisoners. In addition, 34 environmental samples were obtained from hospitals in Iraq, Kuwait, Germany, the United States and the USNS Comfort, a hospital ship.

[413] Upon amplification of nucleic acid obtained from the clinical samples, primer pairs 346-349, 360, 361, 354, 362 and 363 (Table 5) all produced bacterial bioagent amplicons which identified *Acinetobacter baumannii* in 215 of 217 samples. The organism *Klebsiella pneumoniae* was identified in the remaining two samples. In addition, 14 different strain types (containing single nucleotide polymorphisms relative to a reference strain of *Acinetobacter baumannii*) were identified and assigned

arbitrary numbers from 1 to 14. Strain type 1 was found in 134 of the sample isolates and strains 3 and 7 were found in 46 and 9 of the isolates respectively.

[414] The epidemiology of strain type 7 of *Acinetobacter baumannii* was investigated. Strain 7 was found in 4 patients and 5 environmental samples (from field hospitals in Iraq and Kuwait). The index patient infected with strain 7 was a pre-war patient who had a traumatic amputation in March of 2003 and was treated at a Kuwaiti hospital. The patient was subsequently transferred to a hospital in Germany and then to WRAIR. Two other patients from Kuwait infected with strain 7 were found to be non-infectious and were not further monitored. The fourth patient was diagnosed with a strain 7 infection in September of 2003 at WRAIR. Since the fourth patient was not related involved in Operation Iraqi Freedom, it was inferred that the fourth patient was the subject of a nosocomial infection acquired at WRAIR as a result of the spread of strain 7 from the index patient.

[415] The epidemiology of strain type 3 of *Acinetobacter baumannii* was also investigated. Strain type 3 was found in 46 samples, all of which were from patients (US service members, Iraqi civilians and enemy prisoners) who were treated on the USNS Comfort hospital ship and subsequently returned to Iraq or Kuwait. The occurrence of strain type 3 in a single locale may provide evidence that at least some of the infections at that locale were a result of nosocomial infections.

[416] This example thus illustrates an embodiment of the present invention wherein the methods of analysis of bacterial bioagent identifying amplicons provide the means for epidemiological surveillance.

Example 12: Selection and Use of Triangulation Genotyping Analysis Primer Pairs for *Acinetobacter baumannii*

[417] To combine the power of high-throughput mass spectrometric analysis of bioagent identifying amplicons with the sub-species characteristic resolving power provided by triangulation genotyping analysis, an additional 21 primer pairs were selected based on analysis of housekeeping genes of the genus *Acinetobacter*. Genes to which the drill-down triangulation genotyping analysis primers hybridize for production of bacterial bioagent identifying amplicons include anthranilate synthase component I (trpE), adenylate kinase (adk), adenine glycosylase (mutY), fumarate hydratase (fumC), and pyrophosphate phospho-hydratase (ppa). These 21 primer pairs are indicated with reference to sequence listings in Table 14. Primer pair numbers 1151-1154 hybridize to and amplify segments of trpE. Primer pair numbers 1155-1157 hybridize to and amplify segments of adk. Primer pair numbers 1158-1164 hybridize to and amplify segments of mutY. Primer pair numbers 1165-1170 hybridize to and amplify segments of fumC. Primer pair number 1171 hybridizes to and amplifies a segment of ppa.

Primer pair numbers: 2846-2848 hybridize to and amplify segments of the *parC* gene of DNA topoisomerase which include a codon known to confer quinolone drug resistance upon sub-types of *Acinetobacter baumannii*. Primer pair numbers 2852-2854 hybridize to and amplify segments of the *gyrA* gene of DNA gyrase which include a codon known to confer quinolone drug resistance upon sub-types of *Acinetobacter baumannii*. Primer pair numbers 2922 and 2972 are speciating primers which are useful for identifying different species members of the genus *Acinetobacter*. The primer names given in Table 14A (with the exception of primer pair numbers 2846-2848, 2852-2854) indicate the coordinates to which the primers hybridize to a reference sequence which comprises a concatenation of the genes *TrpE*, *efp* (elongation factor p), *adk*, *mutT*, *fumC*, and *ppa*. For example, the forward primer of primer pair 1151 is named AB_MLST-11-OIF007_62_91_F because it hybridizes to the *Acinetobacter* primer reference sequence of strain type 11 in sample 007 of Operation Iraqi Freedom (OIF) at positions 62 to 91. DNA was sequenced from strain type 11 and from this sequence data and an artificial concatenated sequence of partial gene extractions was assembled for use in design of the triangulation genotyping analysis primers. The stretches of arbitrary residues "N"s in the concatenated sequence were added for the convenience of separation of the partial gene extractions (40N for AB_MLST (SEQ ID NO: 1444)).

[418] The hybridization coordinates of primer pair numbers 2846-2848 are with respect to GenBank Accession number X95819. The hybridization coordinates of primer pair numbers 2852-2854 are with respect to GenBank Accession number AY642140. Sequence residue "I" appearing in the forward and reverse primers of primer pair number 2972 represents inosine.

Table 14A: Triangulation Genotyping Analysis Primer Pairs for Identification of Sub-species characteristics (Strain Type) of Members of the Bacterial Genus *Acinetobacter*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)
1151	AB_MLST-11-OIF007_62_91_F	454	AB_MLST-11-OIF007_169_203_R	1418
1152	AB_MLST-11-OIF007_185_214_F	243	AB_MLST-11-OIF007_291_324_R	969
1153	AB_MLST-11-OIF007_260_289_F	541	AB_MLST-11-OIF007_364_393_R	1400
1154	AB_MLST-11-OIF007_206_239_F	436	AB_MLST-11-OIF007_318_344_R	1036
1155	AB_MLST-11-OIF007_522_552_F	378	AB_MLST-11-OIF007_587_610_R	1392
1156	AB_MLST-11-OIF007_547_571_F	250	AB_MLST-11-OIF007_656_686_R	902
1157	AB_MLST-11-OIF007_601_627_F	256	AB_MLST-11-OIF007_710_736_R	881
1158	AB_MLST-11-OIF007_1202_1225_F	384	AB_MLST-11-OIF007_1266_1296_R	878
1159	AB_MLST-11-OIF007_1202_1225_F	384	AB_MLST-11-OIF007_1299_1316_R	1199
1160	AB_MLST-11-OIF007_1234_1264_F	694	AB_MLST-11-OIF007_1335_1362_R	1215

1161	AB MLST-11-OIF007 1327 1356 F	225	AB MLST-11-OIF007 1422 1448 R	1212
1162	AB MLST-11-OIF007 1345 1369 F	383	AB MLST-11-OIF007 1470 1494 R	1083
1163	AB MLST-11-OIF007 1351 1375 F	662	AB MLST-11-OIF007 1470 1494 R	1083
1164	AB MLST-11-OIF007 1387 1412 F	422	AB MLST-11-OIF007 1470 1494 R	1083
1165	AB MLST-11-OIF007 1542 1569 F	194	AB MLST-11-OIF007 1656 1680 R	1173
1166	AB MLST-11-OIF007 1566 1593 F	684	AB MLST-11-OIF007 1656 1680 R	1173
1167	AB MLST-11-OIF007 1611 1638 F	375	AB MLST-11-OIF007 1731 1757 R	890
1168	AB MLST-11-OIF007 1726 1752 F	182	AB MLST-11-OIF007 1790 1821 R	1195
1169	AB MLST-11-OIF007 1792 1826 F	656	AB MLST-11-OIF007 1876 1909 R	1151
1170	AB MLST-11-OIF007 1792 1826 F	656	AB MLST-11-OIF007 1895 1927 R	1224
1171	AB MLST-11-OIF007 1970 2002 F	618	AB MLST-11-OIF007 2097 2118 R	1157
2846	PARC X95819 33 58 F	302	PARC X95819 121 153 R	852
2847	PARC X95819 33 58 F	199	PARC X95819 157 178 R	889
2848	PARC X95819 33 58 F	596	PARC X95819 97 128 R	1169
2852	GYRA AY642140 -1 24 F	150	GYRA AY642140 71 100 R	1242
2853	GYRA AY642140 26 54 F	166	GYRA AY642140 121 146 R	1069
2854	GYRA AY642140 26 54 F	166	GYRA AY642140 58 89 R	1168
2922	AB MLST-11-OIF007 991 1018 F	583	AB MLST-11-OIF007 1110 1137 R	923
2972	AB MLST-11-OIF007 1007 1034 F	592	AB MLST-11-OIF007 1126 1153 R	924

Table 14B: Triangulation Genotyping Analysis Primer Pairs for Identification of Sub-species characteristics (Strain Type) of Members of the Bacterial Genus *Acinetobacter*

Primer Pair No.	Forward Primer (SEQ ID NO:)	SEQUENCE	Reverse Primer (SEQ ID NO:)	SEQUENCE
1151	454	TGAGATTGCTGAACATTTAATGCTGATTGA	1418	TTGTACATTTGAAACAATATGCATGACATGTGAAT
1152	243	TATTGTTTCAAATGTACAAGGTGAAGTGCG	969	TCACAGGTTCTACTTCATCAATAATTTCCATTGC
1153	541	TGGAACGTTATCAGGTGCCCCAAAATTCG	1400	TTGCAATCGACATATCCATTTACCATGCC
1154	436	TGAAGTGCGTGATGATATCGATGCACTTGATGTA	1036	TCCGCCAAAACTCCCTTTTCACAGG
1155	378	TCGGTTTAGTAAAGAACGATATTGCTCAACC	1392	TTCTGCTTGAGGAATAGTGCGTGG
1156	250	TCAACCTGACTGCGTGAATGGTTGT	902	TACGTTCTACGATTTCTTCATCAGGTACATC
1157	256	TCAAGCAGAAGCTTTGGAAGAAGAAGG	881	TACAACGTGATAAACACGACCAGAAGC
1158	384	TCGTGCCCGCAATTTGCATAAAGC	878	TAATGCCGGGTAGTGCAATCCATTCTTCTAG
1159	384	TCGTGCCCGCAATTTGCATAAAGC	1199	TGCACCTGCGGTTCGAGCG
1160	694	TTGTAGCACAGCAAGGCAATTTCTGAAAC	1215	TGCCATCCATAATCACGCCATACTGACG
1161	225	TAGGTTTACGTCAGTATGGCGTGATTATGG	1212	TGCCAGTTTCCATTTACGTTTCGTG
1162	383	TCGIGATTATGGATGGCAACGTGAA	1083	TCGCTTGAGTGTAGTCATGATTGCG

1163	662	TTATGGATGGCAACGTGAAACGCGT	1083	TCGCTTGAGTGAGTCATGATTGCG
1164	422	TCCTTGCCATTGAAGATGACTTAAGC	1083	TCGCTTGAGTGAGTCATGATTGCG
1165	194	TACTAGCGGTAAGCTTAAACAGATTGC	1173	TGAGTCGGGTTCACTTTACCTGGCA
1166	684	TTGCCAATGATATTCGTTGGTTAGCAAG	1173	TGAGTCGGGTTCACTTTACCTGGCA
1167	375	TCGGCGAAATCCGTATTCCTGAAATGA	890	TACCGGAAGCACCAGCGACATTAATAG
1168	182	TACCACTATTAATGTGCTGGTGCTTC	1195	TGCAACTGAATAGATTGCAGTAAGTTATAAGC
1169	656	TTATAACTTACTGCAATCTATTCACTTGCTTGGTG	1151	TGAATTATGCAAGAAGTGATCAATTTCTCACGA
1170	656	TTATAACTTACTGCAATCTATTCACTTGCTTGGTG	1224	TGCCGTAACATAAGAGAATTATGCAAGAA
1171	618	TGGTTATGTACCAAACTTTGTCTGAAGATGG	1157	TGACGGCATCGATACCACCGTC
2846	302	TCCAAAAAATCAGCGGTACAGTGG	852	TAAAGGATAGCGGTAACATAAAGGCTGAGCCAT
2847	199	TACITGGTAAATACCACCCACATGGTGA	889	TACCCCGATTCCCTGACCTTC
2848	596	TGGTAAATACCACCCACATGGTGAC	1169	TGAGCCATGAGTACCATGGCTTCATAACATGC
2852	150	TAAATCTGCCCGTGTGTTGGTGAC	1242	TGCTAAAGTCTTGAGCCATACGAACAATGG
2853	166	TAATCGGTAAATATCACCCGCATGGTGAC	1069	TCGATCGAACCGAAGTTACCTTGACC
2854	166	TAATCGGTAAATATCACCCGCATGGTGAC	1168	TGAGCCATACGAACAATGGTTTCATAAACAGC
2922	583	TGGGCGATGCTGCGAAATGGTTAAAGA	923	TAGTATCACCACGTACACCCGGATCAGT
2972	592	TGGGIGATGCTGCIAAATGGTTAAAGA	924	TAGTATCACCACGTACICCGGATCAGT

[419] Analysis of bioagent identifying amplicons obtained using the primers of Table 14B for over 200 samples from Operation Iraqi Freedom resulted in the identification of 50 distinct strain type clusters. The largest cluster, designated strain type 11 (ST11) includes 42 sample isolates, all of which were obtained from US service personnel and Iraqi civilians treated at the 28th Combat Support Hospital in Baghdad. Several of these individuals were also treated on the hospital ship USNS Comfort. These observations are indicative of significant epidemiological correlation/linkage.

[420] All of the sample isolates were tested against a broad panel of antibiotics to characterize their antibiotic resistance profiles. As an example of a representative result from antibiotic susceptibility testing, ST11 was found to consist of four different clusters of isolates, each with a varying degree of sensitivity/resistance to the various antibiotics tested which included penicillins, extended spectrum penicillins, cephalosporins, carbapenem, protein synthesis inhibitors, nucleic acid synthesis inhibitors, anti-metabolites, and anti-cell membrane antibiotics. Thus, the genotyping power of bacterial bioagent identifying amplicons, particularly drill-down bacterial bioagent identifying amplicons, has the potential to increase the understanding of the transmission of infections in combat casualties, to identify the source of infection in the environment, to track hospital transmission of nosocomial infections, and to

rapidly characterize drug-resistance profiles which enable development of effective infection control measures on a time-scale previously not achievable.

Example 13: Triangulation Genotyping Analysis and Codon Analysis of *Acinetobacter baumannii* Samples from Two Health Care Facilities

[421] In this investigation, 88 clinical samples were obtained from Walter Reed Hospital and 95 clinical samples were obtained from Northwestern Medical Center. All samples from both healthcare facilities were suspected of containing sub-types of *Acinetobacter baumannii*, at least some of which were expected to be resistant to quinolone drugs. Each of the 183 samples was analyzed by the method of the present invention. DNA was extracted from each of the samples and amplified with eight triangulation genotyping analysis primer pairs represented by primer pair numbers: 1151, 1156, 1158, 1160, 1165, 1167, 1170, and 1171. The DNA was also amplified with speciating primer pair number 2922 and codon analysis primer pair numbers 2846-2848 which interrogate a codon present in the *parC* gene, and primer pair numbers 2852-2854 which bracket a codon present in the *gyrA* gene. The *parC* and *gyrA* codon mutations are both responsible for causing drug resistance in *Acinetobacter baumannii*. During evolution of drug resistant strains, the *gyrA* mutation usually occurs before the *parC* mutation. Amplification products were measured by ESI-TOF mass spectrometry as indicated in Example 4. The base compositions of the amplification products were calculated from the average molecular masses of the amplification products and are shown in Tables 15-18. The entries in each of the tables are grouped according to strain type number, which is an arbitrary number assigned to *Acinetobacter baumannii* strains in the order of observance beginning from the triangulation genotyping analysis OIF genotyping study described in Example 12. For example, strain type 11 which appears in samples from the Walter Reed Hospital is the same strain as the strain type 11 mentioned in Example 12. Ibis# refers to the order in which each sample was analyzed. Isolate refers to the original sample isolate numbering system used at the location from which the samples were obtained (either Walter Reed Hospital or Northwestern Medical Center). ST = strain type. ND = not detected. Base compositions highlighted with **bold** type indicate that the base composition is a unique base composition for the amplification product obtained with the pair of primers indicated.

Table 15A: Base Compositions of Amplification Products of 88 *A. baumannii* Samples Obtained from Walter Reed Hospital and Amplified with Codon Analysis Primer Pairs Targeting the *gyrA* Gene

Species	Ibis#	Isolate	ST	PP No: 2852 <i>gyrA</i>	PP No: 2853 <i>gyrA</i>	PP No: 2854 <i>gyrA</i>
<i>A. baumannii</i>	20	1082	1	A25G23C22T31	A29G28C22T42	A17G13C14T20
<i>A. baumannii</i>	13	854	10	A25G23C21T32	A29G28C21T43	A17G13C13T21

<i>A. baumannii</i>	22	1162	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	27	1230	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	31	1367	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	37	1459	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	55	1700	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	64	1777	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	73	1861	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	74	1877	10	ND	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	86	1972	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	3	684	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	6	720	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	7	726	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	19	1079	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	21	1123	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	23	1188	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	33	1417	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	34	1431	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	38	1496	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	40	1523	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	42	1640	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	50	1666	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	51	1668	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	52	1695	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	65	1781	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	44	1649	12	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	49A	1658.1	12	A25G23C22T31	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	49B	1658.2	12	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	56	1707	12	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	80	1893	12	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	5	693	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	8	749	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	10	839	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	14	865	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	16	888	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	29	1326	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	35	1440	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	41	1524	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	46	1652	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	47	1653	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	48	1657	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	57	1709	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	61	1727	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	63	1762	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	67	1806	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	75	1881	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	77	1886	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	1	649	46	A25G23C21T32	A29G28C21T43	A17G13C13T21

<i>A. baumannii</i>	2	653	46	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	39	1497	16	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	24	1198	15	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	28	1243	15	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	43	1648	15	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	62	1746	15	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	4	689	15	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	68	1822	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	69	1823A	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	70	1823B	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	71	1826	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	72	1860	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	81	1924	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	82	1929	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	85	1966	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	11	841	3	A25G23C22T31	A29G28C22T42	A17G13C14T20
<i>A. baumannii</i>	32	1415	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	45	1651	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	54	1697	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	58	1712	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	60	1725	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	66	1802	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	76	1883	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	78	1891	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	79	1892	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	83	1947	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	84	1964	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	53	1696	24	A25G23C22T31	A29G28C22T42	A17G13C14T20
<i>A. baumannii</i>	36	1458	49	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	59	1716	9	A25G23C22T31	A29G28C22T42	A17G13C14T20
<i>A. baumannii</i>	9	805	30	A25G23C22T31	A29G28C22T42	A17G13C14T20
<i>A. baumannii</i>	18	967	39	A25G23C22T31	A29G28C22T42	A17G13C14T20
<i>A. baumannii</i>	30	1322	48	A25G23C22T31	A29G28C22T42	A17G13C14T20
<i>A. baumannii</i>	26	1218	50	A25G23C22T31	A29G28C22T42	A17G13C14T20
<i>A. sp. 13TU</i>	15	875	A1	A25G23C22T31	A29G28C22T42	A17G13C14T20
<i>A. sp. 13TU</i>	17	895	A1	A25G23C22T31	A29G28C22T42	A17G13C14T20
<i>A. sp. 3</i>	12	853	B7	A25G22C22T32	A30G29C22T40	A17G13C14T20
<i>A. johnsonii</i>	25	1202	NEW1	A25G22C22T32	A30G29C22T40	A17G13C14T20
<i>A. sp. 2082</i>	87	2082	NEW2	A25G22C22T32	A31G28C22T40	A17G13C14T20

Table 15B: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Walter Reed Hospital and Amplified with Codon Analysis Primer Pairs Targeting the *parC* Gene

Species	Ibis#	Isolate	ST	PP No: 2846 <i>parC</i>	PP No: 2847 <i>parC</i>	PP No: 2848 <i>parC</i>
<i>A. baumannii</i>	20	1082	1	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	13	854	10	A33G26C28T34	A29G28C25T32	A16G14C14T16

<i>A. baumannii</i>	22	1162	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	27	1230	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	31	1367	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	37	1459	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	55	1700	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	64	1777	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	73	1861	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	74	1877	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	86	1972	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	3	684	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	6	720	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	7	726	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	19	1079	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	21	1123	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	23	1188	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	33	1417	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	34	1431	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	38	1496	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	40	1523	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	42	1640	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	50	1666	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	51	1668	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	52	1695	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	65	1781	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	44	1649	12	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	49A	1658.1	12	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	49B	1658.2	12	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	56	1707	12	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	80	1893	12	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	5	693	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	8	749	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	10	839	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	14	865	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	16	888	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	29	1326	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	35	1440	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	41	1524	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	46	1652	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	47	1653	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	48	1657	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	57	1709	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	61	1727	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	63	1762	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	67	1806	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	75	1881	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	77	1886	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	1	649	46	A33G26C28T34	A29G28C25T32	A16G14C14T16

<i>A. baumannii</i>	2	653	46	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	39	1497	16	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	24	1198	15	A33G26C28T34	A29G29C23T33	A16G14C14T16
<i>A. baumannii</i>	28	1243	15	A33G26C28T34	A29G29C23T33	A16G14C14T16
<i>A. baumannii</i>	43	1648	15	A33G26C28T34	A29G29C23T33	A16G14C14T16
<i>A. baumannii</i>	62	1746	15	A33G26C28T34	A29G29C23T33	A16G14C14T16
<i>A. baumannii</i>	4	689	15	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	68	1822	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	69	1823A	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	70	1823B	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	71	1826	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	72	1860	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	81	1924	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	82	1929	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	85	1966	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	11	841	3	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	32	1415	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	45	1651	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	54	1697	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	58	1712	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	60	1725	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	66	1802	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	76	1883	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	78	1891	24	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	79	1892	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	83	1947	24	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	84	1964	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	53	1696	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	36	1458	49	A34G26C29T32	A30G28C24T32	A16G14C15T15
<i>A. baumannii</i>	59	1716	9	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	9	805	30	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	18	967	39	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	30	1322	48	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	26	1218	50	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. sp. 13TU</i>	15	875	A1	A32G26C28T35	A28G28C24T34	A16G14C15T15
<i>A. sp. 13TU</i>	17	895	A1	A32G26C28T35	A28G28C24T34	A16G14C15T15
<i>A. sp. 3</i>	12	853	B7	A29G26C27T39	A26G32C21T35	A16G14C15T15
<i>A. johnsonii</i>	25	1202	NEW1	A32G28C26T35	A29G29C22T34	A16G14C15T15
<i>A. sp. 2082</i>	87	2082	NEW2	A33G27C26T35	A31G28C20T35	A16G14C15T15

Table 16A: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Northwestern Medical Center and Amplified with Codon Analysis Primer Pairs Targeting the *gyrA* Gene

Species	Ibis#	Isolate	ST	PP No: 2852 <i>gyrA</i>	PP No: 2853 <i>gyrA</i>	PP No: 2854 <i>gyrA</i>
---------	-------	---------	----	----------------------------	----------------------------	----------------------------

A. baumannii	54	536	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	87	665	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	8	80	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	9	91	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	10	92	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	11	131	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	12	137	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	21	218	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	26	242	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	94	678	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	1	9	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	2	13	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	3	19	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	4	24	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	5	36	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	6	39	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	13	139	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	15	165	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	16	170	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	17	186	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	20	202	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	22	221	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	24	234	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	25	239	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	33	370	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	34	389	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	19	201	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	27	257	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	29	301	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	31	354	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	36	422	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	37	424	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	38	434	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	39	473	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	40	482	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	44	512	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	45	516	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	47	522	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	48	526	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	50	528	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	52	531	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	53	533	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	56	542	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	59	550	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	62	556	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	64	557	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	70	588	51	A25G23C21T32	A29G28C21T43	A17G13C13T21

<i>A. baumannii</i>	73	603	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	74	605	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	75	606	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	77	611	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	79	622	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	83	643	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	85	653	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	89	669	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	93	674	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	23	228	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	32	369	52	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	35	393	52	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	30	339	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	41	485	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	42	493	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	43	502	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	46	520	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	49	527	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	51	529	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	65	562	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	68	579	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	57	546	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	58	548	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	60	552	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	61	555	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	63	557	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	66	570	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	67	578	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	69	584	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	71	593	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	72	602	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	76	609	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	78	621	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	80	625	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	81	628	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	82	632	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	84	649	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	86	655	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	88	668	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	90	671	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	91	672	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	92	673	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	18	196	55	A25G23C22T31	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	55	537	27	A25G23C21T32	A29G28C21T43	A17G13C13T21
<i>A. baumannii</i>	28	263	27	A25G23C22T31	A29G28C22T42	A17G13C14T20
<i>A. sp. 3</i>	14	164	B7	A25G22C22T32	A30G29C22T40	A17G13C14T20
mixture	7	71	-	ND	ND	A17G13C15T19

Table 16B: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Northwestern Medical Center and Amplified with Codon Analysis Primer Pairs Targeting the *parC* Gene

Species	Ibis#	Isolate	ST	PP No: 2846 <i>parC</i>	PP No: 2847 <i>parC</i>	PP No: 2848 <i>parC</i>
<i>A. baumannii</i>	54	536	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	87	665	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	8	80	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	9	91	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	10	92	10	A33G26C28T34	A29G28C25T32	ND
<i>A. baumannii</i>	11	131	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	12	137	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	21	218	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	26	242	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	94	678	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	1	9	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	2	13	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	3	19	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	4	24	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	5	36	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	6	39	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	13	139	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	15	165	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	16	170	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	17	186	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	20	202	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	22	221	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	24	234	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	25	239	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	33	370	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	34	389	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	19	201	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	27	257	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	29	301	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	31	354	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	36	422	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	37	424	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	38	434	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	39	473	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	40	482	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	44	512	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	45	516	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	47	522	51	A33G26C28T34	A29G28C25T32	A16G14C14T16

<i>A. baumannii</i>	48	526	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	50	528	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	52	531	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	53	533	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	56	542	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	59	550	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	62	556	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	64	557	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	70	588	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	73	603	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	74	605	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	75	606	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	77	611	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	79	622	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	83	643	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	85	653	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	89	669	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	93	674	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	23	228	51	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	32	369	52	A34G25C28T34	A30G27C25T32	A16G14C14T16
<i>A. baumannii</i>	35	393	52	A34G25C28T34	A30G27C25T32	A16G14C14T16
<i>A. baumannii</i>	30	339	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	41	485	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	42	493	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	43	502	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	46	520	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	49	527	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	51	529	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	65	562	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	68	579	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
<i>A. baumannii</i>	57	546	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	58	548	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	60	552	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	61	555	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	63	557	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	66	570	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	67	578	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	69	584	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	71	593	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	72	602	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	76	609	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	78	621	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	80	625	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	81	628	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	82	632	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	84	649	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	86	655	54	A33G26C28T34	A29G28C25T32	A16G14C14T16

<i>A. baumannii</i>	88	668	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	90	671	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	91	672	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	92	673	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
<i>A. baumannii</i>	18	196	55	A33G27C28T33	A29G28C25T31	A15G14C15T16
<i>A. baumannii</i>	55	537	27	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. baumannii</i>	28	263	27	A33G26C29T33	A29G28C26T31	A16G14C15T15
<i>A. sp. 3</i>	14	164	B7	A35G25C29T32	A30G28C17T39	A16G14C15T15
mixture	7	71	-	ND	ND	A17G14C15T14

Table 17A: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Walter Reed Hospital and Amplified with Speciating Primer Pair No. 2922 and Triangulation Genotyping Analysis Primer Pair Nos. 1151 and 1156

Species	Ibis#	Isolate	ST	PP No: 2922 efp	PP No: 1151 trpE	PP No: 1156 Adk
<i>A. baumannii</i>	20	1082	1	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	13	854	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	22	1162	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	27	1230	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	31	1367	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	37	1459	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	55	1700	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	64	1777	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	73	1861	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	74	1877	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	86	1972	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	3	684	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	6	720	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	7	726	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	19	1079	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	21	1123	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	23	1188	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	33	1417	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	34	1431	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	38	1496	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	40	1523	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	42	1640	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	50	1666	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	51	1668	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	52	1695	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	65	1781	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	44	1649	12	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	49A	1658.1	12	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	49B	1658.2	12	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	56	1707	12	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	80	1893	12	A45G34C25T43	A44G35C21T42	A44G32C26T38

<i>A. baumannii</i>	5	693	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	8	749	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	10	839	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	14	865	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	16	888	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	29	1326	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	35	1440	14	A44G35C25T43	ND	A44G32C27T37
<i>A. baumannii</i>	41	1524	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	46	1652	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	47	1653	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	48	1657	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	57	1709	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	61	1727	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	63	1762	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	67	1806	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	75	1881	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	77	1886	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	1	649	46	A44G35C25T43	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	2	653	46	A44G35C25T43	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	39	1497	16	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	24	1198	15	A44G35C25T43	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	28	1243	15	A44G35C25T43	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	43	1648	15	A44G35C25T43	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	62	1746	15	A44G35C25T43	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	4	689	15	A44G35C25T43	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	68	1822	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	69	1823A	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	70	1823B	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	71	1826	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	72	1860	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	81	1924	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	82	1929	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	85	1966	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	11	841	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	32	1415	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	45	1651	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	54	1697	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	58	1712	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	60	1725	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	66	1802	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	76	1883	24	ND	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	78	1891	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	79	1892	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	83	1947	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	84	1964	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	53	1696	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	36	1458	49	A44G35C25T43	A44G35C22T41	A44G32C27T37

<i>A. baumannii</i>	59	1716	9	A44G35C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	9	805	30	A44G35C25T43	A44G35C19T44	A44G32C27T37
<i>A. baumannii</i>	18	967	39	A45G34C25T43	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	30	1322	48	A44G35C25T43	A43G36C20T43	A44G32C27T37
<i>A. baumannii</i>	26	1218	50	A44G35C25T43	A44G35C21T42	A44G32C26T38
<i>A. sp.</i> 13TU	15	875	A1	A47G33C24T43	A46G32C20T44	A44G33C27T36
<i>A. sp.</i> 13TU	17	895	A1	A47G33C24T43	A46G32C20T44	A44G33C27T36
<i>A. sp.</i> 3	12	853	B7	A46G35C24T42	A42G34C20T46	A43G33C24T40
<i>A. johnsonii</i>	25	1202	NEW1	A46G35C23T43	A42G35C21T44	A43G33C23T41
<i>A. sp.</i> 2082	87	2082	NEW2	A46G36C22T43	A42G32C20T48	A42G34C23T41

Table 17B: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Walter Reed Hospital and Amplified with Triangulation Genotyping Analysis Primer Pair Nos. 1158 and 1160 and 1165

Species	Ibis#	Isolate	ST	PP No: 1158 mutY	PP No: 1160 mutY	PP No: 1165 fumC
<i>A. baumannii</i>	20	1082	1	A27G21C25T22	A32G35C29T33	A40G33C30T36
<i>A. baumannii</i>	13	854	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	22	1162	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	27	1230	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	31	1367	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	37	1459	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	55	1700	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	64	1777	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	73	1861	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	74	1877	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	86	1972	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	3	684	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	6	720	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	7	726	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	19	1079	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	21	1123	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	23	1188	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	33	1417	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	34	1431	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	38	1496	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	40	1523	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	42	1640	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	50	1666	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	51	1668	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	52	1695	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	65	1781	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
<i>A. baumannii</i>	44	1649	12	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	49A	1658.1	12	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	49B	1658.2	12	A27G21C26T21	A32G34C29T34	A40G33C30T36

<i>A. baumannii</i>	56	1707	12	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	80	1893	12	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	5	693	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	8	749	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	10	839	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	14	865	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	16	888	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	29	1326	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	35	1440	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	41	1524	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	46	1652	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	47	1653	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	48	1657	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	57	1709	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	61	1727	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	63	1762	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	67	1806	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	75	1881	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	77	1886	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	1	649	46	A29G19C26T21	A31G35C29T34	A40G33C29T37
<i>A. baumannii</i>	2	653	46	A29G19C26T21	A31G35C29T34	A40G33C29T37
<i>A. baumannii</i>	39	1497	16	A29G19C26T21	A31G35C29T34	A40G34C29T36
<i>A. baumannii</i>	24	1198	15	A29G19C26T21	A31G35C29T34	A40G33C29T37
<i>A. baumannii</i>	28	1243	15	A29G19C26T21	A31G35C29T34	A40G33C29T37
<i>A. baumannii</i>	43	1648	15	A29G19C26T21	A31G35C29T34	A40G33C29T37
<i>A. baumannii</i>	62	1746	15	A29G19C26T21	A31G35C29T34	A40G33C29T37
<i>A. baumannii</i>	4	689	15	A29G19C26T21	A31G35C29T34	A40G33C29T37
<i>A. baumannii</i>	68	1822	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	69	1823A	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	70	1823B	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	71	1826	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	72	1860	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	81	1924	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	82	1929	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	85	1966	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	11	841	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	32	1415	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	45	1651	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	54	1697	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	58	1712	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	60	1725	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	66	1802	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	76	1883	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	78	1891	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	79	1892	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	83	1947	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	84	1964	24	A27G21C26T21	A32G35C28T34	A40G33C30T36

<i>A. baumannii</i>	53	1696	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	36	1458	49	A27G20C27T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	59	1716	9	A27G21C25T22	A32G35C28T34	A39G33C30T37
<i>A. baumannii</i>	9	805	30	A27G21C25T22	A32G35C28T34	A39G33C30T37
<i>A. baumannii</i>	18	967	39	A27G21C26T21	A32G35C28T34	A39G33C30T37
<i>A. baumannii</i>	30	1322	48	A28G21C24T22	A32G35C29T33	A40G33C30T36
<i>A. baumannii</i>	26	1218	50	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. sp. 13TU</i>	15	875	A1	A27G21C25T22	A30G36C26T37	A41G34C28T36
<i>A. sp. 13TU</i>	17	895	A1	A27G21C25T22	A30G36C26T37	A41G34C28T36
<i>A. sp. 3</i>	12	853	B7	A26G23C23T23	A30G36C27T36	A39G37C26T37
<i>A. johnsonii</i>	25	1202	NEW1	A25G23C24T23	A30G35C30T34	A38G37C26T38
<i>A. sp. 2082</i>	87	2082	NEW2	A26G22C24T23	A31G35C28T35	A42G34C27T36

Table 17C: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Walter Reed Hospital and Amplified with Triangulation Genotyping Analysis Primer Pair Nos. 1167 and 1170 and 1171

Species	Ibis#	Isolate	ST	PP No: 1167 fumC	PP No: 1170 fumC	PP No: 1171 ppa
<i>A. baumannii</i>	20	1082	1	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	13	854	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	22	1162	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	27	1230	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	31	1367	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	37	1459	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	55	1700	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	64	1777	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	73	1861	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	74	1877	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	86	1972	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	3	684	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	6	720	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	7	726	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	19	1079	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	21	1123	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	23	1188	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	33	1417	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	34	1431	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	38	1496	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	40	1523	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	42	1640	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	50	1666	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	51	1668	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	52	1695	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	65	1781	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	44	1649	12	A41G34C34T38	A38G27C21T50	A35G37C33T44

<i>A. baumannii</i>	49A	1658.1	12	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	49B	1658.2	12	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	56	1707	12	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	80	1893	12	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	5	693	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	8	749	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	10	839	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	14	865	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	16	888	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	29	1326	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	35	1440	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	41	1524	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	46	1652	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	47	1653	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	48	1657	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	57	1709	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	61	1727	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	63	1762	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	67	1806	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	75	1881	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	77	1886	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	1	649	46	A41G35C32T39	A37G28C20T51	A35G37C32T45
<i>A. baumannii</i>	2	653	46	A41G35C32T39	A37G28C20T51	A35G37C32T45
<i>A. baumannii</i>	39	1497	16	A41G35C32T39	A37G28C20T51	A35G37C30T47
<i>A. baumannii</i>	24	1198	15	A41G35C32T39	A37G28C20T51	A35G37C30T47
<i>A. baumannii</i>	28	1243	15	A41G35C32T39	A37G28C20T51	A35G37C30T47
<i>A. baumannii</i>	43	1648	15	A41G35C32T39	A37G28C20T51	A35G37C30T47
<i>A. baumannii</i>	62	1746	15	A41G35C32T39	A37G28C20T51	A35G37C30T47
<i>A. baumannii</i>	4	689	15	A41G35C32T39	A37G28C20T51	A35G37C30T47
<i>A. baumannii</i>	68	1822	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
<i>A. baumannii</i>	69	1823A	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
<i>A. baumannii</i>	70	1823B	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
<i>A. baumannii</i>	71	1826	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
<i>A. baumannii</i>	72	1860	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
<i>A. baumannii</i>	81	1924	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
<i>A. baumannii</i>	82	1929	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
<i>A. baumannii</i>	85	1966	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
<i>A. baumannii</i>	11	841	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
<i>A. baumannii</i>	32	1415	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
<i>A. baumannii</i>	45	1651	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
<i>A. baumannii</i>	54	1697	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
<i>A. baumannii</i>	58	1712	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
<i>A. baumannii</i>	60	1725	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
<i>A. baumannii</i>	66	1802	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
<i>A. baumannii</i>	76	1883	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
<i>A. baumannii</i>	78	1891	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
<i>A. baumannii</i>	79	1892	24	A40G35C34T38	A39G26C22T49	A35G37C33T44

<i>A. baumannii</i>	83	1947	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
<i>A. baumannii</i>	84	1964	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
<i>A. baumannii</i>	53	1696	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
<i>A. baumannii</i>	36	1458	49	A40G35C34T38	A39G26C22T49	A35G37C30T47
<i>A. baumannii</i>	59	1716	9	A40G35C32T40	A38G27C20T51	A36G35C31T47
<i>A. baumannii</i>	9	805	30	A40G35C32T40	A38G27C21T50	A35G36C29T49
<i>A. baumannii</i>	18	967	39	A40G35C33T39	A38G27C20T51	A35G37C30T47
<i>A. baumannii</i>	30	1322	48	A40G35C35T37	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	26	1218	50	A40G35C34T38	A38G27C21T50	A35G37C33T44
<i>A. sp. 13TU</i>	15	875	A1	A41G39C31T36	A37G26C24T49	A34G38C31T46
<i>A. sp. 13TU</i>	17	895	A1	A41G39C31T36	A37G26C24T49	A34G38C31T46
<i>A. sp. 3</i>	12	853	B7	A43G37C30T37	A36G27C24T49	A34G37C31T47
<i>A. johnsonii</i>	25	1202	NEW1	A42G38C31T36	A40G27C19T50	A35G37C32T45
<i>A. sp. 2082</i>	87	2082	NEW2	A43G37C32T35	A37G26C21T52	A35G38C31T45

Table 18A: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Northwestern Medical Center and Amplified with Speciating Primer Pair No. 2922 and Triangulation Genotyping Analysis Primer Pair Nos. 1151 and 1156

Species	Ibis#	Isolate	ST	PP No: 2922 efp	PP No: 1151 trpE	PP No: 1156 adk
<i>A. baumannii</i>	54	536	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	87	665	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
<i>A. baumannii</i>	8	80	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	9	91	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	10	92	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	11	131	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	12	137	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	21	218	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	26	242	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	94	678	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	1	9	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	2	13	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	3	19	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	4	24	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	5	36	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	6	39	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	13	139	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	15	165	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	16	170	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	17	186	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	20	202	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	22	221	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	24	234	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	25	239	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	33	370	10	A45G34C25T43	A44G35C21T42	A44G32C26T38

<i>A. baumannii</i>	34	389	10	A44G34C25T43	A44G35C21T42	A44G32C26T38
<i>A. baumannii</i>	19	201	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
<i>A. baumannii</i>	27	257	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	29	301	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	31	354	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	36	422	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	37	424	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	38	434	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	39	473	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	40	482	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	44	512	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	45	516	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	47	522	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	48	526	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	50	528	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	52	531	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	53	533	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	56	542	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	59	550	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	62	556	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	64	557	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	70	588	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	73	603	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	74	605	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	75	606	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	77	611	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	79	622	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	83	643	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	85	653	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	89	669	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	93	674	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	23	228	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	32	369	52	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	35	393	52	A44G35C25T43	A43G36C20T43	A44G32C26T38
<i>A. baumannii</i>	30	339	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
<i>A. baumannii</i>	41	485	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
<i>A. baumannii</i>	42	493	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
<i>A. baumannii</i>	43	502	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
<i>A. baumannii</i>	46	520	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
<i>A. baumannii</i>	49	527	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
<i>A. baumannii</i>	51	529	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
<i>A. baumannii</i>	65	562	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
<i>A. baumannii</i>	68	579	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
<i>A. baumannii</i>	57	546	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	58	548	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	60	552	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	61	555	54	A44G35C25T43	A44G35C20T43	A44G32C26T38

<i>A. baumannii</i>	63	557	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	66	570	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	67	578	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	69	584	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	71	593	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	72	602	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	76	609	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	78	621	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	80	625	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	81	628	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	82	632	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	84	649	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	86	655	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	88	668	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	90	671	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	91	672	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	92	673	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
<i>A. baumannii</i>	18	196	55	A44G35C25T43	A44G35C20T43	A44G32C27T37
<i>A. baumannii</i>	55	537	27	A44G35C25T43	A44G35C19T44	A44G32C27T37
<i>A. baumannii</i>	28	263	27	A44G35C25T43	A44G35C19T44	A44G32C27T37
<i>A. sp. 3</i>	14	164	B7	A46G35C24T42	A42G34C20T46	A43G33C24T40
mixture	7	71	?	mixture	ND	ND

Table 18B: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Northwestern Medical Center and Amplified with Triangulation Genotyping Analysis Primer Pair Nos. 1158, 1160 and 1165

Species	Ibis#	Isolate	ST	PP No: 1158 mutY	PP No: 1160 mutY	PP No: 1165 fumC
<i>A. baumannii</i>	54	536	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	87	665	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	8	80	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	9	91	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	10	92	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	11	131	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	12	137	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	21	218	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	26	242	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	94	678	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	1	9	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	2	13	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	3	19	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	4	24	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	5	36	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	6	39	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	13	139	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	15	165	10	A27G21C26T21	A32G35C28T34	A40G33C30T36

<i>A. baumannii</i>	16	170	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	17	186	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	20	202	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	22	221	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	24	234	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	25	239	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	33	370	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	34	389	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	19	201	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
<i>A. baumannii</i>	27	257	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	29	301	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	31	354	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	36	422	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	37	424	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	38	434	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	39	473	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	40	482	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	44	512	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	45	516	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	47	522	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	48	526	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	50	528	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	52	531	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	53	533	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	56	542	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	59	550	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	62	556	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	64	557	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	70	588	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	73	603	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	74	605	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	75	606	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	77	611	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	79	622	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	83	643	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	85	653	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	89	669	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	93	674	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	23	228	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	32	369	52	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	35	393	52	A27G21C25T22	A32G35C28T34	A40G33C29T37
<i>A. baumannii</i>	30	339	53	A28G20C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	41	485	53	A28G20C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	42	493	53	A28G20C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	43	502	53	A28G20C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	46	520	53	A28G20C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	49	527	53	A28G20C26T21	A32G34C29T34	A40G33C30T36

<i>A. baumannii</i>	51	529	53	A28G20C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	65	562	53	A28G20C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	68	579	53	A28G20C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	57	546	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	58	548	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	60	552	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	61	555	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	63	557	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	66	570	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	67	578	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	69	584	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	71	593	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	72	602	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	76	609	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	78	621	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	80	625	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	81	628	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	82	632	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	84	649	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	86	655	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	88	668	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	90	671	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	91	672	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	92	673	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
<i>A. baumannii</i>	18	196	55	A27G21C25T22	A31G36C27T35	A40G33C29T37
<i>A. baumannii</i>	55	537	27	A27G21C25T22	A32G35C28T34	A40G33C30T36
<i>A. baumannii</i>	28	263	27	A27G21C25T22	A32G35C28T34	A40G33C30T36
<i>A. sp. 3</i>	14	164	B7	A26G23C23T23	A30G36C27T36	A39G37C26T37
mixture	7	71	?	ND	ND	ND

Table 18C: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Northwestern Medical Center and Amplified with Triangulation Genotyping Analysis Primer Pair Nos. 1167, 1170 and 1171

Species	Ibis#	Isolate	ST	PP No: 1167 fumC	PP No: 1170 fumC	PP No: 1171 ppa
<i>A. baumannii</i>	54	536	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
<i>A. baumannii</i>	87	665	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
<i>A. baumannii</i>	8	80	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	9	91	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	10	92	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	11	131	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	12	137	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	21	218	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	26	242	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	94	678	10	A41G34C34T38	A38G27C21T50	A35G37C33T44

<i>A. baumannii</i>	1	9	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	2	13	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	3	19	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	4	24	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	5	36	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	6	39	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	13	139	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	15	165	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	16	170	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	17	186	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	20	202	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	22	221	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	24	234	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	25	239	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	33	370	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	34	389	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
<i>A. baumannii</i>	19	201	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	27	257	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	29	301	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	31	354	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	36	422	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	37	424	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	38	434	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	39	473	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	40	482	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	44	512	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	45	516	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	47	522	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	48	526	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	50	528	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	52	531	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	53	533	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	56	542	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	59	550	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	62	556	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	64	557	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	70	588	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	73	603	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	74	605	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	75	606	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	77	611	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	79	622	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	83	643	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	85	653	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	89	669	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	93	674	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
<i>A. baumannii</i>	23	228	51	A40G35C34T38	A38G27C21T50	A35G37C30T47

<i>A. baumannii</i>	32	369	52	A40G35C34T38	A38G27C21T50	A35G37C31T46
<i>A. baumannii</i>	35	393	52	A40G35C34T38	A38G27C21T50	A35G37C31T46
<i>A. baumannii</i>	30	339	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
<i>A. baumannii</i>	41	485	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
<i>A. baumannii</i>	42	493	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
<i>A. baumannii</i>	43	502	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
<i>A. baumannii</i>	46	520	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
<i>A. baumannii</i>	49	527	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
<i>A. baumannii</i>	51	529	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
<i>A. baumannii</i>	65	562	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
<i>A. baumannii</i>	68	579	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
<i>A. baumannii</i>	57	546	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	58	548	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	60	552	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	61	555	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	63	557	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	66	570	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	67	578	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	69	584	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	71	593	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	72	602	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	76	609	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	78	621	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	80	625	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	81	628	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	82	632	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	84	649	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	86	655	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	88	668	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	90	671	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	91	672	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	92	673	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
<i>A. baumannii</i>	18	196	55	A42G34C33T38	A38G27C20T51	A35G37C31T46
<i>A. baumannii</i>	55	537	27	A40G35C33T39	A38G27C20T51	A35G37C33T44
<i>A. baumannii</i>	28	263	27	A40G35C33T39	A38G27C20T51	A35G37C33T44
<i>A. sp. 3</i>	14	164	B7	A43G37C30T37	A36G27C24T49	A34G37C31T47
mixture	7	71	-	ND	ND	ND

[422] Base composition analysis of the samples obtained from Walter Reed hospital indicated that a majority of the strain types identified were the same strain types already characterized by the OIF study of Example 12. This is not surprising since at least some patients from which clinical samples were obtained in OIF were transferred to the Walter Reed Hospital (WRAIR). Examples of these common strain types include: ST10, ST11, ST12, ST14, ST15, ST16 and ST46. A strong correlation was noted between these strain types and the presence of mutations in the *gyrA* and *parC* which confer quinolone drug resistance.

[423] In contrast, the results of base composition analysis of samples obtained from Northwestern Medical Center indicate the presence of 4 major strain types: ST10, ST51, ST53 and ST54. All of these strain types have the *gyrA* quinolone resistance mutation and most also have the *parC* quinolone resistance mutation, with the exception of ST35. This observation is consistent with the current understanding that the *gyrA* mutation generally appears before the *parC* mutation and suggests that the acquisition of these drug resistance mutations is rather recent and that resistant isolates are taking over the wild-type isolates. Another interesting observation was that a single isolate of ST3 (isolate 841) displays a triangulation genotyping analysis pattern similar to other isolates of ST3, but the codon analysis amplification product base compositions indicate that this isolate has not yet undergone the quinolone resistance mutations in *gyrA* and *parC*.

[424] The six isolates that represent species other than *Acinetobacter baumannii* in the samples obtained from the Walter Reed Hospital were each found to not carry the drug resistance mutations.

[425] The results described above involved analysis of 183 samples using the methods and compositions of the present invention. Results were provided to collaborators at the Walter Reed hospital and Northwestern Medical center within a week of obtaining samples. This example highlights the rapid throughput characteristics of the analysis platform and the resolving power of triangulation genotyping analysis and codon analysis for identification of and determination of drug resistance in bacteria.

Example 14: Identification of Drug Resistance Genes and Virulence Factors in *Staphylococcus aureus*

[426] An eight primer pair panel was designed for identification of drug resistance genes and virulence factors of *Staphylococcus aureus* and is shown in Table 19. The primer sequences are found in Table 2 and are cross-referenced by the primer pair numbers, primer pair names or SEQ ID NOs listed in Table 19.

Table 19: Primer Pairs for Identification of Drug Resistance Genes and Virulence Factors in *Staphylococcus aureus*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
879	MECA_Y14051_4507_4530_F	288	MECA_Y14051_4555_4581_R	1269	mecA
2056	MECI-R_NC003923-41798-41609_33_60_F	698	MECI-R_NC003923-41798-41609_86_113_R	1420	MecI-R
2081	ERMA_NC002952-55890-	217	ERMA_NC002952-55890-	1167	ermA

	56621 366 395 F		56621 438 465 R		
2086	ERMC_NC005908-2004- 2738 85 116 F	399	ERMC_NC005908-2004- 2738 173 206 R	1041	ermC
2095	PVLUK_NC003923-1529595- 1531285 688 713 F	456	PVLUK_NC003923-1529595- 1531285 775 804 R	1261	Pv-luk
2249	TUFB_NC002758-615038- 616222 696 725 F	430	TUFB_NC002758-615038- 616222 793 820 R	1321	tufB
2256	NUC_NC002758-894288- 894974 316 345 F	174	NUC_NC002758-894288- 894974 396 421 R	853	Nuc
2313	MUPR_X75439 2486 2516 F	172	MUPR_X75439 2548 2574 R	1360	mupR

[427] Primer pair numbers 2256 and 2249 are confirmation primers designed with the aim of high level identification of *Staphylococcus aureus*. The nuc gene is a *Staphylococcus aureus*-specific marker gene. The tufB gene is a universal housekeeping gene but the bioagent identifying amplicon defined by primer pair number 2249 provides a unique base composition (A43 G28 C19 T35) which distinguishes *Staphylococcus aureus* from other members of the genus *Staphylococcus*.

[428] High level methicillin resistance in a given strain of *Staphylococcus aureus* is indicated by bioagent identifying amplicons defined by primer pair numbers 879 and 2056. Analyses have indicated that primer pair number 879 is not expected to prime *S. sciuri* homolog or *Enterococcus faecalis/facium* ampicillin-resistant PBP5 homologs.

[429] Macrolide and erythromycin resistance in a given strain of *Staphylococcus aureus* is indicated by bioagent identifying amplicons defined by primer pair numbers 2081 and 2086.

[430] Resistance to mupirocin in a given strain of *Staphylococcus aureus* is indicated by bioagent identifying amplicons defined by primer pair number 2313.

[431] Virulence in a given strain of *Staphylococcus aureus* is indicated by bioagent identifying amplicons defined by primer pair number 2095. This primer pair can simultaneously and identify the pvl (lukS-PV) gene and the lukD gene which encodes a homologous enterotoxin. A bioagent identifying amplicon of the lukD gene has a six nucleobase length difference relative to the lukS-PV gene.

[432] A total of 32 blinded samples of different strains of *Staphylococcus aureus* were provided by the Center for Disease Control (CDC). Each sample was analyzed by PCR amplification with the eight primer pair panel, followed by purification and measurement of molecular masses of the amplification products by mass spectrometry. Base compositions for the amplification products were calculated. The base compositions provide the information summarized above for each primer pair. The results are shown in Tables 20A and B. One result noted upon un-blinding of the samples is that each of the PVL+ identifications agreed with PVL+ identified in the same samples by standard PCR assays. These results

indicate that the panel of eight primer pairs is useful for identification of drug resistance and virulence sub-species characteristics for *Staphylococcus aureus*. It is expected that a kit comprising one or more of the members of this panel will be a useful embodiment of the present invention.

Table 20A: Drug Resistance and Virulence Identified in Blinded Samples of Various Strains of *Staphylococcus aureus* with Primer Pair Nos. 2081, 2086, 2095 and 2256

Sample Index No.	Primer Pair No. 2081 (ermA)	Primer Pair No. 2086 (ermC)	Primer Pair No. 2095 (pv-luk)	Primer Pair No. 2256 (nuc)
CDC0010	-	-	PVL-/lukD+	+
CDC0015	-	-	PVL+/lukD+	+
CDC0019	-	+	PVL-/lukD+	+
CDC0026	+	-	PVL-/lukD+	+
CDC0030	+	-	PVL-/lukD+	+
CDC004	-	-	PVL+/lukD+	+
CDC0014	-	+	PVL+/lukD+	+
CDC008	-	-	PVL-/lukD+	+
CDC001	+	-	PVL-/lukD+	+
CDC0022	+	-	PVL-/lukD+	+
CDC006	+	-	PVL-/lukD+	+
CDC007	-	-	PVL-/lukD+	+
CDCVRS1	+	-	PVL-/lukD+	+
CDCVRS2	+	+	PVL-/lukD+	+
CDC0011	+	-	PVL-/lukD+	+
CDC0012	-	-	<u>PVL+/lukD-</u>	+
CDC0021	+	-	PVL-/lukD+	+
CDC0023	+	-	PVL-/lukD+	+
CDC0025	+	-	PVL-/lukD+	+
CDC005	-	-	PVL-/lukD+	+
CDC0018	+	-	<u>PVL+/lukD-</u>	+
CDC002	-	-	PVL-/lukD+	+
CDC0028	+	-	PVL-/lukD+	+
CDC003	-	-	PVL-/lukD+	+
CDC0013	-	-	PVL+/lukD+	+
CDC0016	-	-	PVL-/lukD+	+
CDC0027	+	-	PVL-/lukD+	+
CDC0029	-	-	PVL+/lukD+	+

CDC0020	-	+	PVL-/lukD+	+
CDC0024	-	-	PVL-/lukD+	+
CDC0031	-	-	PVL-/lukD+	+

Table 20B: Drug Resistance and Virulence Identified in Blinded Samples of Various Strains of *Staphylococcus aureus* with Primer Pair Nos. 2249, 879, 2056, and 2313

Sample Index No.	Primer Pair No. 2249 (tufB)	Primer Pair No. 879 (mecA)	Primer Pair No. 2056 (mecI-R)	Primer Pair No. 2313 (mupR)
CDC0010	<i>Staphylococcus aureus</i>	+	+	-
CDC0015	<i>Staphylococcus aureus</i>	-	-	-
CDC0019	<i>Staphylococcus aureus</i>	+	+	-
CDC0026	<i>Staphylococcus aureus</i>	+	+	-
CDC0030	<i>Staphylococcus aureus</i>	+	+	-
CDC004	<i>Staphylococcus aureus</i>	+	+	-
CDC0014	<i>Staphylococcus aureus</i>	+	+	-
CDC008	<i>Staphylococcus aureus</i>	+	+	-
CDC001	<i>Staphylococcus aureus</i>	+	+	-
CDC0022	<i>Staphylococcus aureus</i>	+	+	-
CDC006	<i>Staphylococcus aureus</i>	+	+	+
CDC007	<i>Staphylococcus aureus</i>	+	+	-
CDCVRS1	<i>Staphylococcus aureus</i>	+	+	-
CDCVRS2	<i>Staphylococcus aureus</i>	+	+	-
CDC0011	<i>Staphylococcus aureus</i>	-	-	-
CDC0012	<i>Staphylococcus aureus</i>	+	+	-
CDC0021	<i>Staphylococcus aureus</i>	+	+	-
CDC0023	<i>Staphylococcus aureus</i>	+	+	-
CDC0025	<i>Staphylococcus aureus</i>	+	+	-
CDC005	<i>Staphylococcus aureus</i>	+	+	-
CDC0018	<i>Staphylococcus aureus</i>	+	+	-
CDC002	<i>Staphylococcus aureus</i>	+	+	-
CDC0028	<i>Staphylococcus aureus</i>	+	+	-
CDC003	<i>Staphylococcus aureus</i>	+	+	-
CDC0013	<i>Staphylococcus aureus</i>	+	+	-
CDC0016	<i>Staphylococcus aureus</i>	+	+	-
CDC0027	<i>Staphylococcus aureus</i>	+	+	-
CDC0029	<i>Staphylococcus aureus</i>	+	+	-

CDC0020	<i>Staphylococcus aureus</i>	-	-	-
CDC0024	<i>Staphylococcus aureus</i>	+	+	-
CDC0031	<i>Staphylococcus scleiferi</i>	-	-	-

Example 15: Selection and Use of Triangulation Genotyping Analysis Primer Pairs for *Staphylococcus aureus*

[433] To combine the power of high-throughput mass spectrometric analysis of bioagent identifying amplicons with the sub-species characteristic resolving power provided by triangulation genotyping analysis, a panel of eight triangulation genotyping analysis primer pairs was selected. The primer pairs are designed to produce bioagent identifying amplicons within six different housekeeping genes which are listed in Table 21. The primer sequences are found in Table 2 and are cross-referenced by the primer pair numbers, primer pair names or SEQ ID NOs listed in Table 21.

Table 21: Primer Pairs for Triangulation Genotyping Analysis of *Staphylococcus aureus*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
2146	ARCC_NC003923-2725050-2724595 131 161 F	437	ARCC_NC003923-2725050-2724595 214 245 R	1137	arcC
2149	ARO_E_NC003923-1674726-1674277 30 62 F	530	ARO_E_NC003923-1674726-1674277 155 181 R	891	aroE
2150	ARO_E_NC003923-1674726-1674277 204 232 F	474	ARO_E_NC003923-1674726-1674277 308 335 R	869	aroE
2156	GMK_NC003923-1190906-1191334 301 329 F	268	GMK_NC003923-1190906-1191334 403 432 R	1284	gmk
2157	PTA_NC003923-628885-629355 237 263 F	418	PTA_NC003923-628885-629355 314 345 R	1301	pta
2161	TPI_NC003923-830671-831072 1 34 F	318	TPI_NC003923-830671-831072 97 129 R	1300	tpi
2163	YQI_NC003923-378916-379431 142 167 F	440	YQI_NC003923-378916-379431 259 284 R	1076	yqi
2166	YQI_NC003923-378916-379431 275 300 F	219	YQI_NC003923-378916-379431 364 396 R	1013	yqi

[434] The same samples analyzed for drug resistance and virulence in Example 14 were subjected to triangulation genotyping analysis. The primer pairs of Table 21 were used to produce amplification products by PCR, which were subsequently purified and measured by mass spectrometry. Base compositions were calculated from the molecular masses and are shown in Tables 22A and 22B.

Table 22A: Triangulation Genotyping Analysis of Blinded Samples of Various Strains of *Staphylococcus aureus* with Primer Pair Nos. 2146, 2149, 2150 and 2156

Sample Index No.	Strain	Primer Pair No. 2146 (arcC)	Primer Pair No. 2149 (aroE)	Primer Pair No. 2150 (aroE)	Primer Pair No. 2156 (gmk)
CDC0010	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32

CDC0015	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC0019	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC0026	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC0030	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC004	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC0014	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC008	????	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC001	Mu50	A45 G23 C20 T27	A58 G24 C18 T52	A40 G36 C13 T43	A51 G29 C21 T31
CDC0022	Mu50	A45 G23 C20 T27	A58 G24 C18 T52	A40 G36 C13 T43	A51 G29 C21 T31
CDC006	Mu50	A45 G23 C20 T27	A58 G24 C18 T52	A40 G36 C13 T43	A51 G29 C21 T31
CDC0011	MRSA252	A45 G24 C18 T28	A58 G24 C19 T51	A41 G36 C12 T43	A51 G29 C21 T31
CDC0012	MRSA252	A45 G24 C18 T28	A58 G24 C19 T51	A41 G36 C12 T43	A51 G29 C21 T31
CDC0021	MRSA252	A45 G24 C18 T28	A58 G24 C19 T51	A41 G36 C12 T43	A51 G29 C21 T31
CDC0023	ST:110	A45 G24 C18 T28	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC0025	ST:110	A45 G24 C18 T28	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC005	ST:338	A44 G24 C18 T29	A59 G23 C19 T51	A40 G36 C14 T42	A51 G29 C21 T31
CDC0018	ST:338	A44 G24 C18 T29	A59 G23 C19 T51	A40 G36 C14 T42	A51 G29 C21 T31
CDC002	ST:108	A46 G23 C20 T26	A58 G24 C19 T51	A42 G36 C12 T42	A51 G29 C20 T32
CDC0028	ST:108	A46 G23 C20 T26	A58 G24 C19 T51	A42 G36 C12 T42	A51 G29 C20 T32
CDC003	ST:107	A45 G23 C20 T27	A58 G24 C18 T52	A40 G36 C13 T43	A51 G29 C21 T31
CDC0013	ST:12	ND	A59 G24 C18 T51	A40 G36 C13 T43	A51 G29 C21 T31
CDC0016	ST:120	A45 G23 C18 T29	A58 G24 C19 T51	A40 G37 C13 T42	A51 G29 C21 T31
CDC0027	ST:105	A45 G23 C20 T27	A58 G24 C18 T52	A40 G36 C13 T43	A51 G29 C21 T31
CDC0029	MSSA476	A45 G23 C20 T27	A58 G24 C19 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC0020	ST:15	A44 G23 C21 T27	A59 G23 C18 T52	A40 G36 C13 T43	A50 G30 C20 T32
CDC0024	ST:137	A45 G23 C20 T27	A57 G25 C19 T51	A40 G36 C13 T43	A51 G29 C22 T30
CDC0031	***	No product	No product	No product	No product

Table 22B: Triangulation Genotyping Analysis of Blinded Samples of Various Strains of *Staphylococcus aureus* with Primer Pair Nos. 2146, 2149, 2150 and 2156

Sample Index No.	Strain	Primer Pair No. 2157 (pta)	Primer Pair No. 2161 (tpi)	Primer Pair No. 2163 (yqi)	Primer Pair No. 2166 (yqi)
CDC0010	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC0015	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC0019	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC0026	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37

CDC0030	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC004	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC0014	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC008	unknown	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC001	Mu50	A33 G25 C22 T29	A50 G28 C22 T29	A42 G36 C22 T43	A36 G31 C19 T36
CDC0022	Mu50	A33 G25 C22 T29	A50 G28 C22 T29	A42 G36 C22 T43	A36 G31 C19 T36
CDC006	Mu50	A33 G25 C22 T29	A50 G28 C22 T29	A42 G36 C22 T43	A36 G31 C19 T36
CDC0011	MRSA252	A32 G25 C23 T29	A50 G28 C22 T29	A42 G36 C22 T43	A37 G30 C18 T37
CDC0012	MRSA252	A32 G25 C23 T29	A50 G28 C22 T29	A42 G36 C22 T43	A37 G30 C18 T37
CDC0021	MRSA252	A32 G25 C23 T29	A50 G28 C22 T29	A42 G36 C22 T43	A37 G30 C18 T37
CDC0023	ST:110	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC0025	ST:110	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC005	ST:338	A32 G25 C24 T28	A51 G27 C21 T30	A42 G36 C22 T43	A37 G30 C18 T37
CDC0018	ST:338	A32 G25 C24 T28	A51 G27 C21 T30	A42 G36 C22 T43	A37 G30 C18 T37
CDC002	ST:108	A33 G25 C23 T28	A50 G28 C22 T29	A42 G36 C22 T43	A37 G30 C18 T37
CDC0028	ST:108	A33 G25 C23 T28	A50 G28 C22 T29	A42 G36 C22 T43	A37 G30 C18 T37
CDC003	ST:107	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC0013	ST:12	A32 G25 C23 T29	A51 G28 C22 T28	A42 G36 C22 T43	A37 G30 C18 T37
CDC0016	ST:120	A32 G25 C24 T28	A50 G28 C21 T30	A42 G36 C22 T43	A37 G30 C18 T37
CDC0027	ST:105	A33 G25 C22 T29	A50 G28 C22 T29	A43 G36 C21 T43	A36 G31 C19 T36
CDC0029	MSSA476	A33 G25 C22 T29	A50 G28 C22 T29	A42 G36 C22 T43	A36 G31 C19 T36
CDC0020	ST:15	A33 G25 C22 T29	A50 G28 C21 T30	A42 G36 C22 T43	A36 G31 C18 T37
CDC0024	ST:137	A33 G25 C22 T29	A51 G28 C22 T28	A42 G36 C22 T43	A37 G30 C18 T37
CDC0031	***	A34 G25 C25 T25	A51 G27 C24 T27	No product	No product

[435] Note: *** The sample CDC0031 was identified as *Staphylococcus scleiferi* as indicated in Example 14. Thus, the triangulation genotyping primers designed for *Staphylococcus aureus* would generally not be expected to prime and produce amplification products of this organism. Tables 22A and 22B indicate that amplification products are obtained for this organism only with primer pair numbers 2157 and 2161.

[436] A total of thirteen different genotypes of *Staphylococcus aureus* were identified according to the unique combinations of base compositions across the eight different bioagent identifying amplicons obtained with the eight primer pairs. These results indicate that this eight primer pair panel is useful for analysis of unknown or newly emerging strains of *Staphylococcus aureus*. It is expected that a kit

comprising one or more of the members of this panel will be a useful embodiment of the present invention.

Example 16: Selection and Use of Triangulation Genotyping Analysis Primer Pairs for Members of the Bacterial Genus *Vibrio*

[437] To combine the power of high-throughput mass spectrometric analysis of bioagent identifying amplicons with the sub-species characteristic resolving power provided by triangulation genotyping analysis, a panel of eight triangulation genotyping analysis primer pairs was selected. The primer pairs are designed to produce bioagent identifying amplicons within seven different housekeeping genes which are listed in Table 23. The primer sequences are found in Table 2 and are cross-referenced by the primer pair numbers, primer pair names or SEQ ID NOs listed in Table 23.

Table 23: Primer Pairs for Triangulation Genotyping Analysis of Members of the Bacterial Genus *Vibrio*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
1098	RNASEP_VBC_331_349_F	325	RNASEP_VBC_388_414_R	1163	RNase P
2000	CTXB_NC002505_46_70_F	278	CTXB_NC002505_132_162_R	1039	ctxB
2001	FUR_NC002505_87_113_F	465	FUR_NC002505_205_228_R	1037	fur
2011	GYRB_NC002505_1161_1190_F	148	GYRB_NC002505_1255_1284_R	1172	gyrB
2012	OMPU_NC002505_85_110_F	190	OMPU_NC002505_154_180_R	1254	ompU
2014	OMPU_NC002505_431_455_F	266	OMPU_NC002505_544_567_R	1094	ompU
2323	CTXA_NC002505-1568114-1567341_122_149_F	508	CTXA_NC002505-1568114-1567341_186_214_R	1297	ctxA
2927	GAPA_NC002505_694_721_F	259	GAPA_NC_002505_29_58_R	1060	gapA

[438] A group of 50 bacterial isolates containing multiple strains of both environmental and clinical isolates of *Vibrio cholerae*, 9 other *Vibrio* species, and 3 species of Photobacteria were tested using this panel of primer pairs. Base compositions of amplification products obtained with these 8 primer pairs were used to distinguish amongst various species tested, including sub-species differentiation within *Vibrio cholerae* isolates. For instance, the non-O1/non-O139 isolates were clearly resolved from the O1 and the O139 isolates, as were several of the environmental isolates of *Vibrio cholerae* from the clinical isolates.

[439] It is expected that a kit comprising one or more of the members of this panel will be a useful embodiment of the present invention.

Example 17: Selection and Use of Triangulation Genotyping Analysis Primer Pairs for Members of the Bacterial Genus *Pseudomonas*

[440] To combine the power of high-throughput mass spectrometric analysis of bioagent identifying amplicons with the sub-species characteristic resolving power provided by triangulation genotyping analysis, a panel of twelve triangulation genotyping analysis primer pairs was selected. The primer pairs are designed to produce bioagent identifying amplicons within seven different housekeeping genes which are listed in Table 24. The primer sequences are found in Table 2 and are cross-referenced by the primer pair numbers, primer pair names or SEQ ID NOs listed in Table 24.

Table 24: Primer Pairs for Triangulation Genotyping Analysis of Members of the Bacterial Genus *Pseudomonas*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
2949	ACS_NC002516-970624-971013 299 316 F	376	ACS_NC002516-970624-971013 364 383 R	1265	acsA
2950	ARO_NC002516-26883-27380 4 26 F	267	ARO_NC002516-26883-27380 111 128 R	1341	aroE
2951	ARO_NC002516-26883-27380 356 377 F	705	ARO_NC002516-26883-27380 459 484 R	1056	aroE
2954	GUA_NC002516-4226546-4226174 155 178 F	710	GUA_NC002516-4226546-4226174 265 287 R	1259	guaA
2956	GUA_NC002516-4226546-4226174 242 263 F	374	GUA_NC002516-4226546-4226174 355 371 R	1111	guaA
2957	MUT_NC002516-5551158-5550717 5 26 F	545	MUT_NC002516-5551158-5550717 99 116 R	978	mutL
2959	NUO_NC002516-2984589-2984954 8 26 F	249	NUO_NC002516-2984589-2984954 97 117 R	1095	nuoD
2960	NUO_NC002516-2984589-2984954 218 239 F	195	NUO_NC002516-2984589-2984954 301 326 R	1376	nuoD
2961	PPS_NC002516-1915014-1915383 44 63 F	311	PPS_NC002516-1915014-1915383 140 165 R	1014	pps
2962	PPS_NC002516-1915014-1915383 240 258 F	365	PPS_NC002516-1915014-1915383 341 360 R	1052	pps
2963	TRP_NC002516-671831-672273 24 42 F	527	TRP_NC002516-671831-672273 131 150 R	1071	trpE
2964	TRP_NC002516-671831-672273 261 282 F	490	TRP_NC002516-671831-672273 362 383 R	1182	trpE

[441] It is expected that a kit comprising one or more of the members of this panel will be a useful embodiment of the present invention.

[442] The present invention includes any combination of the various species and subgeneric groupings falling within the generic disclosure. This invention therefore includes the generic description of the invention with a proviso or negative limitation removing any subject matter from the genus, regardless of whether or not the excised material is specifically recited herein.

[443] While in accordance with the patent statutes, description of the various embodiments and examples have been provided, the scope of the invention is not to be limited thereto or thereby.

Modifications and alterations of the present invention will be apparent to those skilled in the art without departing from the scope and spirit of the present invention.

[444] Therefore, it will be appreciated that the scope of this invention is to be defined by the appended claims, rather than by the specific examples which have been presented by way of example.

[445] Each reference (including, but not limited to, journal articles, U.S. and non-U.S. patents, patent application publications, international patent application publications, gene bank gi or accession numbers, internet web sites, and the like) cited in the present application is incorporated herein by reference in its entirety.

CLAIMS

What is claimed is:

1. An oligonucleotide primer 14 to 35 nucleobases in length comprising at least 70% sequence identity with SEQ ID NO: 456.
2. An oligonucleotide primer 14 to 35 nucleobases in length comprising at least 70% sequence identity with SEQ ID NO: 1261.
3. A composition comprising the primer of claim 1.
4. The composition of claim 3 further comprising an oligonucleotide primer 14 to 35 nucleobases in length comprising at least 70% sequence identity with SEQ ID NO: 1261.
5. The composition of claim 4 wherein either or both of said primers comprises at least one modified nucleobase.
6. The composition of claim 5 wherein said modified nucleobase is 5-propynyluracil or 5-propynylcytosine.
7. The composition of claim 4 wherein either or both of said primers comprises at least one universal nucleobase.
8. The composition of claim 7 wherein said universal nucleobase is inosine.
9. The composition of claim 4 wherein either or both of said primers further comprises a non-templated T residue on the 5'-end.
10. The composition of claim 4 wherein either or both of said primers comprises at least one non-template tag.
11. The composition of claim 4 wherein either or both of said primers comprises at least one molecular mass modifying tag.
12. A kit comprising the composition of claim 4.

13. The kit of claim 12 further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 288:1269, 698:1420, 217:1167, 399:1041, 430:1321, 174:853, and 172:1360.
14. The kit of claim 12 further comprising one or more calibration polynucleotides.
15. The kit of claim 12 further comprising at least one anion exchange functional group linked to a magnetic bead.
16. A method for identification of a strain of *Staphylococcus aureus* in a sample comprising:
 - amplifying nucleic acid from said strain of *Staphylococcus aureus* using the composition of claim 4 to obtain an amplification product;
 - determining the molecular mass of said amplification product;
 - optionally, determining the base composition of said amplification product from said molecular mass; and
 - comparing said molecular mass or said base composition with a plurality of molecular masses or base compositions of known amplification products of strains of *Staphylococcus aureus* defined by the composition of claim 4, wherein a match between said molecular mass or base composition and a member of said plurality of molecular masses or base compositions identifies said strain of *Staphylococcus aureus*.
17. The method of claim 16 further comprising repeating said amplifying, determining, optionally determining, and comparing steps using at least one additional primer pair, wherein each member of said at least one additional primer pair is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 288:1269, 698:1420, 217:1167, 399:1041, 430:1321, 174:853, and 172:1360.
18. The method of claim 16 wherein said strain of *Staphylococcus aureus* is a virulent strain.
19. The method of claim 18 wherein said strain of *Staphylococcus aureus* is a virulent strain.
20. A method for determination of the quantity of a strain of *Staphylococcus aureus* in a sample comprising:

contacting said sample with the composition of claim 4 and a known quantity of a calibration polynucleotide comprising a calibration sequence;

concurrently amplifying nucleic acid from said a strain of *Staphylococcus aureus* and nucleic acid from said calibration polynucleotide in said sample with the composition of claim 4 to obtain a first amplification product comprising a bacterial bioagent identifying amplicon and a second amplification product comprising a calibration amplicon;

determining the molecular mass and abundance for said bacterial bioagent identifying amplicon and said calibration amplicon; and

distinguishing said bacterial bioagent identifying amplicon from said calibration amplicon based on molecular mass, wherein comparison of bacterial bioagent identifying amplicon abundance and calibration amplicon abundance indicates the quantity of said strain of *Staphylococcus aureus* in said sample.




Figure 1




Figure 2




Figure 3

Base Composition Signatures from primer pair 14 (16S rRNA)




Figure 4





Figure 5

6/7






Figure 7

SEQUENCE LISTING

<110> Sampath, Rangarajan
Hall, Thomas A.
Eshoo, Mark W.

<120> COMPOSITIONS FOR IDENTIFICATION OF
BACTERIA

<130> DIBIS-0083WO

<150> 60/674,118

<151> 2005-04-21

<150> 60/705,631

<151> 2005-08-03

<150> 60/732,539

<151> 2005-11-01

<150> 60/773,124

<151> 2006-02-13

<160> 1464

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1

aaactagata acagtagaca tcac

24

<210> 2

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 2

aaccttaatt ggaaagaaac ccaagaagt

29

<210> 3

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 3

aacgcacaat cagaagc

17

<210> 4
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 4
aactaccgtc cgcagttcta cttcc 25

<210> 5
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 5
aactaccgtc ctcagttcta cttcc 25

<210> 6
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 6
aagacgacct gcacgggc 18

<210> 7
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 7
aagcgggtgga gcatgtgg 18

<210> 8
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 8
aaggaaggcg tgatcaccgt tgaaga 26

<210> 9
<211> 23
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 9

aaggtactcc ggggataaca ggc

23

<210> 10

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 10

aagtcggaat cgctagtaat cg

22

<210> 11

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 11

aatctgctat ttggtcagg

19

<210> 12

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 12

acaacgaagt acaatacaag ac

22

<210> 13

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 13

acaatacaag acaaaagaag g

21

<210> 14

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 14

accacgccgt aaacgatga

19

<210> 15

<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 15
accatgacag aaggcatttt gaca 24

<210> 16
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 16
accagtgct gctgaaccgt gc 22

<210> 17
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 17
accgagcaag gagaccagc 19

<210> 18
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 18
acctgcccag tgctggaag 19

<210> 19
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 19
acgcaagaa ccttacc 17

<210> 20
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 20
actcgttttt aatcagcccg 20

<210> 21
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 21
agaacaccga tggcgaaggc 20

<210> 22
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 22
agaatcaagt tcccaggggt tac 23

<210> 23
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 23
agagtttgat catggctcag 20

<210> 24
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 24
agcaggtggt gaaatcggcc acatgatt 28

<210> 25
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 25
agcgtaaagg tgaacctt 18

<210> 26
<211> 26

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 26
agcttttgca tattatatcg agccac 26

<210> 27
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 27
aggacagagt gagtactttg accgaggt 28

<210> 28
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 28
agtctcaaga gtgaacacgt aa 22

<210> 29
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 29
agttataaac acggctttcc tatggcttat cc 32

<210> 30
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 30
atactcctga ctgaccgata g 21

<210> 31
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 31
atatcgacgg cggtgtttgg 20

<210> 32
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 32
atcaatttgg tggccaagaa cctgg 25

<210> 33
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 33
atgattacaa ttcaagaagg tcgtcacgc 29

<210> 34
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 34
atggacaagg ttggcaagga agg 23

<210> 35
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 35
atggccatgg cagaagctca 20

<210> 36
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 36
atgtcgattg caatccgtac ttgtg 25

<210> 37
<211> 19
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 37

atgttgggtt aagtccgc

19

<210> 38

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 38

atgttgggtt aagtccgca acgag

25

<210> 39

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 39

caaaacttat taggtaagcg tggtgact

28

<210> 40

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 40

caaaggtaag caaggacgtt tccgtca

27

<210> 41

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 41

caaaggtaag caaggtcgtt tccgtca

27

<210> 42

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 42
caacgagcgc aaccctt 17

<210> 43
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 43
caacggatgc tggcaag 17

<210> 44
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 44
caagaagaaa aagagcttct aaaaagaata c 31

<210> 45
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 45
caagcaaacg cacaatcaga agc 23

<210> 46

<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 46
caagtcatca tggccctta 19

<210> 47
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 47
caataaccgca acagcgggtgg cttggg 26

<210> 48
<211> 19

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 48
cactggaact gagacacgg 19

<210> 49
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 49
cagaatcaag ttcccagggg 20

<210> 50
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 50
cagagaccgt tttatcctat cagc 24

<210> 51
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 51
cagcgtttcg gcgaaatgga 20

<210> 52
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 52
caggagtcgt tcaactcgat ctacatgat 29

<210> 53
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 53
caggttttagt accagaacat gcag 24

<210> 54
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 54
catccacacg gtggtggtga agg 23

<210> 55
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 55
ccacacgccg ttcttcaaca act 23

<210> 56
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 56
ccacagttct acttccgtac tactgacg 28

<210> 57
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 57
ccagcagccg cggtaatac 19

<210> 58
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 58
ccgtaacttc gggagaagg 19

<210> 59
<211> 20
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 59

ccgtggtatt ggagttattg

20

<210> 60

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 60

cctatattaa tcgtttacag aaactggct

29

<210> 61

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 61

cctgataagg gtgaggtcg

19

<210> 62

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 62

ccttacttcg aactatgaat cttttggaag

30

<210> 63

<211> 14

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 63

cgaagaacct tacc

14

<210> 64

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 64
cgaagtacaa tacaagacaa aagaagg 27

<210> 65
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 65 18
cgagcgctg cgcttcac

<210> 66
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 66 22
cgagagggaa acaaccaga cc

<210> 67
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 67 30
cgagtatagc taaaaaata gtttatgaca

<210> 68
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 68 23
cgcaaaaaa tccagctatt agc

<210> 69
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 69 20
cgccgacttc gacggtgacc

<210> 70
<211> 20

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 70
cggaattact gggcgtaaag 20

<210> 71
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 71
cggattggag tctgcaactc g 21

<210> 72
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 72
cggcgtactt caacgacagc ca 22

<210> 73
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 73
cgtaactata acggtcctaa ggta 24

<210> 74
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 74
cgtcagggtg aattccgtga agttaa 26

<210> 75
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 75
cgtcgggtga ttaaccgtaa caaccg 26

<210> 76
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 76
cgtcgtgtaa ttaaccgtaa caaccg 26

<210> 77
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 77
cgtggcggcg tggttatcga 20

<210> 78
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 78
cgtgttgact attcggggcg ttcag 25

<210> 79
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 79
ctagtacgag aggaccgg 18

<210> 80
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 80
ctgacacctg cccggtgc 18

<210> 81

<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 81
ctggcaggtatgcgtgggtctgatg

24

<210> 82
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 82
ctggctaaaa ctttggcaac ggt

23

<210> 83
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 83
ctgtccctag tacgagagga ccgg

24

<210> 84
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 84
ctgttcttag tacgagagga cc

22

<210> 85
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 85
cttctgcaac aagctgtgga acgc

24

<210> 86
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 86
cttgctggta tgcgtggtct gatg 24

<210> 87
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 87
cttggaggta agtctcattt tggtagggca 29

<210> 88
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 88
cttgtagaca ccgcccgtc 19

<210> 89
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 89
cttgtagcttg tggctcacac ggctgtttgg 30

<210> 90
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 90
cttttgcata ttatatcgag c 21

<210> 91
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 91
gaatagcaat taatccaaat 20

<210> 92
<211> 18

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 92
gaaagagttc ggattggg 18

<210> 93
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 93
gaaggatata cggttgatgt c 21

<210> 94
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 94
gaatagcaat taatccaaat 20

<210> 95
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 95
gacacggtcc agactcctac 20

<210> 96
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 96
gacagttcgg tccctatc 18

<210> 97
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 97
gaccacctcg gcaaccgt 18

<210> 98
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 98
gacctacagt aagaggttct gtaatgaacc 30

<210> 99
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 99
gacgcctgcc cgggtgc 16

<210> 100
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 100
gacttaccaa cccgatgcaa 20

<210> 101
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 101
gagagcaagc ggacctcata 20

<210> 102
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 102
gagagtttga tcctggctca gaacgaa 27

<210> 103

<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 103
gaggaaagtc catgctcac 19

<210> 104
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 104
gaggaaagtc catgctcgc 19

<210> 105
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 105
gaggaaagtc cgggctc 17

<210> 106
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 106
gataccctgg tagtcacac cg 22

<210> 107
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 107
gatctggagg aataccggtg 20

<210> 108
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 108
gatgactttt tagctaattgg tcaggcagc 29

<210> 109
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 109
gattattggt atcctgttat gccatttgag 30

<210> 110
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 110
gcacaacctg cggctgcg 18

<210> 111
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 111
gcactatgca cacgtagatt gtcctgg 27

<210> 112
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 112
gccttgtaga cacctcccgt c 21

<210> 113
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 113
gcgaagaacc ttaccaggtc 20

<210> 114
<211> 20

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 114
gctacacacg tgctacaatg 20

<210> 115
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 115
gctgggtgaaa ataaccacaga tgcgtcttc 30

<210> 116
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 116
gcttcaggaa tcaatgatgg agcag 25

<210> 117
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 117
ggacggagaa ggctatggt 19

<210> 118
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 118
ggattagaga ccctggtagt cc 22

<210> 119
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 119
ggattagata ccctggtagt ccacgc 26

<210> 120
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 120
ggctcagcca tttagttacc gctat 25

<210> 121
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 121
gggaactgaa acatctaagt a 21

<210> 122
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 122
gggagcaaac aggattagat ac 22

<210> 123
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 123
gggcaacagc agcggattgc gattgcgcg 29

<210> 124
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 124
gggcagcgtt tcggcgaaat gga 23

<210> 125
<211> 26
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 125

ggggagtgaa agagatcctg aaaccg

26

<210> 126

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 126

ggggattcag ccatcaaagc agctattgac

30

<210> 127

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 127

ggggattgat atcacccgata agaagaa

27

<210> 128

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 128

ggtgaaagaa gttgcctcta aagc

24

<210> 129

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 129

ggtggatgcc ttggc

15

<210> 130

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 130
ggtgtttaa at agcctggcag 20

<210> 131
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 131
ggttttagtac cagaacatgc 20

<210> 132
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 132
gtcaaagtgg cacgtttact ggc 23

<210> 133
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 133
gtcgtgaaaa cgagctggaa ga 22

<210> 134
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 134
gtgagatggtt gggttaagtc ccgtaacgag 30

<210> 135
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 135
gtgcatgcgg atacagagca gag 23

<210> 136
<211> 26
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 136

gtggcatgcc taatacatgc aagtcg

26

<210> 137

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 137

gtgtagcggg gaaatgcg

18

<210> 138

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 138

gttatcctgt tatgccattt g

21

<210> 139

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 139

gttatttagc actcggtttt aatcagcc

28

<210> 140

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 140

gttgtgagggt taagcgacta ag

22

<210> 141

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 141

gttgtgaggt taagcgacta ag

22

<210> 142
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 142
tctagtaata ataggaccct cagc

24

<210> 143
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 143
tatggctcta ctcaa

15

<210> 144
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 144
taaaacaaac tacggtaaca ttgatcgca

29

<210> 145
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 145
taaaactttt gccgtaatga tgggtgaaga tat

33

<210> 146
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 146
taaacacggc tttcctatgg cttatccaaa t

31

<210> 147
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 147
taaaccatcg cgaggagcaag accgaata 28

<210> 148
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 148
taaagcccggt gaaatgactc gtcgtaaagg 30

<210> 149
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 149
taaagttggt tttattggtt ggcgcgga 28

<210> 150
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 150
taaactcgcc cgtgctggtg gtgac 25

<210> 151
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 151
taacaactcg ccttatgaaa cgggatata 29

<210> 152
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 152
taacacatgc aagtcgaacg 20

<210> 153
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 153
taaccattca agaactagat cttcaggca 29

<210> 154
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 154
taaccttaat tggaaagaaa cccaagaagt 30

<210> 155
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 155
taacggttat catggcccag atggg 25

<210> 156
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 156
taactctgat gtttttgatg ggaaggt 27

<210> 157
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 157
taactgcatg gaacccttct ttactag 27

<210> 158
<211> 27
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 158

taagaagccg gaaaccatca actaccg

27

<210> 159

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 159

taagagcgca ccggttaagtt gg

22

<210> 160

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 160

taagcatgct gtggcttatc gtgaaatg

28

<210> 161

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 161

taagctgccg gcggaatgct ttc

23

<210> 162

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 162

taaggatagt gcaacagaga tataccgcc

29

<210> 163

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 163

taaggatatga caccggataa atcatataaa

30

<210> 164
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 164
taaggtttat tgtctttgtg gagatgggga ttt 33

<210> 165
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 165
taatcaagca ttggaagatg aaatgcatac c 31

<210> 166
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 166
taatcggtaa atatcacccg catggtgac 29

<210> 167
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 167
taatcggtaa gtatcacct catggtgat 29

<210> 168
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 168
taatcgtgga atacgggttt gcta 24

<210> 169
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 169
taatgaaccc taatgaccat ccacacggtg 30

<210> 170
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 170
taatgatgaa ttaggtgcgg gttcttt 27

<210> 171
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 171
taatgggtaa atatcaccct catggtgac 29

<210> 172
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 172
taattgggct ctttctcgct taaacacctt a 31

<210> 173
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 173
tacaaagcaa gacactggct cacta 25

<210> 174
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 174
tacaaaggtc aaccaatgac attcagacta 30

<210> 175
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 175
tacaacatat tattaaagag acgggtttga atcc 34

<210> 176
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 176
tacaagcact cccagctgca 20

<210> 177
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 177
tacaatgctt gtttatgctg gtaaagcag 29

<210> 178
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 178
tacacaacaa tggcggtaaa gatgg 25

<210> 179
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 179
tacagagttt gcgac 15

<210> 180
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 180

tacaggccgt gttgaacgtg g

21

<210> 181

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 181

tacatgctag ccgcgtctta c

21

<210> 182

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 182

taccactatt aatgtcgctg gtgcttc

27

<210> 183

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 183

taccatgaca gaaggcattt tgaca

25

<210> 184

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 184

taccccaaac cgacacagg

19

<210> 185

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 185

taccccaggg aaagtgccac aga

23

<210> 186

<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 186
taccggcgca aaaagtcgag attgg 25

<210> 187
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 187
tacctatatg cgccagaccg c 21

<210> 188
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 188
tacgatttca cttccgcagc cagatt 26

<210> 189
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 189
tacgcgtctt gaagcgtttc gttatga 27

<210> 190
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 190
tacgctgacg gaatcaacca aagcgg 26

<210> 191
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 191
tacggtgaat acgttcccgg g 21

<210> 192
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 192
tacagagttt gcgac 15

<210> 193
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 193
tactacttca agccgaactt ccg 23

<210> 194
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 194
tactagcggg aagcttaaag aagattgc 28

<210> 195
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 195
tactctcggg ggagaagctc gc 22

<210> 196
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 196
tactggaaca aagtctgcga cc 22

<210> 197

<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 197
tacttactac ttcaagccga acttccg 27

<210> 198
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 198
tacttacttg agaatccaca agctgcaa 28

<210> 199
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 199
tacttggttaa ataccacca catggtga 28

<210> 200
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 200
tactttttta aaactaggga tgcgtttgaa gc 32

<210> 201
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 201
tagaaatcaa ggtgatagtg gcaatga 27

<210> 202
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 202
tagaacaccg atggcgaagg c 21

<210> 203
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 203
tagaacgtcg cgagacagtt cg 22

<210> 204
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 204
tagactgccc aggacacgct g 21

<210> 205
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 205
tagataattg ggctctttct cgcttaaac 29

<210> 206
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 206
tagataccct ggtagtccac gc 22

<210> 207
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 207
tagatgaaaa aggcgaagtg gctaattgg 28

<210> 208
<211> 28

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 208
tagatgaaaa gggcgaagtg gctaattg

28

<210> 209
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 209
tagcaacaaa tataatctgaa gcagcgtact

30

<210> 210
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 210
tagcaggtgg tgaaatcggc cacatgatt

29

<210> 211
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 211
tagcatcaga actgttggtc cgctag

26

<210> 212
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 212
tagcccagca caatttgtga ttca

24

<210> 213
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 213
tagccttttaa cgaaaatgta aaaatgcgtt ttga 34

<210> 214
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 214
tagcgaatgt ggctttactt cacaatt 27

<210> 215
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 215
tagcgtaaag gtgaacctt 19

<210> 216
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 216
tagctaattgg tcaggcagcc 20

<210> 217
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 217
tagctatctt atcgttgaga agggatttgc 30

<210> 218
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 218
tagctggcgc gaaattaggt gt 22

<210> 219
<211> 26
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 219

tagctggcgg tatggagaat atgtct

26

<210> 220

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 220

tagcttttgc atattatatc gagccac

27

<210> 221

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 221

taggaattac ggctgataaa gcgtataaa

29

<210> 222

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 222

taggcgaaga tatacaaaga gtattagaag ctaga

35

<210> 223

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 223

taggcgtgaa agcaagctac cgttt

25

<210> 224

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 224

taggtgctgg ttacgcagat caaga

25

<210> 225

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 225

taggtttacg tcagtatggc gtgattatgg

30

<210> 226

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 226

tagtaccgaa gctggtcata cga

23

<210> 227

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 227

tagtacgaga ggaccgg

17

<210> 228

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 228

tagtcccgcac acgagcgc

18

<210> 229

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 229

tagtgataga actgtaggca caatcgt

27

<210> 230

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 230

tagttgctca aacagctggg ct 22

<210> 231

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 231

tataagtggg taaaccgtga atacgtgt 29

<210> 232

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 232

tataacttcaa cgctgtgc ttcc 24

<210> 233

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 233

tatcgctcag gcgaactcca ac 22

<210> 234

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 234

tatgaccaaa ctcacagac gag 23

<210> 235

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 235

tatgattaca attcaagaag gtcgtcacgc 30

<210> 236
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 236
tatgcagtgg aacgatgggt tccaaga 27

<210> 237
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 237
tatgctgacc gaccagtgggt acgt 24

<210> 238
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 238
tatggccatg gcagaagctc a 21

<210> 239
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 239
tatggctcta ctcaa 15

<210> 240
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 240
tatgtccaag aagcatagca aaaaaagcaa t 31

<210> 241
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 241
tattcaaggt ggtcctttga tgcattgt 27

<210> 242
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 242
tattggacaa cggtcgtcgc gg 22

<210> 243
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 243
tattgtttca aatgtacaag gtgaagtgcg 30

<210> 244
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 244
tatttcacat gtaattttga tatttcgact 30

<210> 245
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 245
tcaaaaagcc ctaggttaaag agattccata tc 32

<210> 246
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 246
tcaaactggg caatcggaac tggtaaattc 29

<210> 247
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 247
tcaaatgtac aaggtgaagt gcgtga 26

<210> 248
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 248
tcaacaacct cttggaggta aagctcagt 29

<210> 249
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 249
tcaacctcgg cccgaacca 19

<210> 250
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 250
tcaacctgac tgcgtgaatg gttgt 25

<210> 251
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 251
tcaacgaagg taaaaaccat ctcaacg 27

<210> 252
<211> 27
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 252

tcaacggtaa cttctatggt acttctg

27

<210> 253

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 253

tcaactcgaa ttttcaacag gtacca

26

<210> 254

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 254

tcaagaagaa aaagagc

17

<210> 255

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 255

tcaagcaaac gcacaatcag aagc

24

<210> 256

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 256

tcaagcagaa gctttggaag aagaagg

27

<210> 257

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 257

tcaagccgta cgtattatta ggtgctg

27

<210> 258
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 258
tcaataccgc aacagcgggtg gcttggg 27

<210> 259
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 259
tcaatgaacg accaacaagt gattgatg 28

<210> 260
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 260
tcaatgaacg atcaacaagt gattgatg 28

<210> 261
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 261
tcacatatcg tgagcaatga actg 24

<210> 262
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 262
tcaccagggtt caactcaaaa aatattaaca 30

<210> 263
<211> 25
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 263

tcaccagttt gccacgtatc ttcaa

25

<210> 264

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 264

tcaccctcat ggtgactcat ctatttat

28

<210> 265

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 265

tcaccctcat ggtgattcag ctgtttat

28

<210> 266

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 266

tcaccgatat catggcttac cacgg

25

<210> 267

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 267

tcaccgtgcc gttcaaggaa gag

23

<210> 268

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 268

tcacctccaa gtttagatca cttgagaga

29

<210> 269
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 269
tcacgataag aaaaccgggc aagagg 26

<210> 270
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 270
tcactcttac atataaggaa ggcgctc 27

<210> 271
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 271
tcagaccatg ctgcgagaga aactt 25

<210> 272
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 272
tcagagaccg ttttatccta tcagc 25

<210> 273
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 273
tcagcaaag catcacaac agataa 26

<210> 274
<211> 25
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 274
tcagcatatg cacatggaac acctc

25

<210> 275
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 275
tcagcatatg cacatggaac acctca

26

<210> 276
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 276
tcagccatca aagcagctat tg

22

<210> 277
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 277
tcagcgcgta cagtgggtga t

21

<210> 278
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 278
tcagcgtatg cacatggaac tcctc

25

<210> 279
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 279
tcagctacat cgactatgcg atg

23

<210> 280

<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 280
tcagctagac ctttttaggta aagctaagct 30

<210> 281
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 281
tcagctatattt ttccaggtat ccaaggtgg 29

<210> 282
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 282
tcagctgtcg cagttcatgg acc 23

<210> 283
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 283
tcaggaaaag ggcattttac ccttg 25

<210> 284
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 284
tcaggagtgc ttcaactcga tctacatgat 30

<210> 285
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 285
tcaggagtcg ttcaactcga tctacatgat g 31

<210> 286
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 286
tcaggatgga aataaccacc aattcactac 30

<210> 287
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 287
tcaggcattg cggttgggat ggc 23

<210> 288
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 288
tcaggtactg ctatccaccc tcaa 24

<210> 289
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 289
tcagggtggct tacacggcgt ag 22

<210> 290
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 290
tcagtatgta tccaccgtag ccagtc 26

<210> 291

<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 291
tcagttccgt tatcgccatt gca 23

<210> 292
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 292
tcagttccgt tatcgccatt gcat 24

<210> 293
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 293
tcagttccgt tatcgccatt gcatt 25

<210> 294
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 294
tcagttcggc ggtcagcgct tcgg 24

<210> 295
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 295
tcagtttttaa tgtctcgat gatcgaatca aaag 34

<210> 296
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 296
tcatccacac ggtggtggtg aagg 24

<210> 297
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 297
tcatcctaag ccaagtgtag actctgta 28

<210> 298
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 298
tcatgataat atctttgaaa tcggctcagg a 31

<210> 299
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 299
tcatgttgag cttaaaccta tagaagtaaa agc 33

<210> 300
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 300
tcattatcat gcgccaatga gtgcaga 27

<210> 301
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 301
tcattcaaga actagatctt caggcaag 28

<210> 302
<211> 26

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 302
tccaaaaaaa tcagcgcgta cagtgg 26

<210> 303
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 303
tccaaaccag gtgtatcaag aacatcagg 29

<210> 304
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 304
tccaaataag tggcggtaca aatactgaa 29

<210> 305
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 305
tccaacgaag tacaatacaa gacaaaagaa gg 32

<210> 306
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 306
tccaaggtac actaaactta cttgagctaa tg 32

<210> 307
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 307
tccaatgccca caaactcgtg aaca

24

<210> 308
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 308
tccacacgcc gttcttcaac aact

24

<210> 309
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 309
tccacacggt ggtggtgaag g

21

<210> 310
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 310
tccaccaaga gcaagatcaa ataggc

26

<210> 311
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 311
tccacggtca tggagcgcta

20

<210> 312
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 312
tccacttatc gcaaattggaa aattaagcaa

30

<210> 313
<211> 33
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 313

tccagatgga caaattttct tagaaactga ttt

33

<210> 314

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 314

tccagcacga attgctgcta tgaaag

26

<210> 315

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 315

tccaggacaa atgtatgaaa aatgtccaag aag

33

<210> 316

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 316

tccattgttc gtatggctca agact

25

<210> 317

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 317

tcccaattaa ttctgccatt tttccaggta t

31

<210> 318

<211> 34

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 318

tcccacgaaa cagatgaaga aattaacaaa aaag 34

<210> 319

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 319

tcccagctag accttttagg taaagctaag 30

<210> 320

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 320

tcccaggtga cgatgtacct gtaatc 26

<210> 321

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 321

tccccaggac accctgaaat ttcaac 26

<210> 322

<211> 34

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 322

tccccacgc ttttaattggt tatgatgatt tgag 34

<210> 323

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 323

tcccgactt aatatcaatg aaaattgtgg a 31

<210> 324

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 324

tcccggagct tttatgacta aagcagat

28

<210> 325

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 325

tccgcggagt tgactgggt

19

<210> 326

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 326

tccgctgaat ctgtcgccgc

20

<210> 327

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 327

tccggctcac gttattatgg tac

23

<210> 328

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 328

tccgtacgta ttattaggtg ctggtca

27

<210> 329

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 329

tccggttatcg ccattgcatt atttggaact 30

<210> 330

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 330

tccggttctta caaatagcaa tagaacttga agc 33

<210> 331

<211> 36

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 331

tccggttgatt attggttatcc tggttatgcc tttgag 36

<210> 332

<211> 34

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 332

tcctaattgga cttaatatca atgaaaattg tgga 34

<210> 333

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 333

tcctagagga atggctgcca cg 22

<210> 334

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 334

tcctatatatta atcgtttaca gaaactggct 30

<210> 335

<211> 31

<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (15)...(15)
<223> I

<400> 335
tcctcaatga acgatcaaca agtgattgat g 31

<210> 336
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 336
tcctcaatga atgatcaaca agtgattgat g 31

<210> 337
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (15)...(15)
<223> I

<220>
<221> modified_base
<222> (24)...(24)
<223> I

<400> 337
tcctcgatga acgatcaaca agtgattgat g 31

<210> 338
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (15)...(15)
<223> I

<220>
<221> modified_base
<222> (24)...(24)
<223> I

<400> 338
tcctcgatga atgatcaaca agtgattgat g

31

<210> 339
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

220>
<221> modified_base
<222> (6)...(6)
<223> I

<220>
<221> modified_base
<222> (15)...(15)
<223> I

<400> 339
tcctcgatga acgatcaaca agtgattgat g

31

<210> 340
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (6)...(6)
<223> I

<220>
<221> modified_base
<222> (12)...(12)
<223> I

220>
<221> modified_base
<222> (15)...(15)
<223> I

<220>
<221> modified_base
<222> (24)...(24)
<223> I

<400> 340
tcctcgatga acgatcaaca agtgattgat g

31

<210> 341
<211> 20

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 341
tcctgaaaaa tggagcacgg 20

<210> 342
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 342
tcctgaagca agtgcattta cga 23

<210> 343
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 343
tcctgaccga cccattattc cctttatc 28

<210> 344
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 344
tcctgatgct caaagtgctt ttttagatcc ttt 33

<210> 345
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 345
tcctgttatc cctgaagtag ttaatcaagt ttgt 34

<210> 346
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 346
tcctgttatc cctgaagtag ttaatcaagt ttgtt 35

<210> 347
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 347
tcctgttatt cctgaagtag ttaatcaagt ttgtta 36

<210> 348
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 348
tccttacttc gaactatgaa tcttttggaa g 31

<210> 349
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 349
tccttatagg gatggctatc agtaatgtt 29

<210> 350
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 350
tccttgaccg cctttccgat ac 22

<210> 351
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 351
tccttgcttt agttttaagt gcatgtaatt caa 33

<210> 352
<211> 32
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 352

tcctttgata tattatgcga tggaagggtg gt

32

<210> 353

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 353

tcctttgatg catgtaattg ctgcaaaagc

30

<210> 354

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 354

tcgaaagctt ttgcatatta tatcgagcca c

31

<210> 355

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 355

tcgaagtaca atacaagaca aaagaagg

28

<210> 356

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 356

tcgacaacac cattatctat ggtgtgaa

28

<210> 357

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 357

tcgacctttg gcaggaacta gac 23

<210> 358
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 358
tcgagcaggc gctgccg 17

<210> 359
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 359
tcgagtatag ctaaaaaat agtttatgac a 31

<210> 360
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 360
tcgatctggt ttcatgctgt ttcagt 26

<210> 361
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 361
tcgatgaacg accaacaagt gattgatg 28

<210> 362
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 362
tcgattaggc agcaacgaaa gccg 24

<210> 363
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 363
tcgcaaaaaa atccagctat tagc 24

<210> 364
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 364
tcgccaatca aaactaaggg aatggc 26

<210> 365
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 365
tcgccatcgt caccaaccg 19

<210> 366
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 366
tcgcccgcga ggacgt 16

<210> 367
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 367
tcgccgactt cgacggtgac c 21

<210> 368
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 368
tcgccggcaa tgccattgga ta 22

<210> 369
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 369
tcgccgtgga aaaatcctac gct 23

<210> 370
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 370
tcgcgttgca acaaaaacttt ctaaagtatg t 31

<210> 371
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 371
tcgctacagg ccctttagga caag 24

<210> 372
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 372
tcgctatctt atcgttgaga agggatt 27

<210> 373
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 373
tcggaatctg atgttgagcagtggtt 24

<210> 374
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 374
tcggcgcac cttcatcgaa gt 22

<210> 375
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 375
tcggcgaaat ccgtattcct gaaaatga 28

<210> 376
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 376
tcggcgctg cctgatga 18

<210> 377
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 377
tcgggtgatg atgcgcgtga agg 23

<210> 378
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 378
tcggtttagt aaaagaacgt attgctcaac c 31

<210> 379
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 379
tcgtacgtat tattaggtgc tggtcact 28

<210> 380
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 380
tcgtatggct caatggtgga g 21

<210> 381
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 381
tcgtcttttt gattctttcc ctgataatgc 30

<210> 382
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 382
tcgtcttttt gattctttcc ctgataatgc tc 32

<210> 383
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 383
tcgtgattat ggatggcaac gtgaa 25

<210> 384
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 384
tcgtgcccgc aatttgcata aagc 24

<210> 385
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 385

tcgtggcggc gtggttatcg a

21

<210> 386

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 386

tcgtgttgaa cgtgggtcaaa tcaaagt

27

<210> 387

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 387

tcgttcctgg aacacgatga cgc

23

<210> 388

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 388

tcgtttcgtg gtggtagatg aaaaagg

27

<210> 389

<211> 11

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 389

tccaccctca a

11

<210> 390

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 390

tctaaaacac caggtcaccc agaag

25

<210> 391

<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 391
tctaaatggt cgtgcagttg cgtg 24

<210> 392
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 392
tctactgatt ttggtaatct tgcagcacag 30

<210> 393
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 393
tctagtaata ataggaccct cagc 24

<210> 394
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 394
tctcaagggtg atattggtgt aggtaactta a 31

<210> 395
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 395
tctcattacg ttgcatcgga aaca 24

<210> 396
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 396
tctcgatgaa cgaccaacaa gtgattgatg 30

<210> 397
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 397
tctcgtggtg cacaagtaac ggatatta 28

<210> 398
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 398
tctgaaatga atagtgatag aactgtaggc ac 32

<210> 399
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 399
tctgaacatg ataatatctt tgaaatcggc tc 32

<210> 400
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 400
tctgaatgtc tatatggagg tacaacacta 30

<210> 401
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 401
tctgacacct gcccggtgc 19

<210> 402
<211> 20

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 402
tctgcccgtg tcgttggtga 20

<210> 403
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 403
tctggaggca caccaaataa aaca 24

<210> 404
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 404
tctggataac ggtcgtcgcg g 21

<210> 405
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 405
tctggcaggt atgcgtggtc tgatg 25

<210> 406
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 406
tctggctaaa actttggcaa cggt 24

<210> 407
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 407
tctgtccaa caaaaggaac gattacagg 29

<210> 408
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 408
tctgtcccta gtacgagagg accgg 25

<210> 409
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 409
tctgttctta gtacgagagg acc 23

<210> 410
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 410
tcttatgcca agaggacaga gtgagt 26

<210> 411
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 411
tcttatgcca agaggacaga gtgagtact 29

<210> 412
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 412
tcttattcca acttcaaacc gaactatgac g 31

<210> 413
<211> 29
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 413

tcttctcatc ctatggctat tatgcttgc

29

<210> 414

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 414

tcttgatact tgtaatgtgg gcgataaata tgt

33

<210> 415

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 415

tcttgcagca gtttatttga tgaacctaaa gt

32

<210> 416

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 416

tcttgctctt tcgtgagttc agtaaatg

28

<210> 417

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 417

tcttgtaactt gtggctcaca cggtggttg g

31

<210> 418

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 418

tcttgtttat gctggtaaag cagatgg

27

<210> 419

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 419

tctttatggg ggagatgact gaaaccga

28

<210> 420

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 420

tctttcttga atgctgggtg acgtatcg

28

<210> 421

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 421

tctttgaaat cggctcagga aaagg

25

<210> 422

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 422

tctttgccat tgaagatgac ttaagc

26

<210> 423

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 423

tcttttaca aaggggaaaa agttgactt

29

<210> 424

<211> 34

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 424

tgaaaaaatgt ccaagaagca tagcaaaaaa agca

34

<210> 425

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 425

tgaaaagggt gaagtagcaa atggagatag

30

<210> 426

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 426

tgaaaagtat ggatttgaac aactcgtgaa ta

32

<210> 427

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 427

tgaaatctca ttacgttgca tcggaaa

27

<210> 428

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 428

tgaaattgct acaggccctt taggacaagg

30

<210> 429

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 429

tgaacgctgg tggcatgctt aacac

25

<210> 430
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 430
tgaacgtggt caaatcaaag ttggtgaaga 30

<210> 431
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 431
tgaacgtggt caaatcaaag ttggtgaaga a 31

<210> 432
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 432
tgaagcttgt tcttttagcag gacttca 27

<210> 433
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 433
tgaaggtgga cgtcacactc cattcttc 28

<210> 434
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 434
tgaagtagaa atgactgaac gtccga 26

<210> 435
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 435
tgaagtagaa ggtgcaaagc aagttaga 28

<210> 436
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 436
tgaagtgcgt gatgatatcg atgcacttga tgta 34

<210> 437
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 437
tgaatagtga tagaactgta ggcacaatcg t 31

<210> 438
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 438
tgaatgetta tttacctgca ctcccacaac t 31

<210> 439
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 439
tgaattagtt caatcatttg ttgaacgacg t 31

<210> 440
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 440
tgaattgctg ctatgaaagg tggctt 26

<210> 441
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 441
tgacagcgaa gaaggtaga cttgtcc 27

<210> 442
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 442
tgacatccgg ctcacgttat tatggt 26

<210> 443
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 443
tgacatccgg ctcacgttat tatggt 27

<210> 444
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 444
tgacatccgg ctcacgttat tatggtac 28

<210> 445
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 445
tgacatgata ataaccgatt gaccgaaga 29

<210> 446
<211> 22
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 446

tgacatgctt gtccgttcag gc

22

<210> 447

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 447

tgacatggac tccccctata taactcttga g

31

<210> 448

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 448

tgaccagggtg atggccatgt tcg

23

<210> 449

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 449

tgacctacag taagagggtc tgtaatgaac c

31

<210> 450

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 450

tgacgatctt cgcggtgact agt

23

<210> 451

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 451

tgacggccta tacgggtgttg gtttct

26

<210> 452

<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 452
tgacgtcatc ggtaagtacc accc 24

<210> 453
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 453
tgagatggat ttaaacctgt tcaccgc 27

<210> 454
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 454
tgagattgct gaacatttaa tgctgattga 30

<210> 455
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 455
tgagcaatgg ggctttgaaa gaatttttaa at 32

<210> 456
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 456
tgagctgcat caactgtatt ggatag 26

<210> 457
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 457
tgagctttta gttgactttt tcaacagc 28

<210> 458
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 458
tgaggaccgt gtcgcgctca 20

<210> 459
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 459
tgagggtttt atgcttaaag ttggttttat tggtt 35

<210> 460
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 460
tgaggtggtg gataactcaa ttgatgaagc 30

<210> 461
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 461
tgagtaacat ccatatttct gccatacgt 29

<210> 462
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 462
tgagtaagtt ccacccgcac gg 22

<210> 463
<211> 30

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 463
tgagtcactt gaagttgata caaatcctct 30

<210> 464
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 464
tgagtgatga aggccttagg gttgtaaa 28

<210> 465
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 465
tgagtgccaa catatcagtg ctgaaga 27

<210> 466
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 466
tgagtttaac agttcaccat atgaaacagg 30

<210> 467
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 467
tgatacttca acgcctgctg ctttc 25

<210> 468
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 468
tgatcactgg tgctgctcag atgga 25

<210> 469
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 469
tgatcatccg tggataacg atttattagt 30

<210> 470
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 470
tgatcgttga gaagggattt gcgaaaaga 29

<210> 471
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 471
tgatctcaga atctaataat tgggacgaa 29

<210> 472
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 472
tgatcttaaa aatttcgcc aacttcattc 30

<210> 473
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 473
tgatgacttt ttagctaata gtcaggcagc 30

<210> 474
<211> 29
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 474
tgatggcaag tggatagggt ataatacag 29

<210> 475
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 475
tgattaccat gagtggcaag caag 24

<210> 476
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 476
tgattattgt taccctgtta tgccatttga g 31

<210> 477
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 477
tgattccggt gcccgtaggt 19

<210> 478
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 478
tgattctggt gcccgtaggt 19

<210> 479
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 479

tgatttttgct aaatttagag aaattgcgga tgaa 34

<210> 480
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 480
tgcaaaatct gcaacgagct ttgg 24

<210> 481
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 481
tgcaaaggag gtactcagac cat 23

<210> 482
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 482
tgcaagcaaa cgcacaatca gaagc 25

<210> 483
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 483
tgcaagcgcg accacatacg 20

<210> 484
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 484
tgcaagcttc tggtgctagc att 23

<210> 485
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 485
tgcaagtggg acttcaacat gggg 24

<210> 486
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 486
tgcaagttaa gaaagctggt gcaggtttat 30

<210> 487
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 487
tgcaattgct ttagttttaa gtgcatgtaa ttc 33

<210> 488
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 488
tgcacaatca gaagctaaga aagcgcaagc t 31

<210> 489
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 489
tgcacacgcc gttcttcaac aact 24

<210> 490
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 490
tgcacatcgt gtccaacgtc ac 22

<210> 491
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 491
tgcaccggct attaagaatt actttgcaa ct 32

<210> 492
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 492
tgcacgatgc ggaatggttc aca 23

<210> 493
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 493
tgcacgccga ctatgttaag aacatgat 28

<210> 494
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 494
tgcacttatc gcaaattgaa aattaagcaa 30

<210> 495
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 495
tgcaggaac agcttttaggc a 21

<210> 496
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 496
tgcatacaaaa cagtcgggagc ct 22

<210> 497
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 497
tgcataccgg taagttggca aca 23

<210> 498
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 498
tgcataattat atcgagccac agcatcg 27

<210> 499
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 499
tgcattattt ggaactattg caactgctaa tgc 33

<210> 500
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 500
tgccaagagg acagagtgag tactttga 28

<210> 501
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 501
tgccggacaa ttacgattca tcgagtatta a 31

<210> 502
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 502
tgccgtaatg ataggtgaag atatacaaag agt 33

<210> 503
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 503
tgccgtgttg aacgttgtca aat 23

<210> 504
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 504
tgcctagaag atcttaaaaa tttccgccaa ctt 33

<210> 505
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 505
tgcctatctt tttgctgata tagcacatat tgc 33

<210> 506
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 506
tgcctcgaag ctgaatataa ccaagtt 27

<210> 507
<211> 22
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 507

tgcctgtagg gaatcctgct ga

22

<210> 508

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 508

tgccctgttct tagtacgaga ggacc

25

<210> 509

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 509

tgcgcagctc ttggtatcga gtt

23

<210> 510

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 510

tgcgcggaag atgtaacggg

20

<210> 511

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 511

tgcggatcgt ttggtggttg tagatgaaaa

30

<210> 512

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 512

tgcgggtagg gagcttgagc

20

<210> 513

<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 513
tgcgtacaat acgctttatg aaattttaac a 31

<210> 514
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 514
tgcgtataaa aaacacagat ggcagca 27

<210> 515
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 515
tgcgtttacc gcaatgcgtg c 21

<210> 516
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 516
tgctacggta ggatctcctt atcctattg 29

<210> 517
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 517
tgctagtcaa tctatcattc cggttgatac 30

<210> 518
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 518
tgctagttat ggtacagagt ttgcgac 27

<210> 519
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 519
tgctatgggtg ttaccttccc tatgca 26

<210> 520
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 520
tgctcaaccc gatcctaaat tagacga 27

<210> 521
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 521
tgctcaatct aaacctaaag tcgaaga 27

<210> 522
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 522
tgctcgagtg attgactttg ctaaatttag aga 33

<210> 523
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 523
tgctcgtaag ggtctggcgg atac 24

<210> 524
<211> 29

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 524
tgctcgtggt gcacaagtaa cggatatta 29

<210> 525
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 525
tgctgaggcc tggaccgatt atttac 26

<210> 526
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 526
tgctggtaac agagccttat aggcgca 27

<210> 527
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 527
tgctggtacg ggtcgagga 19

<210> 528
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 528
tgctggtgaa aataacccag atgtcgtctt c 31

<210> 529
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 529
tgctgtagct tatcgcgaaa tgtctttgat tt 32

<210> 530
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 530
tgcttattta cctgcactcc cacaactg 28

<210> 531
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 531
tgcttcagga atcaatgatg gagcag 26

<210> 532
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 532
tgcttcggat ccagcagcac ttcaata 27

<210> 533
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 533
tgcttctggt gctagcatt 19

<210> 534
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 534
tgctttccta tggcttatcc aaatttagat cg 32

<210> 535
<211> 29
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 535

tgcttttgat ggtgatgcag atcgtttgg

29

<210> 536

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 536

tggaagcca tgcgtctgac atct

24

<210> 537

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 537

tggaagggtg ttgcagctac tca

23

<210> 538

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 538

tggaatggc agctagaata gtagctaaaa t

31

<210> 539

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 539

tggaacaaaa tagtctctcg gatthttgact

30

<210> 540

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 540

tggaacagga attaattctc atcctgatta tcc

33

<210> 541

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 541

tggaacgtta tcaggtgcc caaaaattcg

30

<210> 542

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 542

tggaactatt gcaactgcta atg

23

<210> 543

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 543

tggaacttga agctctcgct cttaaagatg

30

<210> 544

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 544

tggaagatct gggtcaggc

19

<210> 545

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 545

tggaagtcac caagcgctg gc

22

<210> 546

<211> 30

<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 546
tggataaaca aaacatgaag gaaaccactt 30

<210> 547
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 547
tggatgatg ataaagattt cgcagatagc ta 32

<210> 548
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 548
tggacaatag acaatcactt ggatttaca 29

<210> 549
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 549
tggacacata tcgtgagcaa tgaactga 28

<210> 550
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 550
tggacggcat cacgattctc tac 23

<210> 551
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 551
tggactcctc ggtggtcgc 19

<210> 552
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 552
tggagcacgg cttctgac 19

<210> 553
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 553
tggagcttga agctatcgct cttaaagatg 30

<210> 554
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 554
tggagggtgc actccacag aa 22

<210> 555
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 555
tggagggtgt tgtatgtatg gtggt 25

<210> 556
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 556
tggatattca ccgaacacta gggttg 26

<210> 557
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 557
tggatggcat ggtgaaatgg atatgtc 27

<210> 558
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 558
tggatgggga ttagcgggta caatg 25

<210> 559
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 559
tggatgttaa ggggtgatttt cccgaa 26

<210> 560
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 560
tggattagag accctggtag tcc 23

<210> 561
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 561
tggcacggcc atctccgtg 19

<210> 562
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 562
tggcactctt gcctttaata ttagtaaaact atca 34

<210> 563
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 563
tggcagctag aatagtagct aaaatcccta c 31

<210> 564
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 564
tggcagtttt acaaggtgct gtttcac 28

<210> 565
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 565
tggcatttct tatgaagctt gttcttttagc a 31

<210> 566
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 566
tggccagcgc ttcggtgaaa tgga 24

<210> 567
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 567
tggcccgaagaa gaagctgagc g 21

<210> 568
<211> 32
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 568
tggcctaatag ggcttaatat caatgaaaat tg 32

<210> 569
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 569
tggcgaacct ggtgaacgaa gc 22

<210> 570
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 570
tggcgagtgg ataggtata atacag 26

<210> 571
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 571
tggcgtagta gagctattta cagacac 27

<210> 572
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 572
tggcaagtgg ataggtata atacag 26

<210> 573
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 573
tggctccttg gtatgactct gcttc 25

<210> 574

<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 574
tggctgacat cctacatgac tgtga 25

<210> 575
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 575
tggcttatcc aaatttagat cgtggtttta c 31

<210> 576
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 576
tgggacttga agctatcgct cttaaagatg 30

<210> 577
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 577
tgggatgaaa aagcggttctt ttatccatga 30

<210> 578
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 578
tgggattatt gttatcctgt tatgccattt gaga 34

<210> 579
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 579
tgggatttta aaaaacattg gtaacatcgc ag 32

<210> 580
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 580
tgggcaacag cagcggattg cgattgcgcg 30

<210> 581
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 581
tgggcagcgt ttccggcgaaa tgga 24

<210> 582
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 582
tgggcctaata gggcctaata tcaatgaaaa ttg 33

<210> 583
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 583
tgggcgatgc tgcgaaatgg ttaaaaga 28

<210> 584
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 584
tgggcgtgag caatgaactg attatac 27

<210> 585
<211> 18

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 585
tgggcgtgga acgtccac 18

<210> 586
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 586
tgggctcttt ctcgcttaaa cacc 24

<210> 587
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 587
tgggctcttt ctcgcttaaa cacct 25

<210> 588
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 588
tggggattca gccatcaaag cagctattga c 31

<210> 589
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 589
tggggattga tatcacccgat aagaagaa 28

<210> 590
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 590
tggggccttta aatattccaa ttgaagattt tca 33

<210> 591
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 591
tggggcctttg ctttatagtt ttttacattt aag 33

<210> 592
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

220>
<221> modified_base
<222> (5)...(5)
<223> I

<220>
<221> modified_base
<222> (14)...(14)
<223> I

<400> 592
tgggtgatgc tgctaaatgg ttaaaaga 28

<210> 593
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 593
tgggtcgtgg ttttacagaa aatttcttat atatg 35

<210> 594
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 594
tgggtgacat tcatcaattt catcgttc 28

<210> 595
<211> 32
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 595

tggttttaca catatcgtga gcaatgaact ga

32

<210> 596

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 596

tggtaaatac cacccacatg gtgac

25

<210> 597

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 597

tggtaacaga gccttatagg cgca

24

<210> 598

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 598

tggtaacaga gccttatagg cgcatatg

28

<210> 599

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 599

tggtaaagagc gcaccggtaa gttggtaaca

30

<210> 600

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 600

tggtacagag tttgcgac 18

<210> 601
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 601
tggtacatgt gccttcattg atgctg 26

<210> 602
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 602
tggtacagag tttgcgac 18

<210> 603
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 603
tggtactcac ttagcgggtt tccg 24

<210> 604
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 604
tggtatgata tgatgcctgc acca 24

<210> 605
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 605
tggtatgcgt ggtctgatgg c 21

<210> 606
<211> 31
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 606

tggtattcta ttttgctgat aatgacctcg c

31

<210> 607

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 607

tggtcaaatac aaagttggtg aagaa

25

<210> 608

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 608

tggtcttatg ccaagaggac agagtgagt

29

<210> 609

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 609

tggtgactcg gcatgttatg aagc

24

<210> 610

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 610

tggtgacttc ataatggatg aagttgaagt

30

<210> 611

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 611

tggtgcgagt gcttatgctc gtattat

27

<210> 612
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 612
tggtgctagc att 13

<210> 613
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 613
tggtgctttc tggcgcttaa acga 24

<210> 614
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 614
tggtggacat ttaacacatg gtgcaaa 27

<210> 615
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 615
tggtggtgaa atagatagga ctgctt 26

<210> 616
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 616
tggtgctagc att 13

<210> 617
<211> 26
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 617

tggttatcgc tcaggcgaac tccaac

26

<210> 618

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 618

tggttatgta ccaaatactt tgtctgaaga tgg

33

<210> 619

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 619

tggtttagat aattccttag gatctatgcg t

31

<210> 620

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<220>

<221> modified_base

<222> (3)...(3)

<223> I

<220>

<221> modified_base

<222> (6)...(6)

<223> I

<220>

<221> modified_base

<222> (9)...(9)

<223> I

<220>

<221> modified_base

<222> (12)...(13)

<223> I

<220>

<221> modified_base

<222> (15)...(15)

<223> I

<400> 620
tgtcctactg tttgtggttc tgtaatgaac c 31

<210> 621
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 621
tgtaactatc acccgcacgg tgat 24

<210> 622
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 622
tgtaagctct acaaccaca aaaccttacg 30

<210> 623
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 623
tgtaatgaac cctaataacc atccacacgg 30

<210> 624
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 624
tgtaccgct gaattaacga atttatacga c 31

<210> 625
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 625
tgtactcggg aagtatcacc cgca 24

<210> 626
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 626

tgtactgcta tccacctca a

21

<210> 627

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 627

tgtagccgct aagcactacc atcc

24

<210> 628

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 628

tgtagcttat cgcgaaatgt ctttgatttt

30

<210> 629

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 629

tgtatggtgg tgtaacgtta catgataata atc

33

<210> 630

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 630

tgtattaggg gcatacagtc ctcattcc

27

<210> 631

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 631

tgtcaaagtg gcacgtttac tggc 24

<210> 632
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 632
tgtcatgggt aaatatcacc ctca 24

<210> 633
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 633
tgtccaagaa gcatagcaaa aaaagcaa 28

<210> 634
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 634
tgtcgatgca acgcaagaa cct 23

<210> 635
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 635
tgtcgtaca cgatattctt cacga 25

<210> 636
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 636
tgtgaataaa tcacgattga ttgagca 27

<210> 637
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 637
tgtggagtaa cactgcatga aaacaa 26

<210> 638
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 638
tgtggtcaaa tcaaagttgg tgaagaa 27

<210> 639
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 639
tggtcaagag ctagatcttc aggca 25

<210> 640
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 640
tggtcaagag ctagatcttc aggcaa 26

<210> 641
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 641
tgttcgctgt ttcacaaaca acattcca 28

<210> 642
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 642
tggtcttttag caggacttca caaacttgat aa 32

<210> 643
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 643
tgttgaacgt ggtcaaata aagttggtg 29

<210> 644
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 644
tgttgggagt attccttacc atttaagcac a 31

<210> 645
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 645
tgttggtgct ttctggcgct taa 23

<210> 646
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 646
tccttggtgt cctactgttt gtggttctgt aatgaacc 38

<210> 647
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (7)...(7)
<223> I

<220>
<221> modified_base
<222> (10)...(10)

<223> I

<220>

<221> modified_base

<222> (13)...(13)

<223> I

<220>

<221> modified_base

<222> (16)...(16)

<223> I

<220>

<221> modified_base

<222> (19)...(20)

<223> I

<220>

<221> modified_base

<222> (22)...(22)

<223> I

<400> 647

ttaaagttgg ttttattggt tggcgcgga

29

<210> 648

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 648

ttaacatgaa ggaaaccact ttgataatgg

30

<210> 649

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 649

ttaacggtta tcatggccca gatggg

26

<210> 650

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 650

ttaagtcccg caacgagcgc aa

22

<210> 651

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 651

ttaagtcccg caacgatcgc aa

22

<210> 652

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 652

ttaatttgcc aaaaatgcaa ccaggtag

28

<210> 653

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 653

ttacacatat cgtgagcaat gaactga

27

<210> 654

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 654

ttacaggaag tttaggtggt aatctaaaag g

31

<210> 655

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 655

ttactccatt attgcttggt tacactttcc

30

<210> 656

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 656

ttataactta ctgcaatcta ttcagttgct tgggtg

35

<210> 657

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 657

ttataccgga aacttcccga aaggag

26

<210> 658

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 658

ttatcagcta gaccttttag gtaaagctaa gc

32

<210> 659

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 659

ttatcgctca ggcgaactcc aac

23

<210> 660

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 660

ttatcgtttg tggagctagt gcttatgc

28

<210> 661

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 661

ttatgaagcg tggtcttttag caggacttca

30

<210> 662

<211> 25

<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 662
ttatggatgg caacgtgaaa cgcgt 25

<210> 663
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 663
ttattgttat cctggtatgc c 21

<210> 664
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 664
ttattttacct gcactccac aactg 25

<210> 665
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 665
ttcaaaaact ccaggccatc ctgaaatttc aac 33

<210> 666
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 666
ttcaacaggt accaatgatt tgatctca 28

<210> 667
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 667
ttcccaccga tatcatggct taccacgg 28

<210> 668
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 668
ttccgtaagt cggctaaaac agtcg

25

<210> 669
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 669
ttcctccttt tgaaagcgac gggt

24

<210> 670
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 670
ttcctcggcc gcctggc

17

<210> 671
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 671
ttcctgaccg acccattatt ccctttatc

29

<210> 672
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 672
ttcgatgcaa cgcaagaac ct

22

<210> 673
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 673
ttcgccaatc aaaactaagg gaatggc 27

<210> 674
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 674
ttcggcggtc agcgcttcgg 20

<210> 675
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 675
ttctaaaaca ccaggtcacc cagaag 26

<210> 676
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 676
ttctatctcg ttggtttatt cggagtt 27

<210> 677
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 677
ttctgaatgt ctatatggag gtacaacact 30

<210> 678
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 678
ttgactgccc aggtcacgct g 21

<210> 679
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 679
ttgactgcgg cacaacacgg at 22

<210> 680
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 680
ttgagaagac atccggctca cggtattatg gta 33

<210> 681
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 681
ttgagggtat gcaccgtctt tttgattctt t 31

<210> 682
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 682
ttgcaactgc tgatttagct caga 24

<210> 683
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 683
ttgcacaagc aaggcgctat tt 22

<210> 684
<211> 28
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 684
ttgccaatga tattcgttgg ttagcaag 28

<210> 685
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 685
ttgcccgcgg tgcggaagta accgatatta c 31

<210> 686
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 686
ttgcgaatag aacgatggct cgt 23

<210> 687
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 687
ttgctcgtgg tgcacaagta acggatatta 30

<210> 688
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 688
ttgctcgtgg tgcacaagta acggatatta c 31

<210> 689
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (15)...(15)
<223> I

<220>

<221> modified_base

<222> (29)...(29)

<223> I

<400> 689

ttgctcgtgg tgcacaagta acggatatta c

31

<210> 690

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 690

ttgcttaaaag ttggttttat tggttggcg

29

<210> 691

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 691

ttggtccttt ttatacgaaa gaagaagttg aa

32

<210> 692

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 692

ttgtaaatgc cgggtgcttca gatcc

25

<210> 693

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 693

ttgtacacac cgcccgtcat ac

22

<210> 694

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 694
ttgtagcaca gcaaggcaaa tttcctgaaa c 31

<210> 695
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 695
ttgtatgtat ggtggtgtaa cgttacatga 30

<210> 696
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 696
ttgtatgtat ggtggtgtaa ctgagca 27

<210> 697
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 697
tttaagtcac gcaacgagcg caa 23

<210> 698
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 698
tttacacata tcgtgagcaa tgaactga 28

<210> 699
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 699
tttacactac ttttattcat tgccctaacg 30

<210> 700
<211> 19

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 700
tttacagctt tatgcaccg 19

<210> 701
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 701
tttcacacag cgtgtttata gttctacca 29

<210> 702
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 702
tttcacatgt aattttgata ttcgcactga 30

<210> 703
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 703
tttcatctta tcgaggaccc gaaatcga 28

<210> 704
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 704
tttcctcctt ttgaaagcga cggtt 25

<210> 705
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 705
tttcgaaggg cctttcgacc tg 22

<210> 706
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 706
tttcgatgca acgcgaagaa cct 23

<210> 707
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 707
tttgatttta cgccgtcctc caggteg 27

<210> 708
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 708
tttgcggatg aagtaggtgc ctatcttttt gc 32

<210> 709
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 709
ttttatgctt aaagttggtt ttattggttg gc 32

<210> 710
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 710
ttttgaagggt gatccgtgcc aacg 24

<210> 711
<211> 29
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 711
aaactatattt tttagctata ctggaacac 29

<210> 712
<211> 19
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 712
aacatagcct tctccgtcc 19

<210> 713
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 713
aacttcgcct tcggatcatgt t 21

<210> 714
<211> 17
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 714
aaggaggtga tccagcc 17

<210> 715
<211> 29
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 715
aatcgacgac catcttggaa agattttctc 29

<210> 716
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 716

acaaaaggca cgccatcacc c 21

<210> 717
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 717
acaaaaggta cgccgtcacc c 21

<210> 718
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (12)...(12)
<223> I

<400> 718
acaacacgag ctgacgac 18

<210> 719
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 719
acaacacgag ctgacgac 18

<210> 720
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (16)...(16)
<223> I

<400> 720
acaacacgag ctgacgac 18

<210> 721
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (14)...(14)
<223> I

<400> 721
acaacacgag ctgacgac

<210> 722
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (11)...(11)
<223> I

<400> 722
acaacacgag ctgacgac

<210> 723
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (10)...(10)
<223> I

<220>
<221> modified_base
<222> (13)...(13)
<223> I

<400> 723
acaacacgag ctgacgac

<210> 724
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (8)...(8)
<223> I

18

18

18

<220>
<221> modified_base
<222> (10)...(10)
<223> I

<220>
<221> modified_base
<222> (13)...(13)
<223> I

<400> 724
acaacacgag ctgacgac

18

<210> 725
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (8)...(8)
<223> I

<220>
<221> modified_base
<222> (10)...(10)
<223> I

<220>
<221> modified_base
<222> (13)...(13)
<223> I

<220>
<221> modified_base
<222> (16)...(16)
<223> I

<400> 725
acaacacgag ctgacgac

18

<210> 726
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 726
acaaccatgc accacctgtc

20

<210> 727
<211> 12
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 727
acacgagctg ac 12

<210> 728
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 728
accactttta ataaggtttg tagctaac 28

<210> 729
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 729
acctgcaata tctaatagcac tcttacg 27

<210> 730
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 730
acctgcatcc ctaaacgtac ttgc 24

<210> 731
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 731
accttggttac gacttcaccc ca 22

<210> 732
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 732
acgaactgga tgcgccggtt 20

<210> 733
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 733
acgacacgag ctgacgac 18

<210> 734
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 734
acgacacgag ctgacgac 18

<210> 735
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 735
acgagctgac gacagccatg 20

<210> 736
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 736
acgccatcag gccacgcat 19

<210> 737
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 737
acgcgggcat gcagagatgc c 21

<210> 738
<211> 18
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 738
acggcacgag gtagtcgc 18

<210> 739
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 739
acggttacct tgttacgact 20

<210> 740
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 740
acgtccttca tcgcctctga 20

<210> 741
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 741
acgtttttcg ttttgaacga taatgct 27

<210> 742
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 742
actgctgcct cccgtag 17

<210> 743
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 743
acttagatgc tttcagcggc 20

<210> 744

<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 744
agacctcctg cgtgcaaagc 20

<210> 745
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 745
agataaagaa tcacgaatat caatttgtag c 31

<210> 746
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 746
agccgacatc gaggtgccaa ac 22

<210> 747
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 747
agctgctaga tgagcttctg ccatggcc 28

<210> 748
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 748
aggatagatt tatttcttgt tcg 23

<210> 749
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 749
agtcacatccc ggtcctctcg 20

<210> 750
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 750
ataagccatg ttctgttcca tc 22

<210> 751
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 751
ataagccggg ttctgtcg 18

<210> 752
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 752
atatgattat cattgaactg cggccg 26

<210> 753
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 753
atcccctgct tctgctgcc 19

<210> 754
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 754
attcaagagc catttctttt ggtaaaccac 30

<210> 755
<211> 22

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 755
attgcccgaga aatcaaata tc 22

<210> 756
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 756
attgcttctt acttgcttag cataaatttt cca 33

<210> 757
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 757
attgtagcac gtgtgtagcc c 21

<210> 758
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 758
caagcgggttt gcctcaaata gtca 24

<210> 759
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 759
caatctgctg acggatctga gc 22

<210> 760
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 760
caccgggcag gcgtc
15

<210> 761
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 761
cacggctacc ttgttacgac
20

<210> 762
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 762
cagataaaga atcgctccag
20

<210> 763
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 763
catgacagcc aagacctcac ccacc
25

<210> 764
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 764
catgatggtc acaaccgg
18

<210> 765
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 765
ccaaacaccg ccgtcgatat
20

<210> 766
<211> 26
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 766
ccaacctttt ccacaacaga atcagc 26

<210> 767
<211> 27
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 767
ccaagtgctg gtttaccoca tggagta 27

<210> 768
<211> 23
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 768
ccacttttaa taaggtttgt agc 23

<210> 769
<211> 27
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 769
ccagcagtta ctgtcccctc atctttg 27

<210> 770
<211> 28
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 770
ccataagggtc accgtcacca ttcaaagc 28

<210> 771
<211> 18
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 771

ccatgcagca cctgtctc 18

<210> 772
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 772
cccatttttt cacgcatgct gaaaatatc 29

<210> 773
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 773
cccccggtcaa ttcctttgag t 21

<210> 774
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 774
ccctgtagta gaagaggtaa ccac 24

<210> 775
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 775
ccgacaagga atttcgctac c 21

<210> 776
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 776
ccgcggtcga attgcatgcc ttc 23

<210> 777
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 777
ccggtcctct cgtacta 17

<210> 778
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 778
ccgtgctcca tttttcag 18

<210> 779
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 779
cctacccaac gttcaccaag ggcag 25

<210> 780
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 780
cctcctgcgt gcaaagc 17

<210> 781
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 781
cctgtagtag aagaggtaac 20

<210> 782
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 782
ccttctcccg aagttacg 18

<210> 783
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 783
ccttggttacg acttcacccc 20

<210> 784
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 784
cgaacggcca gagtagtcaa cacg 24

<210> 785
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 785
cgaacggcct gagtagtcaa cacg 24

<210> 786
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 786
cgacttgacg gttaacattt cctg 24

<210> 787
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 787
cgagttgcag actgcgatcc g 21

<210> 788
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 788
cgagttgcag actgcgatcc g 21

<210> 789
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 789
cgcacccatgc gtagagatga agtac 25

<210> 790
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 790
cgcaccgtgg gttgagatga agtac 25

<210> 791
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 791
cgcatattcac cgctacac 18

<210> 792
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 792
cgcggtcggc tcgttgatga 20

<210> 793
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 793
cggctgctgg cacgaagtta g 21

<210> 794
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 794
cggcttcaag acccc 15

<210> 795
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 795
cggtagcaac tggatgtcgc cggt 24

<210> 796
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 796
cgtactcccc aggcg 15

<210> 797
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 797
cgtataagct gcaccataag cttgtaatgc 30

<210> 798
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 798
cgtggactac cagggtatct a 21

<210> 799
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 799
ctatcgggtca gtcaggagta t 21

<210> 800
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 800
cttctacatt tttagccatc ac 22

<210> 801
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 801
ctttacgccc agtaattccg 20

<210> 802
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 802
ctttcgcttt ctogaactca accat 25

<210> 803
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 803
gaatatcaat ttgtagc 17

<210> 804
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 804
gacccaacc tggccttttg tcgttga 27

<210> 805

<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 805
gaccgttata gttacggcc 19

<210> 806
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 806
gacgggcggt gtgtacaag 19

<210> 807
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 807
gacgggcggt gtgtacaag 19

<210> 808
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 808
gacgggcggt gtgtacaag 19

<210> 809
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 809
gacgtcatcc ccaccttct c 21

<210> 810
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 810
gacgtcatcc ccaccttcct cc 22

<210> 811
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 811
gagcatcagc gtgcgtgct 19

<210> 812
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 812
gagctgcgcc aacgaataaa tcgtc 25

<210> 813
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 813
gattggcgat aaagtgatat tttctaaaa 29

<210> 814
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 814
gcccaccaga aagactagca ggataa 26

<210> 815
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 815
gccgtccatc tgagcagcac c 21

<210> 816
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 816
gccgtccatt tgagcagcac c 21

<210> 817
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 817
gccttgcgac cgtactccc 19

<210> 818
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 818
gcgaccgtac tccccagg 18

<210> 819
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 819
gcgctccacg tcttcacgc 19

<210> 820
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 820
gcgtgacagg caggtattc 19

<210> 821
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 821
gcgtgacgac cttcttgaat tgtaatca 28
<210> 822
<211> 24
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer
<400> 822
gcgttcacac gcttggtgca gaag 24
<210> 823
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer
<400> 823
gctgctggca cggagtta 18
<210> 824
<211> 26
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer
<400> 824
gctgctttga tggctgaatc cccttc 26
<210> 825
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer
<400> 825
gctggattcg cctttgctac g 21
<210> 826
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer
<400> 826
gcttacacac ccggcctatc 20
<210> 827
<211> 23
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 827

ggaatttacc agcgatagac acc

23

<210> 828

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 828

ggataattgg tcgtaacaag ggatagtgag

30

<210> 829

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 829

ggcatcacca ttctcttgtc cttcg

25

<210> 830

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 830

ggccgtactc cccaggcg

18

<210> 831

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 831

ggcgcttgta cttaccgcac

20

<210> 832

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 832

gggtctacac ctgcacttgc ataac 25

<210> 833
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 833
gggtttcccc attcgg 16

<210> 834
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 834
ggtaaccctt gtctttgaat 20

<210> 835
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 835
ggtaagggtc ttcgcgttg 19

<210> 836
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 836
ggtataacgc atgcagcaa aagattta 28

<210> 837
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 837
gtaacccttg tctttgaatt gtatttgc 28

<210> 838
<211> 22
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 838

gtaagccatg ttttgttcca tc

22

<210> 839

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 839

gtatctaatac ctgtttgctc cc

22

<210> 840

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 840

gtccgacttg acggtcaaca tttcctg

27

<210> 841

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 841

gtgcgccctt tctaactt

18

<210> 842

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 842

gtgctggttt accccatgga gt

22

<210> 843

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 843

gttcaaatac ctggataccc a

21

<210> 844
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 844
gttggtcacca ggcattacca tttc 24

<210> 845
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 845
gttggtcgcca ggcataacca tttc 24

<210> 846
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 846
gtttcatgct tagatgcttt cagc 24

<210> 847
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 847
gtttttcggt gcgtacgatg atgtc 25

<210> 848
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 848
taaacgtccg ataccaatgg ttcgctc 27

<210> 849
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 849
taaactatattt ttttagctat actcgaacac 30

<210> 850
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 850
taaagacacc gctgggttta aatgtgca 28

<210> 851
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 851
taaagagacg tttggtagtt cattttgc 27

<210> 852
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 852
taaaggatag cggtaactaa atggctgagc cat 33

<210> 853
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 853
taaatgcact tgcttcaggg ccatat 26

<210> 854
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 854
taaattccgc aaagactttg gcattaggtg t 31

<210> 855
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 855
taacaaatcc cgtctgagtt cctcttgca 29

<210> 856
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 856
taacaacggt accttcgcga tccactaa 28

<210> 857
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 857
taaccatttc gcgtaagatt caa 23

<210> 858
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 858
taaccacccc aagatttatc tttttgcc 29

<210> 859
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 859
taaccatttc gcgtaagatt caa 23

<210> 860
<211> 39
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 860

taacccttgt ctttgaattg tatttgcaat taatcctgg

39

<210> 861

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 861

taaccgtttc caaaggtact gtattttgt

29

<210> 862

<211> 34

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 862

taaccgtttc caaaggtact gtattttgtt tacc

34

<210> 863

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 863

taactcctct tccttcaaca ggtgga

26

<210> 864

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 864

taactgaccc aaagctgaaa gctttactg

29

<210> 865

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 865

taagacaagg ttttgtggat tttttagctt gtt

33

<210> 866

<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 866
taagagtgat gcgggctggt tcaaca 26

<210> 867
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 867
taagcaatac ctttacttgc accac 25

<210> 868
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 868
taagcaatac ctttacttgc accacct 27

<210> 869
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 869
taagcaatac ctttacttgc accacctg 28

<210> 870
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 870
taagcaccat ataagtctac ttttttccct t 31

<210> 871
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 871
taagccagca agagctgtat agttcca 27

<210> 872
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 872
taagctcccg tatcttgagt cgcctc 26

<210> 873
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 873
taagttacct tgcccgtaa oca 23

<210> 874
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 874
taagttcctt cgctagtatg ttggctt 27

<210> 875
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 875
taatcgacga ccattcttga aagatttctc 30

<210> 876
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 876
taatctggct gcggaagtga aat 23

<210> 877
<211> 25

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 877
taatctggct gcggaagtga aatcg 25

<210> 878
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 878
taatgccggg tagtgcaatc cattcttcta g 31

<210> 879
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 879
taatgcgata ctggcctgca agtc 24

<210> 880
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 880
tacaaccttc ggataatcag gatgagaatt aat 33

<210> 881
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 881
tacaacgtga taaacacgac cagaagc 27

<210> 882
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 882
tacaactggg tcaaaaacat taagctgtaa ttgtc 35

<210> 883
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 883
tacagcttta aagccagcaa aatgaattac ag 32

<210> 884
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 884
tacaggagca gcaggcttca ag 22

<210> 885
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 885
tacatcgttt cgcccaagat caatca 26

<210> 886
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 886
tacatctcct tcgatagaaa tttcattgct atc 33

<210> 887
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 887
taccaaagcg tgcacgatag ttgag 25

<210> 888
<211> 27
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 888
taccatctac ccaaacatta gcaccaa 27

<210> 889
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 889
taccccagtt cccctgacct tc 22

<210> 890
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 890
taccggaagc accagcgaca ttaatag 27

<210> 891
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 891
tacctgcatt aatcgcttgt tcatcaa 27

<210> 892
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 892
taccttaccg ccaaagctgt ct 22

<210> 893
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 893

taccttagga ccgttatagt tacg

24

<210> 894

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 894

taccttttcc acaacagaat cagc

24

<210> 895

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 895

tacgagctga cgacagccat g

21

<210> 896

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 896

tacgagctga cgacagccat gca

23

<210> 897

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 897

tacgcattac tcacccgtcc gc

22

<210> 898

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 898

tacgccatca ggccacgcat

20

<210> 899

<211> 27

<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 899
tacgctaagc cacgtccata tttatca 27

<210> 900
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 900
tacgtatgta aattccgcaa agactttggc attag 35

<210> 901
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 901
tacgtcgctt ttaacttggc tatattcagc 30

<210> 902
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 902
tacgttctac gattttcttca tcaggtacat c 31

<210> 903
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 903
tacgtttgta tcttctgcag aacc 24

<210> 904
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 904
tacacctggc ttcgttttga tgatttgta 29

<210> 905
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 905
tactagacga cgggtcaggt aacc 24

<210> 906
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 906
tacttcagct tcgtccaata aaaaatcaca at 32

<210> 907
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 907
tactttaagg ggctatcttt accatgaacc t 31

<210> 908
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 908
tagagagtag ccatcttcac cgttgtc 27

<210> 909
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 909
tagcaccaat caccctttcc tgt 23

<210> 910
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 910
tagcagcaaa agttatcaca cctgcagt 28

<210> 911
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 911
tagcagctag ctcgtaacca gtgta 25

<210> 912
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 912
tagccatagc taccattgct tcataaatag a 31

<210> 913
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 913
tagcccagct gtttgagcaa ct 22

<210> 914
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 914
tagccgcggt cgaattgcat 20

<210> 915
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 915
tagccttggc aacatcagca aaact 25

<210> 916
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 916
tagccttttc tccggcgtag atct 24

<210> 917
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 917
tagcgatttc tactoctaga gttgaaattt cagg 34

<210> 918
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 918
tagctgctag atgagcttct gccatggcc 29

<210> 919
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 919
taggatgaaa gcattccgct ggc 23

<210> 920
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 920
taggatgagc attatcaggg aaagaatc 28

<210> 921
<211> 23
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 921
taggattttt ccacggcggc atc 23

<210> 922
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 922
taggcataac catttcagta ctttctggta a 31

<210> 923
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 923
tagtatcacc acgtacaccc ggatcagt 28

<210> 924
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (17)...(17)
<223> I

<220>
<221> modified_base
<222> (20)...(20)
<223> I

<400> 924
tagtatcacc acgtacaccc ggatcagt 28

<210> 925
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 925
tagtcotttc tgaattttac catcaaaggt ac 32

<210> 926

<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 926
tagtcttttg gaacaccgtc tttaattaaa gt 32

<210> 927
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 927
tagtggtgta cctccatata gacattcaga 30

<210> 928
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 928
tagttgaagt tgcactatat actggttgga 29

<210> 929
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 929
tataacgcac atcgtcaggg tga 23

<210> 930
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 930
tatagcacca tccatctgag cggcac 26

<210> 931
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 931
tatatgaaca ataccagttc cttctgagt 29

<210> 932
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 932
tatatgatta tcattgaact gcggccg 27

<210> 933
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 933
tatccattga accaaagtta ccttgcc 28

<210> 934
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 934
tatcccctgc ttctgctgcc 20

<210> 935
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 935
tatcgacaga tccaaagtta ccatgcc 28

<210> 936
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 936
tatggtctat ttcaatggca gttacga 27

<210> 937
<211> 24

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 937
tatgtgctca cgagtttgcg gcat 24

<210> 938
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 938
tatgtgtagt tgagcttact acatgagc 28

<210> 939
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 939
tattcttcgt tactcatgcc ataca 25

<210> 940
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 940
tattgcccag aaatcaaadc atc 23

<210> 941
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 941
tattgaggat caccatgatg atattcttgc 30

<210> 942
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 942
tattgctttt ttgctatgc ttcttggaca t 31

<210> 943
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 943
tattggaaat accggcagca tctc 24

<210> 944
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 944
tatttgggtt tcattccact cagattctgg 30

<210> 945
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 945
tcaaaaacaa agaattcatt ttctgggtcca aa 32

<210> 946
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 946
tcaaaacgca tttttacatc ttcggttaaag gcta 34

<210> 947
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 947
tcaaaacttg ctctagacca tttaactcc 29

<210> 948
<211> 30
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 948
tcaaaatctt ttgattcgat catacgagac 30

<210> 949
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 949
tcaaacgatc cgcacacca tcaaaag 27

<210> 950
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 950
tcaaagaacc agcacctaatt tcattcattta 30

<210> 951
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 951
tcaaagaacc cgcacctaatt tcattcattta 30

<210> 952
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 952
tcaacaacac ctccttattc ccactc 26

<210> 953
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 953

tcaacaatca gatagatgtc agacgcatg

29

<210> 954

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 954

tcaacaccag cgttacctaa agtacctt

28

<210> 955

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 955

tcaactgggtt caaaaacatt aagttgtaat tgtcc

35

<210> 956

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 956

tcaacttctg ccattaaaag taatgcca

28

<210> 957

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 957

tcaagcgatc taccgcatt acaa

24

<210> 958

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 958

tcaagcgcca tctcttttcgg taatccacat

30

<210> 959

<211> 30

<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 959
tcaagcgcca tttcttttgg taaaccacat 30

<210> 960
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 960
tcaagctata tgctacaact ggttcaaaaa c 31

<210> 961
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 961
tcaagctcta caccataaaa aaagctctca 30

<210> 962
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 962
tcaaggttct caccgtttac cttaggag 28

<210> 963
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 963
tcaagtgctt ttacttctat aggtttaagc tc 32

<210> 964
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 964
tcaatacaga gtctacactt ggcttaggat 30

<210> 965
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 965
tcaatctcga ctttttgtgc cggta

25

<210> 966
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 966
tcacaaggac cattataatc aatgcaa

28

<210> 967
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 967
tcacaccaag tagtgcaagg atc

23

<210> 968
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 968
tcacacctgt aagtgagaaa aaggttgat

29

<210> 969
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 969
tcacaggttc tacttcatca ataatttcca ttgc

34

<210> 970
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 970
tcaccagctt cagcgtagtc taataattta cgga 34

<210> 971
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 971
tcaccatgcg cccgttcaca ta 22

<210> 972
<211> 37
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 972
tcaccgataa ataaaatacc taaagttaat gccattg 37

<210> 973
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 973
tcacctacag ctttaaagcc agcaaaatg 29

<210> 974
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 974
tcacgatacc tgcacatca aattggtt 28

<210> 975
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 975
tcacgatcta aatttgata agccatagga aa 32

<210> 976
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 976
tcacgcgacg agtgccatcc attg

24

<210> 977
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 977
tcacgcgcat catcaccagt ca

22

<210> 978
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 978
tcacgggccca gctcgtct

18

<210> 979
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 979
tcacgtcgtc cgacttcacg gtcagcat

28

<210> 980
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 980
tcagaatcga tgccaaatgc gtcatc

26

<210> 981
<211> 30
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 981
tcagatataa atggaacaaa tggagccact 30

<210> 982

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 982
tcagcgtagt ctaataattt acggaacatt tc 32

<210> 983

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 983
tcagctgtta acggcttcaa gaccc 25

<210> 984

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 984
tcaggtatga aacacgatta gtcctttct 29

<210> 985

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 985
tcagtttgca cttcaaaaga aattgtggt 29

<210> 986

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 986
tcataactag catttgtgct ttgaatgct 29

<210> 987

<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 987
tcataagggt tgcgttgcag attatcttta c 31

<210> 988
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 988
tcattctggtt taggatctgg ttgact 26

<210> 989
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 989
tcattctgtgg tatggcgggt aagtt 25

<210> 990
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 990
tcattgacagc caagacctca cccacc 26

<210> 991
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 991
tcattgataga actacctggt tgcatttttg g 31

<210> 992
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 992
tcatgtgcta atgttactgc tggatctg 28

<210> 993
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 993
tcattaggta aaatgtctgg acatgatcca a 31

<210> 994
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 994
tcattttattt cttegcctttt ctcgctac 28

<210> 995
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 995
tcattttgtgc tttgaatgct 20

<210> 996
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 996
tccaaacgat ctgcatcacc atcaaaag 28

<210> 997
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 997
tccaaccag aaccacatac tttattcac 29

<210> 998
<211> 27

<212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer

 <400> 998
 tccaaccttt tccacaacag aatcagc 27

 <210> 999
 <211> 24
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer

 <400> 999
 tccaagtgtt gggtttacccc atgg 24

 <210> 1000
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer

 <400> 1000
 tccaagtgtt gggtttacccc atggag 26

 <210> 1001
 <211> 28
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer

 <400> 1001
 tccaagtttg acttaaactgt accatcgc 28

 <210> 1002
 <211> 32
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer

 <400> 1002
 tccacactgg attgtaattt accttgttct tt 32

 <210> 1003
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer

<400> 1003
tccaccacct caaagaccat gtggtg 26

<210> 1004
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1004
tccagcaggt tctgacggaa acg 23

<210> 1005
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1005
tccagcagtt actgtcccct catctttg 28

<210> 1006
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1006
tccaggcatt accatttcta ctcctttctgg 30

<210> 1007
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1007
tccataaggt caccgtcacc attcaaagc 29

<210> 1008
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (21) ... (21)
<223> I

<220>

<221> modified_base
<222> (30)...(30)
<223> I

<400> 1008
tccatacctt tatgcaactt tgtatcaact ggaat 35

<210> 1009
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1009
tccatattgt tgcataaaac ctgttggc 28

<210> 1010
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1010
tccatccata gaaccaaagt taccttg 27

<210> 1011
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1011
tccatcgag tcacgtttac tggttg 26

<210> 1012
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1012
tccatcgcca gtttttgcac aatcgctaaa aa 32

<210> 1013
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1013

tccatctggtt aaaccatcat ataccatgct atc

33

<210> 1014
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1014
tccatttccg acacgtcggt gatcac

26

<210> 1015
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1015
tcccaatcta acttccacat accatct

27

<210> 1016
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1016
tcccaatctt ttgattcgat catacgaga

29

<210> 1017
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1017
tcccatacct atggcgataa ctgtcat

27

<210> 1018
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1018
tcccattttt tcacgcatgc tgaaaatatac

30

<210> 1019
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1019
tccccacctt cctcc 15

<210> 1020
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1020
tccccatctc cgcaaagaca ataaa 25

<210> 1021
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1021
tccccattta ataattccac ctactatcac act 33

<210> 1022
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1022
tcccctcatg tttaaagat caggataaaa agc 33

<210> 1023
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1023
tcccctttaa agcaccatta ctcattatag t 31

<210> 1024
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1024
tcccgaacaa tgagttgtat caactatddd tac 33

<210> 1025
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1025
tcccgcctggc aaataaactc g 21

<210> 1026
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1026
tcccggttag agattctgta tacga 25

<210> 1027
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1027
tcccgctctga gttcctcttg catgatca 28

<210> 1028
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1028
tccctaatag tagaaataac tgcatacagta gc 32

<210> 1029
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1029
tcccttattt ttctttctac taccttcgga taat 34

<210> 1030
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1030
tcccttcctt aatatgagaa ggaaaccact 30

<210> 1031
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1031
tccgaaactt gttttgtagc tttaatttga gc 32

<210> 1032
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1032
tccgaagttg ccctggccgt c 21

<210> 1033
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1033
tccgagacca gcgtaggtgt aacg 24

<210> 1034
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1034
tccgataagc cggattctgt gc 22

<210> 1035
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1035
tccgcaaaga ctttggcatt aggtgtga 28

<210> 1036
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1036
tccgcctttt actccctttt tcacagg 27

<210> 1037
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1037
tccgccttca aaatgggtggc gagt 24

<210> 1038
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1038
tccggctaga gattctgtat acgaaaatat c 31

<210> 1039
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1039
tccggctaga gattctgtat acgacaatat c 31

<210> 1040
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1040
tccggtaact gggtcagctc gaa 23

<210> 1041
<211> 34
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 1041
tccgtagttt tgcataattt atggtctatt tcaa 34

<210> 1042
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1042
tccgtcatcg ctgacagaaa ctgagtt 27

<210> 1043
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1043
tccgtctatc cacaagttaa ttggtact 28

<210> 1044
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1044
tcctacccaa cgttcaccaa gggcag 26

<210> 1045
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1045
tcctccttgt gcctcaaaac gcattttta 29

<210> 1046
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1046
tcctctatgc aacttagtat caacaggaat 30

<210> 1047

<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1047
tcctcttggg ccacgcaaag tttt

24

<210> 1048
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1048
tcctcttttc acaggctcta cttcatc

27

<210> 1049
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1049
tcctgaagat ctagttcttg aatggttact

30

<210> 1050
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1050
tcctgcaata tctaatagcac tcttacg

27

<210> 1051
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1051
tcctgcagct ctacctgctc catta

25

<210> 1052
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1052
tcctggccat cctgcaggat 20

<210> 1053
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1053
tcctgtttta tagccgcaa gagtaag 27

<210> 1054
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1054
tccttcacgc gcacatcac c 21

<210> 1055
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1055
tccttctgat gcctgatgga ccaggag 27

<210> 1056
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1056
tccttggcat acatcatgtc gtagca 26

<210> 1057
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1057
tccttgtgct tcaaaacgca tttttacatt ttc 33

<210> 1058
<211> 28

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1058
tccttttaaaa taaccgctag tagctcct

28

<210> 1059
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1059
tccttttatgc aacttagtat caaccggaat

30

<210> 1060
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1060
tccttttatgc aacttggtat caacaggaat

30

<210> 1061
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1061
tccttttatgc aacttggtat caaccggaat

30

<210> 1062
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1062
tcctttcaat gttacagaaa actctacag

29

<210> 1063
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1063
tcgaaccgaa gttaccctga ccat 24

<210> 1064
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1064
tcgaattcag ctaaatactt ttcagcatct 30

<210> 1065
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1065
tcgacctgga ggacgacgta aaatca 26

<210> 1066
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1066
tcgacgacca tcttggaag atttc 25

<210> 1067
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1067
tcgagccgaa gttaccctgt ccgtc 25

<210> 1068
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1068
tcgatccgca tcaccatcaa aagcaaa 27

<210> 1069
<211> 26
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1069

tcgatcgaac cgaagttacc ctgacc

26

<210> 1070

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1070

tcgatcgtga ctctctttat tttcagtt

28

<210> 1071

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1071

tcgatctcct tggcgctccga

20

<210> 1072

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1072

tcgcaccgtg ggttgagatg aagtac

26

<210> 1073

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1073

tcgcagcgtg cgtggcac

18

<210> 1074

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1074

tcgcaggctt acagaacgct ctccta 26

<210> 1075
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1075
tcgcagttca tcagcacgaa gcg 23

<210> 1076
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1076
tcgccagcta gcacgatgtc attttc 26

<210> 1077
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1077
tcgccatagc taagttgttt attgtttcca t 31

<210> 1078
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1078
tcgcctggtg caggcatcat at 22

<210> 1079
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1079
tcgcgctgta tttttcctcc gaga 24

<210> 1080
<211> 18
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 1080

tcgctacctt aggaccgt

18

<210> 1081

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1081

tcgctcagca ataattcact ataagccga

29

<210> 1082

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1082

tcgctctctc aagtgatcta aacttggag

29

<210> 1083

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1083

tcgcttgagt gtagtcatga ttgcg

25

<210> 1084

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1084

tcggaaacaa agaattcatt ttctggtcca aa

32

<210> 1085

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1085

tcggaaatat tctttcaata cctttatgca act

33

<210> 1086
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1086
tcggaaatat tctttcaata cctttatgca actt

34

<210> 1087
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (20)...(20)
<223> I

<220>
<221> modified_base
<222> (26)...(26)
<223> I

<400> 1087
tcggaaatat tctttcaata cctttatgca actt

34

<210> 1088
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1088
tcggactcgc tttcgctacg

20

<210> 1089
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1089
tcggataagc tgccacaagg

20

<210> 1090
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1090
tcggcatcac gccgtcgtc 19

<210> 1091
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1091
tcggcgacaac tggccatcac 20

<210> 1092
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1092
tcgggcgtag tttttagtaa ttaaatacaga agt 33

<210> 1093
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1093
tcgggtacgaa ctggatgtcg ccgtt 25

<210> 1094
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1094
tcgggtcagca aaacggtagc ttgc 24

<210> 1095
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1095
tcgggtggtgg tagccgatct c 21

<210> 1096
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1096
tcgggtttaag ctctacatga tcgtaaggat a 31

<210> 1097
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1097
tcgggtttcag tcattctccac cataaagg 29

<210> 1098
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1098
tcgtatgacc agcttcggta ctacta 26

<210> 1099
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1099
tcgtcaacac taccattatt accatgcac tc 32

<210> 1100
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1100
tcgtccgact taacggtcag catttc 26

<210> 1101
<211> 29
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 1101

tcgtccgact taacggtcag catttcctg

29

<210> 1102

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1102

tcgtccgact taacggtcag catttcctgc a

31

<210> 1103

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1103

tcgtcctctc gaatctccga tatacc

26

<210> 1104

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1104

tcgtcgcgga cttcgaagcc

20

<210> 1105

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1105

tcgtcggact taacggtcag catttc

26

<210> 1106

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1106

tcgtcggact taacggtcag catttcctg

29

<210> 1107

<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1107
tcgtcggact taacgggcag catttcctgc a 31

<210> 1108
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1108
tcgtcgtatt tatagtgacc agcaccta 28

<210> 1109
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1109
tcgtgcctaa caaatcccggt ctgagttc 28

<210> 1110
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1110
tcgtggacta ccagggtatc ta 22

<210> 1111
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1111
tcgtgggcct tgccggt 17

<210> 1112
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1112
tcgttaatta atctggctgc ggaagtga 28

<210> 1113
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1113
tcgttgagat ggtttttacc ttcgttg 27

<210> 1114
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1114
tcgtttaagc gccagaaagc accaa 25

<210> 1115
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1115
tcgtttcacc ctgtcatgcc g 21

<210> 1116
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1116
tctttcgtat aaaaaggacc aattgg 26

<210> 1117
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1117
tctacaacac ttgattgtaa tttgccttgt tcttt 35

<210> 1118
<211> 24

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1118
tctagcggaa caacagttct gatg 24

<210> 1119
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1119
tctatagagt ccggactttc ctcgtga 27

<210> 1120
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1120
tctataggta ctgtagtttg tttccgtct 30

<210> 1121
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1121
tctcacctac agcttttaaag ccagcaa 27

<210> 1122
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1122
tctcacctac agcttttaaag ccagcaaaat g 31

<210> 1123
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1123
tctcatcccg atattaccgc catga 25

<210> 1124
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1124
tctcatgaaa aaggctcagg agatacaag 29

<210> 1125
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1125
tctctttacc caccctttca cccttac 27

<210> 1126
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1126
tctctttcaa agcaccattg ctcattatag t 31

<210> 1127
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1127
tctgcatttt tgcgagcctg tcta 24

<210> 1128
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1128
tctgcctgag atgtcgaaaa aaacgttg 28

<210> 1129
<211> 26
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1129

tctggcccct ccatacatgt atttag

26

<210> 1130

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1130

tctggctgcg gaagtgaaat cgt

23

<210> 1131

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1131

tctgggtgac ctggtgtttt aga

23

<210> 1132

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1132

tctgtttcag ttgcaaattc

20

<210> 1133

<211> 34

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1133

tcttcacact tttagaatca accgttttat tgtc

34

<210> 1134

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1134

tcttcagcgt agtctaataa tttacggaac atttc 35

<210> 1135
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1135
tcttccaagg atagatttat ttcttggtcg 30

<210> 1136
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1136
tcttctgtaa aggggtggtt attattcatc cca 33

<210> 1137
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1137
tcttcttctt togtataaaa aggaccaatt gg 32

<210> 1138
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1138
tcttcttgaa aaattggtgt cccgaaac 28

<210> 1139
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1139
tcttctttcg tataaaaagg accaattggt t 31

<210> 1140
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1140
tcttgacagc atccgttg 18

<210> 1141
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1141
tcttgagcat tggttcttac ttgttttgca ta 32

<210> 1142
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1142
tcttgagcca tacgtaccat tgc 23

<210> 1143
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1143
tcttggttta ggatgaaaat atagtgggtg ta 32

<210> 1144
<211> 39
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1144
tctttaagtt cttccaagga tagatttatt tcttggtcg 39

<210> 1145
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1145
tcttttcttt gcttaatttt ccatttgcca t 31

<210> 1146
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1146
tggttactgct ggat 14

<210> 1147
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1147
tgaacatttg cgacggtata cccat 25

<210> 1148
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1148
tgaatatgta atgcaaacca gtctttgtca t 31

<210> 1149
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1149
tgaatcttga aacaccatac g 21

<210> 1150
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1150
tgaatcttga aacaccatac gtaacg 26

<210> 1151
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1151
tgaattatgc aagaagtgat caattttctc acga 34

<210> 1152
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1152
tgaattcttt caaagcacca ttgctcatta tagt 34

<210> 1153
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1153
tgacaggaca caatctgcat gaagtctgag 30

<210> 1154
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1154
tgacccaaag ctgaaagctt tactg 25

<210> 1155
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1155
tgaccccaac ctggcctttt gtcgttga 28

<210> 1156
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1156
tgaccgttat agttacggcc 20

<210> 1157
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1157
tgacggcatc gataccaccg tc 22

<210> 1158
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1158
tgacgtcatc cccaccttcc 20

<210> 1159
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1159
tgacgtcatc cccaccttcc tc 22

<210> 1160
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1160
tgacgtcatg cccaccttcc 20

<210> 1161
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1161
tgacgtcatg gccaccttcc 20

<210> 1162
<211> 32
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 1162

tgactttaaac gtaccatcgc ttcatatata ga

32

<210> 1163

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1163

tgacttttctt cccctttatc agtctcc

27

<210> 1164

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1164

tgagatgtcg aaaaaaacgt tggcaaaata c

31

<210> 1165

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1165

tgagatgttg atgatttacc agttccgatt g

31

<210> 1166

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1166

tgagcatcag cgtgcgtgct

20

<210> 1167

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1167

tgagcatttt tatatccatc tccacat

28

<210> 1168

<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1168 32
tgagccatac gaacaatggg ttcataaaca gc

<210> 1169
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1169 32
tgagccatga gtaccatggc ttcataacat gc

<210> 1170
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1170 26
tgagcgtgtg gaaaaggact tggatg

<210> 1171
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1171 29
tgagctggtg ctatatgaac aataccagt

<210> 1172
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1172 30
tgagtcaccc tccacaatgt atagttcaga

<210> 1173
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1173
tgagtcgggt tcactttacc tggca 25

<210> 1174
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1174
tgagtctaca cttggcttag gatgaaa 27

<210> 1175
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1175
tgagttaaaa tgcgattgat ttcagtttcc aa 32

<210> 1176
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1176
tgagtttgaa ccatttcaga gcgaatatct ac 32

<210> 1177
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1177
tgagtttgca cttcaaaaga aattgtgt 28

<210> 1178
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1178
tgataaaaag cactaagcga tgaaacagc 29

<210> 1179
<211> 27

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1179
tgataatgaa gggaaacctt tttcacg

27

<210> 1180
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1180
tgatattgaa ctggtgtacc ataatagttg cc

32

<210> 1181
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1181
tgatcctgaa tgttttatatc tttaacgcct

30

<210> 1182
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1182
tgatctccat ggcgcggatc tt

22

<210> 1183
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1183
tgatgcgggc tggttcaac

19

<210> 1184
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1184
tgatgcgggc tggttcaaca agag 24

<210> 1185
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1185
tgatggtcta tttcaatggc agttacgaaa 30

<210> 1186
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1186
tgattatcag cggaagtag 19

<210> 1187
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1187
tgattcaaat gcagaaccat caaactcg 28

<210> 1188
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1188
tgattcgatc atacgagaca ttaaaactga g 31

<210> 1189
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1189
tgattggcga taaagtgata ttttctaaaa 30

<210> 1190
<211> 22
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1190

tgattgtttt gcagctgatt gt

22

<210> 1191

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1191

tgattgtttt gcagctgatt gt

22

<210> 1192

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1192

tgcaaaagta acggttacat ctgctccaat

30

<210> 1193

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1193

tgcaacaatt aatgctccga caattaaagg att

33

<210> 1194

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1194

tgcaactcat ctggtttagg atct

24

<210> 1195

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1195

tgcaactgaa tagattgcag taagttataa gc 32

<210> 1196
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1196
tgcaagagca accctagtgt tcg 23

<210> 1197
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1197
tgcaaggga acctagaatt acaaaccct 29

<210> 1198
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1198
tgcaatgtgt gctatgtcag caaaaagat 29

<210> 1199
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1199
tgcacctgcg gtcgagcg 18

<210> 1200
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1200
tgcacgcaaa cgctttactt cagc 24

<210> 1201
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1201
tgcacgtctg tttcagttgc aaattc 26

<210> 1202
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1202
tgcagctgat tgt 13

<210> 1203
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1203
tgcataggga aggtaacacc atagtt 26

<210> 1204
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1204
tgcatacaca tttccttgtc cttcg 25

<210> 1205
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1205
tgcatagaagc ataaaaactg tatcaagtgc tttta 35

<210> 1206
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1206
tgcatagctta ctcaaatacat cataaacaat taaagc 36

<210> 1207
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1207
tgcattgtac cgaagtagtt cacattggt 29

<210> 1208
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1208
tgccaagtgc tggtttaccc catgg 25

<210> 1209
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1209
tgccactttg acaactcctg ttgctg 26

<210> 1210
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1210
tgccagcgcac agaccatcgt a 21

<210> 1211
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1211
tgccagctta gtcatacgga cttc 24

<210> 1212
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1212
tgccagtttc cacatttcac gttcgtg 27

<210> 1213
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1213
tgccatacgt accatcgttt cataaacagc 30

<210> 1214
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1214
tgccatagca aagcctacag catt 24

<210> 1215
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1215
tgccatccat aatcacgcca tactgacg 28

<210> 1216
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1216
tgccatttcc atgtactcct ctctaacatt 30

<210> 1217
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1217
tgcccaccag aaagactagc aggataa 27

<210> 1218
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1218
tgcccaggta caacctgcat 20

<210> 1219
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1219
tgccccattg ctcatgatag tagctac 27

<210> 1220
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1220
tgccctttct aaaagtcttg agtgaagata 30

<210> 1221
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1221
tgcccttttg taaaagcagg gctat 25

<210> 1222
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1222
tgccgataag ccggattctg tgc 23

<210> 1223
<211> 28
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 1223

28

tgccgtaaca tagaagttac cgttgatt

<210> 1224

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1224

33

tgccgtaact aacataagag aattatgcaa gaa

<210> 1225

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1225

33

tgccgtatac gaaaatatct tatcatttag cgt

<210> 1226

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1226

25

tgccctaaca atcccgtctg agttc

<210> 1227

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1227

20

tgccctcgcg aacctacccg

<210> 1228

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1228

20

tgccctcgtc aaccacccg

<210> 1229

<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1229
tgcgaggaac ttcacgtcct gc 22

<210> 1230
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1230
tgcgatggta ggtatccttag caatcattct 30

<210> 1231
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1231
tgcgcgagct tttatttggg tttc 24

<210> 1232
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1232
tgcgctaatt cttcaacttc ttctttcgt 29

<210> 1233
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1233
tgcgctatca acgattttga caatatatgt ga 32

<210> 1234
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1234
tgcggcagca ctatcaccat cca 23

<210> 1235
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1235
tgcgggctgg ttcaacaaga g 21

<210> 1236
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1236
tgcgggtgat acttaccgag tac 23

<210> 1237
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1237
tgcggtctgg cgcatatagg ta 22

<210> 1238
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1238
tgcgtagtct aataatttac ggaacatttc 30

<210> 1239
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1239
tgcgtgacga ccttcttgaa ttgtaatca 29

<210> 1240
<211> 23

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1240
tgcgtggact accagggat cta 23

<210> 1241
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1241
tgcagctgat tgt 13

<210> 1242
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1242
tgctaaagtc ttgagccata cgaacaatgg 30

<210> 1243
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1243
tgctagacct ttacgtgcac cgtg 24

<210> 1244
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1244
tgctaggcca tcaggccacg cat 23

<210> 1245
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1245
tgctatatgc tacaactggt tcaaaaacat taag 34

<210> 1246
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1246
tgctcacctg ctacaacaag tccagcaat 29

<210> 1247
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1247
tgctcttacc tcaccgttcc acccttacc 29

<210> 1248
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1248
tgctgctttc gcatgggttaa ttgcttcaa 29

<210> 1249
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1249
tgctgctttg atggctgaat ccccttc 27

<210> 1250
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1250
tgctggattc gcctttgcta cg 22

<210> 1251
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1251

tgctgtaggg aaatcagggc c

21

<210> 1252

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1252

tgcttagatg ctttcagc

18

<210> 1253

<211> 34

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1253

tgcttcaaaa cgcattttta cattttcgtt aaag

34

<210> 1254

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1254

tgcttcagca cggccaccaa cttctag

27

<210> 1255

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1255

tgcttcagcg tagtctaata atttacggaa c

31

<210> 1256

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1256

20

tgcttctctt ccgggtcggc

<210> 1257

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1257

tgcttgctca aatcatcata aacaattaaa gc

32

<210> 1258

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1258

tgcttgctct ttcaagcagt cttgaatgaa g

31

<210> 1259

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1259

tgcttggtgg cttcttcgtc gaa

23

<210> 1260

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1260

tgctttgtaa tctagttcct gaatagtaac ca

32

<210> 1261

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1261

tggaaaactc atgaaattaa agtgaaagga

30

<210> 1262

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1262

tggaaaccgg ctaagtgagt accaccatc

29

<210> 1263

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1263

tggaacaccg tctttaatta aagtatctcc

30

<210> 1264

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1264

tggaatttac cagcgataga cacc

24

<210> 1265

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1265

tggaccacgc cgaagaacgg

20

<210> 1266

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1266

tggacgatat tcacggttta ccacttata

30

<210> 1267

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1267

tggactaata acaatgagct cattgtactg a

31

<210> 1268
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1268
tggataattg gtcgtaacaa gggatagtga g 31

<210> 1269
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1269
tggatagacg tcatatgaag gtgtgct 27

<210> 1270
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1270
tggatcactg cttacgaact cagcttc 27

<210> 1271
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1271
tggatgtgct cagcagtcctg tggcat 26

<210> 1272
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1272
tggcaacagc tcaacacctt tgg 23

<210> 1273
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1273
tggcacccgtg ggttgagatg aagtac 26

<210> 1274
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1274
tggcacgagc ctgacctgt 19

<210> 1275
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1275
tggcagcaat agtttgacgt acaaatgcac acat 34

<210> 1276
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1276
tggcatcacc atttccttgt ccttcg 26

<210> 1277
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1277
tggccacttt tatcagcaac cttacagtc 29

<210> 1278
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1278
tggccgtact ccccaggcg 19

<210> 1279
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1279
tggcgatgca ctggcttgag

20

<210> 1280
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1280
tggctcataa gacgcgcttg taga

24

<210> 1281
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1281
tggctgcgga agtgaaatcg ta

22

<210> 1282
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1282
tggctgcttc taagccaac

19

<210> 1283
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1283
tggcttgaga atttaggatc cggcac

26

<210> 1284
<211> 30
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 1284

tgggacgtaa tcgtataaat tcatcatttc

30

<210> 1285

<211> 36

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1285

tgggataaca ttggttggaa tataagcaga aacatc

36

<210> 1286

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1286

tgggatggag gtgtagaagg tgttatcatc

30

<210> 1287

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1287

tgggatggag gtgtagaagg tgttatcatc

30

<210> 1288

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1288

tgggcaccat ttatccacaa attgattggt at

32

<210> 1289

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1289

tggggacttc cttaccactt ttagtatcta a

31

<210> 1290

<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1290
tggggatatg gaggtgtaga aggtgttatc atc 33

<210> 1291
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1291
tggggtaaga cgcggttagc atgtatt 27

<210> 1292
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1292
tgggtacgaa ctggatgtcg ccggt 25

<210> 1293
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1293
tgggtaggtt tttatctgtg acgcctt 27

<210> 1294
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1294
tgggtctaca cctgcacttg cataac 26

<210> 1295
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1295
tgggtgctgg tttaccccat ggag 24

<210> 1296
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1296
tgggttgctg tgcagattat ctttaccaa 29

<210> 1297
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1297
tgggtttcgc gcttagatgc tttca 25

<210> 1298
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1298
tggtaccct tgtctttg 18

<210> 1299
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1299
tggtaccct tgtctttgaa ttgtatttgc a 31

<210> 1300
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1300
tggtacaaca tcgttagctt taccactttc acg 33

<210> 1301
<211> 32

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1301 32
tggtagacacct gggttcggtt tgatgatttg ta

<210> 1302
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1302 30
tggtagcttca acttcatcca ttatgaagtc

<210> 1303
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1303 31
tggtagattc gtttaattaat ctggctgcgg a

<210> 1304
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1304 21
tggtagtgagt acctcctttg c

<210> 1305
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1305 31
tggtagggtag ctttagcaatc attctaataag c

<210> 1306
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1306
tggtgttcta gtatagattg aggtagtggg ga 32

<210> 1307
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1307
tggttagaag tcgtaacgtg gacc 24

<210> 1308
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1308
tggttcaaca agagttgccg ttgca 25

<210> 1309
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1309
tggttcttac ttgctttgca taaactttcc a 31

<210> 1310
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1310
tggttgtagt tcctgtagtt gttgcattaa c 31

<210> 1311
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1311
tggtttgta gaatcacgtt ctggagttgg 30

<210> 1312
<211> 28
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1312

tgtaaaagca gggctataat aaggactc

28

<210> 1313

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1313

tgtaaatcc gcaaagactt tggcattag

29

<210> 1314

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1314

tgtaaccctt gtctttgaat tgtatttgc

29

<210> 1315

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1315

tgtaattaac cgaaggttct gtagaagtat g

31

<210> 1316

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1316

tgtacaagga ccattataat caatgcc

28

<210> 1317

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1317

tgtacaataa ggagtcacct tatgtccctt a 31

<210> 1318
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1318
tgtacaccat ttatccacaa attgattggt 30

<210> 1319
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1319
tgtaggcaag tgcataagaa attgatata 29

<210> 1320
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1320
tgtcaatatg aagggtgctct gtggata 27

<210> 1321
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1321
tgtcaccagc ttcagcgtag tctaataa 28

<210> 1322
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1322
tgtcactccc gacacgcca 19

<210> 1323
<211> 29
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 1323

tgtcagctaa gctaataacg tttgtagag

29

<210> 1324

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1324

tgtcatcaag ccccccaaaa tgaact

26

<210> 1325

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1325

tgtccgactt gacggtaac atttcctg

28

<210> 1326

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1326

tgtccgactt gacggtcagc atttcctg

28

<210> 1327

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1327

tgtccgactt gacggtagc atttcctg

28

<210> 1328

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1328

tgtcgagca tctgttcctg c

21

<210> 1329
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1329
tgtctattgt cgattgttac ctgtacagt

29

<210> 1330
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1330
tgtgaacatt tgcgacggta tacccat

27

<210> 1331
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1331
tgtgaagaac tttcaaattct gtgaatcca

29

<210> 1332
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1332
tgtgatatgg aggtgtagaa ggtg

24

<210> 1333
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1333
tgtgatatgg aggtgtagaa ggtgtta

27

<210> 1334
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1334
tgtgcaggca tcatgtcata ccaa 24

<210> 1335
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1335
tgtgctgctt tcgcatggtt aattgcttca a 31

<210> 1336
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1336
tgtgctggtt taccccatgg ag 22

<210> 1337
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1337
tgtgctggtt taccccatgg agt 23

<210> 1338
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1338
tgtgctttga atgct 15

<210> 1339
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1339
tgtgcttttt ttgctgcat agcaaagc 28

<210> 1340
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1340
tgtggccgat ttcaccacct gctcct

26

<210> 1341
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1341
tgtgttgctg ccgcgcag

18

<210> 1342
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1342
tgttaacggc ttcaagacc

20

<210> 1343
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1343
tgttaagtgt gttgcggctg tctttatt

28

<210> 1344
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1344
tgttaatggt aacccttgct tttgaattgt atttgc

36

<210> 1345
<211> 22
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 1345

tggttactcac ccgtctgccca ct

22

<210> 1346

<211> 14

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1346

tggttactgct ggat

14

<210> 1347

<211> 34

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1347

tgttcatggtt taaatgatca ggataaaaag cact

34

<210> 1348

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1348

tggttccaata gcagttccgc ccaaattgat

30

<210> 1349

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1349

tggttctggat tgattgcaca atcaccaaag

30

<210> 1350

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1350

tggttcttgat acacctgggtt tcgttttgat

30

<210> 1351

<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1351
tgttgaagct gtacttgacc tgattttacg 30

<210> 1352
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1352
tgttgaccat gcttcttag 19

<210> 1353
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1353
tgttgtgccg cagtcaaata tctaaata 28

<210> 1354
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1354
tgtttgtgat gcatttgctg agcta 25

<210> 1355
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1355
tgttttatgt gtagttgagc ttactacatg agc 33

<210> 1356
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1356
tgttttgtat ccaagtgtg gtttaccac 29

<210> 1357
<211> 11
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1357
tactcatgcc a 11

<210> 1358
<211> 11
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1358
tattcttctg t 11

<210> 1359
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1359
ttacttctaa cccactc 17

<210> 1360
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1360
ttaatctggc tgcggaagtg aaatcgt 27

<210> 1361
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1361
ttaccatctt caaataccg aacagtaa 28

<210> 1362
<211> 26

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1362
ttaccgagca ggttctgacg gaaacg

26

<210> 1363
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1363
ttacgccatc aggccacgca

20

<210> 1364
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1364
ttactcaccc gtccgcc

17

<210> 1365
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1365
ttactcaccc gtccgccgct

20

<210> 1366
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1366
ttacttcctt accactttta gtatctaaag cata

34

<210> 1367
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1367
ttactttctaa cccactc 17

<210> 1368
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1368
ttagaagtcg taacgtggac c 21

<210> 1369
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1369
ttagatgctt tcagcactta tc 22

<210> 1370
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1370
ttcaaaacct tgctctcgcc aaacaa 26

<210> 1371
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1371
ttcaaaagtt gctcgagacc attg 24

<210> 1372
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1372
ttcaaaatgc ggaggcgtat gtg 23

<210> 1373
<211> 22
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1373

ttcaacaaga gttgccgttg ca

22

<210> 1374

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1374

ttcaaacactc tcacctacag ctttaaag

28

<210> 1375

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1375

ttcaagtgtc tgctcacat tgtc

24

<210> 1376

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1376

ttcaggtaca gcaggtggtt caggat

26

<210> 1377

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1377

ttcaggtcca tcgggttcat gcc

23

<210> 1378

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1378

ttcataagca atacctttac ttgcaccac

29

<210> 1379

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1379

ttcattttct ggtccaaagt aagcagtatc

30

<210> 1380

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1380

ttccaagtgc tggtttacct catgg

25

<210> 1381

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1381

ttccaccttg gatacctgga aaaatagctg aat

33

<210> 1382

<211> 36

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1382

ttccatttca actaattcta ataattcttc atcgtc

36

<210> 1383

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1383

ttcccctgac cttegattaa aggatagc

28

<210> 1384

<211> 27

<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 1384
ttcgcgcac caggagaagt acatggt 27

<210> 1385
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1385
ttcgcctcgcc gctac 15

<210> 1386
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1386
ttcgcctctcg gcctggcc 18

<210> 1387
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1387
ttcgggtataa cgcacgcag ca 22

<210> 1388
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1388
ttcgtgctgg attttgcct tgcct 26

<210> 1389
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1389
ttcgtgctta gatgcttca g 21

<210> 1390
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1390
ttctgagcta aatcagcagt tgca

24

<210> 1391
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1391
ttctgcgaat caatcgcacg ctg

23

<210> 1392
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1392
ttctgcttga ggaatagtgc gtgg

24

<210> 1393
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1393
ttctgggtga cctggtgttt taga

24

<210> 1394
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1394
ttcttccaag gatagattta tttcttggtc g

31

<210> 1395
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1395
ttcttgaacg cgaggtttcg attg 24

<210> 1396
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1396
ttgacatcgt ccctcttcac ag 22

<210> 1397
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1397
ttgacatttg catgcttcaa agcctg 26

<210> 1398
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1398
ttgacgtcat cccaccttc ctc 23

<210> 1399
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1399
ttgacgttgc atgttcgagc ccat 24

<210> 1400
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1400
ttgcaatcga catatccatt tcaccatgcc 30

<210> 1401
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1401
ttgcacgtct gtttcagttg caaattc

27

<210> 1402
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1402
ttgcacgtct gtttcagttg caaattc

27

<210> 1403
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1403
ttgcatcggg ttggttaagtc

20

<210> 1404
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1404
ttgccacttt gacaactcct gttgctg

27

<210> 1405
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1405
ttgccatagc aaagcctaca gcatt

25

<210> 1406
<211> 30
<212> DNA
<213> Artificial Sequence

<220>

<440> Primer

<400> 1406
ttgccattca tggatatttaa gtgtagcaga 30

<210> 1407
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1407
ttgcgccata cgtaccatcg t 21

<210> 1408
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1408
ttgcgttgca gattatcttt accaa 25

<210> 1409
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1409
ttgctgccat agcaaagcct acagc 25

<210> 1410
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1410
ttgctgcttt cgcattggtta atcgcttcaa 30

<210> 1411
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1411
ttgctgcttt cgcattggtta attgcttcaa 30

<210> 1412

<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1412
ttggacctgt aatcagctga atactgg

27

<210> 1413
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1413
ttggccatca gaccacgcat ac

22

<210> 1414
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1414
ttggccatca ggccacgcat ac

22

<210> 1415
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1415
ttggcgacgg tatacccata gctttata

28

<210> 1416
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1416
ttggtgcgct tggcgta

17

<210> 1417
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1417
ttggttctta cttgttttgc ataaactttc ca 32

<210> 1418
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1418
ttgtacattt gaaacaatat gcatgacatg tgaat 35

<210> 1419
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1419
ttgtcagact catcgcgaaac atc 23

<210> 1420
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1420
ttgtgatatg gaggtgtaga aggtgtta 28

<210> 1421
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1421
ttgtgattgt tttgcagctg attgtg 26

<210> 1422
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1422
ttgtggccga tttcaccacc tgctcct 27

<210> 1423
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1423
ttgttaacgg cttcaagacc c 21

<210> 1424
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1424
ttgtttattg tttccatattg ctacacactt tc 32

<210> 1425
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1425
tttaagcgcc agaaagcacc aac 23

<210> 1426
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1426
tttacctcgc ctttccaccc ttacc 25

<210> 1427
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1427
tttagctact attctagctg ccattttcca 29

<210> 1428
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1428
tttatgacca gtttcggtac tactaaa 27

<210> 1429
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1429
tttatggtct atttcaatgg cagttacgaa 30

<210> 1430
<211> 37
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (23)...(23)
<223> I

<220>
<221> modified_base
<222> (32)...(32)
<223> I

<400> 1430
tttcaatacc tttatgcaac tttgtatcaa ctggaat 37

<210> 1431
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1431
tttcacagca tgcacgtctg tttcagttgc 30

<210> 1432
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1432
tttccccgat ctaaatttgg ataagccata ggaaa 35

<210> 1433
<211> 27
<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1433

tttccgatgc aacgtaatga gatttca

27

<210> 1434

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1434

tttcgtgctt agatgctttc ag

22

<210> 1435

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1435

tttcttgaag agtatgagct gctccgtaag

30

<210> 1436

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1436

tttgacacctt accgccaaag ct

22

<210> 1437

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1437

tttgctcatg atctgcatga agcataaa

28

<210> 1438

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1438

24

tttgctctcc gccaaagttt ccac

<210> 1439

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1439

tttggacctg taatcagctg aatactgg

28

<210> 1440

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1440

tttgtgaaac agcgaacatt ttcttggtta

29

<210> 1441

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1441

ttttccagcc atgcagcgac

20

<210> 1442

<211> 34

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<220>

<221> modified_base

<222> (29)...(29)

<223> I

<400> 1442

ttttcccttt atgcaactta gatatcaactg gaat

34

<210> 1443

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1443

ttttgctcat gatctgcatg aagcataaa

29

<210> 1444
 <211> 2118
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Concatenation of *A. baumannii* genes

<220>
 <221> misc_feature
 <222> 447-486, 778-817, 1162-1201, 1495-1534, 1928-1967, 2115-2118
 <223> n = A,T,C or G

```

<400> 1444
cgcgcggttaa aactaaagaa gaagatatag cattagaaaa agatttgctg tctgatgaaa 60
aagagattgc tgaacattta atgctgattg atcttgggcg aaacgatgta gggcggtgat 120
cgaaaatagg taaagtccaa gtcacggatc aaatggatga cgagcggttat tcacatgtca 180
tgcataattgt ttcaaatgta caaggtgaag tgcgtgatga tatcgatgca cttgatgtat 240
ttaaagccac ctttccagca ggaacggttat caggtgcccc aaaaattcgt gcaatggaaa 300
ttattgatga agtagaacct gtgaaaaggg gagtttttgg cggggctggt gggtatttgg 360
gatggcatgg tgaaatggat atgtcgattg caatccgtac ttgtgttatc cgtgataaaa 420
aggtgtatgt acaggtcggg gcagggnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 480
nnnnnnggaa tctggcgggt tagtttcaga tgaactcatt atcggtttag taaaagaacg 540
tattgctcaa cctgactgcg tgaatggttg tattttcgac ggcttccac gcactattcc 600
tcaagcagaa gctttggaaa aagaagggat cagcattgat catgtaattg aaattgatgt 660
acctgatgaa gaaatcgtaa aacgtctttc tggtcgtcgt cagcatcctg cttctggctg 720
tgtttatcac gttgtatata atccacctaa agtggaagggt aaagatgatg tcacaggnnn 780
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnct tcaaccgtgt aaaattacgt 840
aaccttaaaa ctggtaaagt tttagaaaaa acttttaaat ctggtgatac tttagaagct 900
gctgacatcg tagaagtaga aatgaactac ctatacaacg atggcgaaaat gtggcacttc 960
atggaccag aaagcttcga acaaattgca gctgacaaaa ctgcaatggg tgatgctgct 1020
aaatgggttaa aagacgactc aaatgaaact tgtacaatca tggtattcaa cggcgcttcc 1080
ttaaacgtaa atgcacctaa cttcgttgta ttgaaagttg ttgaaactga tccgggctga 1140
cgtggtgata cttctggtgg tnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1200
ntcgtgcccg yaatttgcac aaagctgccg gcctttagc acagcaaggc aaatttccctg 1260
aaactctaga agaattgatt gcaactcccg gcattggtcg ctgcaccgca ggtgcaactca 1320
tgtctttagg ttacgtcag tatggcgtga ttatggatgg caacgtgaaa cgcgttttag 1380
cccgtttctt tgccattgaa gatgacttaa gcaaaccaca gcacgaacgt gaaatgtgga 1440
aactggctga agagctttgt cccacccaac gcaatcatga ctacactcaa gcgannnnnn 1500
nnnnnnnnnn nnnnnnnnnn nnnnttaaaa acactagcgg taagcttaaa 1560
caagattgcc aatgatattc gttggttagc aagtggcca cgttgcggtc tcggcgaaat 1620
ccgtattcct gaaaatgaac ctggttcaag tatcatgcca ggtaaagtga acccgactca 1680
aagtgaagcc atgaccatgg ttgttgctca agtactggc aacgatacca ctattaatgt 1740
cgctgggtgct tctggtaact tcgagctcaa tgtatttatg ccagtgattg cttataactt 1800
actgcaatct attcagttgc ttggtgatgc atgtaatagt tttaatgatc actgtgcagt 1860
agggatcgag ccaaatcgtg agaaaattga tcatttcttg cataattctc ttatgtagt 1920
tacggcannn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnccc ggttatgtac 1980
caaatacttt gtctgaagat ggtgacccat tagacgtact tgttgtaact ccacatcctg 2040
ttgctgccgg ttctgtaatt cgttgccgcc cagtgggcaa attaaacatg gaagacgacg 2100
gtggtatcga tgccnnnn 2118

```

<210> 1445
 <211> 102
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Calibration Polynucleotide

<400> 1445
tttaagtccc gcaacgagcg caacccttga tcttagttgt ttagttgggc actctaaggt 60
gactgccggt gacaaaccgg aggaaggtgg ggatgacgtc aa 102

<210> 1446
<211> 94
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1446
tagaacaccg atggcggaagg cgactttctg gtctgtaact gacactgaga aagcgtgggg 60
agcaaacagg attagatacc ctggtagtcc acga 94

<210> 1447
<211> 108
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1447
tggattagag accctggttag tccacgccgt aaacgatgag tgctaagtgt tagaggcctt 60
tagtgctgaa gttaacgcat taagcactcc gcctggggag tacggcca 108

<210> 1448
<211> 108
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1448
tttcgatgca acgcgaagaa ccttaccagg tcttgacatc ctctgacaac cctagcttct 60
ccttcggggag cagagtgaca ggtggtgcat ggctgtcgtc agctcgta 108

<210> 1449
<211> 95
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1449
tctgacacct gcccgggtgct ggaagggttaa ggagaggggt tagcgtaact ctgaactgaa 60
gccccagtaa acggcgggcg taactataac ggtca 95

<210> 1450
<211> 117
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1450

tctgttctta gtacgagagg accgggatgg acgcaccggg accagttggt ctgccaaggg 60
 catagctggg tagctatgtg cggaagggat aagtgtctgaa agcatctaag cacgaaa 117

<210> 1451
 <211> 100
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Calibration Polynucleotide

<400> 1451
 tgattattgt tctcctgtta tgccatttga gatttttgag tggatttgga gttattgttc 60
 caggattaat tgcaaataca attcaaagac aagggttaca 100

<210> 1452
 <211> 112
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Calibration Polynucleotide

<400> 1452
 tcgaagtaca atacaagaca aaagaaggta aaattactgt tttaggggaa aaattcaaga 60
 aatatagaag tgatggctaa aaatgtagaa ggggtcttga agccgttaac aa 112

<210> 1453
 <211> 100
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Calibration Polynucleotide

<400> 1453
 ttgctcgtgg tgcacaagta acggatatta caatcattgt tgttcagct gatgacggcg 60
 taataaacag ttgaagcaat taaccatgag aaagcagcaa 100

<210> 1454
 <211> 114
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Calibration Polynucleotide

<400> 1454
 tagcttttgc atattatata gagccacagc atcgtgatgt tttacagctt tatgcaccgg 60
 aagctttttaa tggataaatt taacgaacaa gaaataaatc tatccttgga agaa 114

<210> 1455
 <211> 116
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Calibration Polynucleotide

<400> 1455
 tgacctacag taagagggtc tgtaatgaac cctaatagacc atccacacgg tgggtggtgaa 60

ggtagatctc ctatcggaag gtccacgtac tccatggggt aaaccagcac ttggaa 116

<210> 1456

<211> 70

<212> DNA

<213> Artificial Sequence

<220>

<223> Calibration Polynucleotide

<400> 1456

tccacacggt ggtggtgaag gtagatctcc tatcggaag tccacgtact ccatggggta 60
aaaccagcac 70

<210> 1457

<211> 82

<212> DNA

<213> Artificial Sequence

<220>

<223> Calibration Polynucleotide

<400> 1457

ttatcgctca ggcaactcc aacctggatg atgaaggccg ctttttagaa ggtgacttgt 60
cgtagcaaag gcgaatccag ca 82

<210> 1458

<211> 87

<212> DNA

<213> Artificial Sequence

<220>

<223> Calibration Polynucleotide

<400> 1458

tgggcagcgt ttcggcgaaa tggaagtggc tcgaagcgta tggcgcttcg tacgtgctgc 60
aggaaatggt gaccgtcaag tcggaca 87

<210> 1459

<211> 97

<212> DNA

<213> Artificial Sequence

<220>

<223> Calibration Polynucleotide

<400> 1459

tcaggagtcg ttcaactcga tctacatgat ggccgaccgc ccgggggttcg gcggtgcaga 60
ttcgtcagct ggccggcatg cgtggcctga tggcgta 97

<210> 1460

<211> 117

<212> DNA

<213> Artificial Sequence

<220>

<223> Calibration Polynucleotide

<400> 1460

tctggcaggt atgcgtggtc tgatggccaa tccatctggt cgtatcatcg aacttccaat 60
caagtttccg tgaaggttta acagtacttg agtacttcat ctcaaccac ggtgcga 117

<210> 1461
 <211> 98
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Calibration Polynucleotide

<400> 1461
 tcaagcaaac gcacaatcag aagctaagaa agcgcaagct tctggaaagc acaaatgcta 60
 gttatggttac agaatttgca actgaaacag acgtgcaa 98

<210> 1462
 <211> 99
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Calibration Polynucleotide

<400> 1462
 tccacaagcc gttcttcaac aactaccgtg ttctacttcc gtacgacgga cgtgacgggc 60
 tcgatcgagc tgccgaagga caaggaaatg gtgatgcca 99

<210> 1463
 <211> 111
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Calibration Sequence

<400> 1463
 tcgtggcgcc gtggttatcg aacccatgct gaccgatcaa tggtagctgc acaccgcccc 60
 ccaaagtcgc gattgaagcc gtagagaacg gcgacatcca gttcgtaccg a 111

<210> 1464
 <211> 2100
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Combination Calibration Polynucleotide

<400> 1464
 gaagtagaga tatggaggaa caccagtggc gaaggcgact ttctggtctg taactgacac 60
 tgagaaagcg tggggagcaa acaggattag ataccctggt agtccacgcc gtaaaccgatg 120
 agtgctaagt gttagaggcc tttagtgtctg aagttaacgc attaagcact ccgcctgggg 180
 agtacggccg caaggctgaa actcaaagga attgacgggg cacaagcggg ggagcatgtg 240
 gtttaattcg aagcaacgag aagaacctta ccaggtcttg acatcctctg acaaccctag 300
 cttctccttc gggagcagag tgacaggtgg tgcattggtg tcgtcagctc gtgtcgtgag 360
 atgttggggt aagtcccgca acgagcgcaa cccttgatct tagttgttta gttgggcact 420
 ctaaggtgac tgccgggtgac aaaccggagg aaggtgggga tgacgtcaaa tcatcatgcc 480
 ccagtaccgt gagggaaagg tgaaaagcac ccgggaaggg gagtgaaga gatcctgaaa 540
 ccgtgtgcc aatgcagagc ccgttaacgg gtgatggcgt gccttttgta gaatgaaccg 600
 gogagttata agatccgtag tcaaaaaggga aacagcccag accgccagct aaggtcccaa 660
 agtgtgtatt gaaaaggatg tggagttgct tagacaacta ggatgttggc ttagaagcag 720
 ccaccattta aagagtatat ggggtgacac ctgcccgggt ctggaagggt aaggagaggg 780
 gttagcgtaa ctctgaactg aagccccagt aaacggcggc cgtaactata acggtcctaa 840


```

ggtagcgaaa gaaatttgag aggagctgtc cttagtacga gaggaccggg atgggacgcac 900
cggtaccagt tgttctgcca agggcatagc tgggtagcta tgtgcggaag ggataagtgc 960
tgaaagcatc taagcatgaa gccccctcca agatgagagc agtaaaacaa gcaaacgcac 1020
aatcagaagc taagaaagcg caagcttctg gaaagcacia atgctagtta tggtagagaa 1080
tttgcaactg aaacagacgt gcatgctgtg aaatttgca aagcttttgc atattatc 1140
gagccacagc atcgtgatgt ttacagctt tatgcaccgg aagcttttaa tggataaatt 1200
taacgaacaa gaaataaatc tatccttgga agaacttaaa gatcaacgga tgctggcaag 1260
atatgaaaaa taagataaaa cagcactatc aacactggag cgattcttta tctgaagaag 1320
gaagagcgat gaaaacaacg aagtacaata caagacaaaa gaaggtaaaa ttactgtttt 1380
aggggaaaaa ttcaagaaat atagaagtga tggctaaaaa tgtagaaggg gtcttgaagc 1440
cgtaaacagc tgttatggcg accgtggcgg cgtggttatc gaacccatgc tgaccgatca 1500
atggtagctg cacaccgccc cccaaagtgc cgattgaagc cgtagagAAC ggcgagatcc 1560
agttcgtccc taacacgtac ggcaacttcg ttatcgctca ggcgaactcc aacctggatg 1620
atgaaggccg ctttttagaa ggtgacttgt cgtagcaaa gCGaatcaag cctgtttagc 1680
cacaactatg cgtgctcgtg gtgcacaagt aacggatatt acaatcattg ttgttgCagc 1740
tgatgacggc gtaataaaca gttgaagcga ttaaccatgc gaaagcagca ggagtaccaa 1800
ctttactcag cttgctggta tgcgtggtct gatggccaat ccattctggc gtatcatcga 1860
acttccaatc aagtttccgt gaaggtttaa cagtacttga gtacttcac tctacgcag 1920
gtgcgcgtaa aggtcatggg agtaagacct acagtaagag gttctgtaat gaacccta 1980
gaccatccac acggtggtgg tgaaggtaga tctcctatcg gaaagtccac gtactccatg 2040
gggtaaacca gcacttgat acaaaacaag cgcagttcgg cggccagcgc ttcggtgaaa 2100

```